ideal lux

# Light up your 2021

IT **EN** FR DE ES RU

ideal lux®

# Index


| | | | |
|---|---|---|---|
| | | Alphabetical index | 012 |
| | | Typology index | 018 |
| **Indoors** |  | Suspensions | 040 |
| |  | Ceiling lamps | 258 |
| |  | Wall lamps | 352 |
| |  | Table lamps | 452 |
| |  | Floor lamps | 496 |
| |  | Systems | 534 |
| |  | Spotlights and Tracks | 594 |
| |  | Recessed lights | 626 |
| **Outdoors** |  | Suspensions and ceiling | 684 |
| |  | Wall lamps | 696 |
| |  | Bollard and Table lamps | 734 |
| |  | Spotlights | 774 |
| |  | Downlights | 788 |
| **Light bulbs** |  | Light bulbs and accessories | 802 |
| |  | Code index | 820 |




# Light up your moments

Ideal lux **commits every day to becoming** the main point of reference when it comes to choose a lamp that expresses personality through a unique and current piece of furniture.

It all began in 1974, from the intuition of designing contemporary and accessible lighting accessories. Since then, ideal lux **has been committed to listening** to everyone's needs, proposing a wide variety of lighting styles and **meeting** every functional requirement. Whether it is a family, a business or a person at the beginning of his or her adventure in a new home, ideal lux promises components **that live up to needs and dreams**.

The strong point, which is not renounceable when we talk about a company close to people, is a catalogue that meets any type of need: **more than 3,000 furnishing accessories** ranging from many product lines, from indoor and outdoor accessories, to the more technical ones.



# Giving shape to light

When it comes to indoor solutions, the goal of ideal lux is to **create versatile sets** for all environments, letting **every moment live** with the right atmosphere and offering everyone the opportunity to experiment **with their own idea of home**. Even outside, the solutions offered for outdoor spaces do not sacrifice aesthetics and safety; they remain pleasant **design elements** even when you need some fresh air.

For professional spaces, which **require particular technical attention**, ideal lux has decided to work on many proposals that help distributing the light in the right direction, giving greater colour rendering, without ever losing sight of the design and **making the spaces** where you create professionals relations **unique** too.

However, if on one hand it is a very important commercial goal to guarantee a vast choice and an extensive catalogue, on the other hand Ideal Lux also cultivates with **meticulous care** its **relationship with customers**. How does it do so? By guaranteeing the possibility of purchasing a design product, one that is always updated to the latest trends and that is, above all, accessible to everybody. Whether the preferred style is industrial, minimal, classic, contemporary, modern or eclectic...anyone who so wishes, **can enter the Ideal Lux world**.











DO
GOOD
THINGS





For Ideal Lux, a lamp is much more than an object. Illumination has the power to **influence our everyday life**, giving **unique character and personality to the environment**.
For this reason, everyday Ideal Lux is committed to listening to people and their stories, with the aim of cultivating an **authentic and spontaneous relationship** with them, finding new points of view and new inspirations through their stories.
Customer Care constitutes an important branch of the Company, distinguishing itself for its attention and dedication to clients and making reliability one of its main principles. **The attention to people is essential**.
With Ideal Lux, light becomes an element of our everyday life, able to **transform the ordinary into extraordinary**. In order to do so, it is important to select the lighting solution which best fits one's needs, because with the right light, every space can take on a **whole difference form, a completely different story**.

# The ordinary is extraordinary

# Alphabetical index



Eminent

Pag 476


Abc 79
Acqua 754
Admiral 339
Admiral 436
Agos 748
Aladino 174
Alfa 316
Alfa 408
Alfiere 480
Ali 282
Ali 384
Alien 787
A-Line 105
Alma 388
Almond 330
Amadeus 225
Amelia 758
Ampolla 92
Andromeda 721
Anfora 256
Angus 711
Anna 731
Anna 773
Apollo 711
Arca 536
Argo 719
Aria 138
Arizona 144
Arizona 292
Artù 245
Audi-10 182
Audi-20 134
Audi-61 182
Audi-61 337
Audi-61 437
Audi-77 211
Audi-80 183
Audi-B 382
Avion 171
Barber 409
Base 712
Basic 664
Basket 165
Bean 398
Bergen 179
Beverly 428
Beverly 532
Bijoux 343
Birillo 468
Bistrò 180
Bit 790
Blanche 218
Blanche 440
Blob 132
Blossom 132
Blues 680
Boa 156
Bob Mini 410
Bollicine 147
Bon Bon 241
Bonjour 389
Book 403
Boulder 482
Bow 390
Box 363
Breeze 111
Bright 367
Brigitta 239
Brooklyn 119
Bubble 694
Bubble 728
Bulbo 674
Caesar 213
Caesar 345
Calypso 200
Calypso 337
Calypso 436
Camerino 385
Canapa 252
Candy 145
Candy 293
Candy 464
Cantina 118
Cantina 420
Carlton 206
Carlton 347
Carlton 439
Carmen 445
Carrara 451
Carta 157
Carta 466
Casanova 236
Cascina 233
Ceci 798
Cecilia 799
Celine 281
Cerchio 455
Chalet 250
Chalet 447
Chalet 488
Channel 629
Chili 106
Chopin 290
Ciak 315
Ciak 410
Cico 393
Cima 730
Cima 772
Citrus 94
Clarissa 90
Classic Globe 769
Click 367
Clio 688
Clio 729
Clio 770
Clip 365
Cloe 189
Clown 146
Cocktail 127
Cognac 177
Colonna 526
Colossal 220
Colossal 442
Cometa 732
Commodore 360
Compo 331
Cono 124
Continental 223
Copernico 82
Corda 253
Corte 246
Corte 441
Cortina 244
Cover 358
Cross 266
Cube 366
Cupcake 470
Cylinder 188
Cylinder 524
Daddy 514
Daisy 330
Danieli 238
Dea 324
Deca 255
Deep 662
Delta 672
Dema 759
Denis 384
Desk 70
Desk 369
Disco 88
Dna 166
Doc 97
Doge 237
Doge 443
Dolomiti 482
Dony 299
Doris 742
Dorothy 529
Dorsale 512
Double 393
Down 733
Dream Big 170
Driftwood 251
Driftwood 486
Driftwood 517
Dubai 212
Dubai 345
Dubai 439
Duchessa 493
Dust 87
Dusty 190
Dusty 429
Dynamic 640
Dynamite 76
Dynamite 308
Dynamo 396
Eclissi 425
Edison 98
Edison 413
Edo 471
Edo Outdoor 765
Effetti 434
Ego 550
Ekos 195
Electric 253
Elegant 332
Elica 376
Elis 407
Elisa 767
Elisir 204
Elisir 346
Elvis 507
Eminent 476
Eminent 516
Emiro 469
Equinoxe 83
Equinoxe 419
Eris 114
Etere 707
Etere 764
Eternity 481
Etna 136
Eva 134
Evasione 211
Eye 673
Febe 733
Fiesta 695
Fiocco 449
Fiordi 116

# Alphabetical index


Firenze 243
Firenze 444
Firenze 489
Firenze 532
Fish 74
Fisherman 121
Fix 361
Flam 122
Flash 372
Flash Gesso 373
Flat 281
Flex 396
Flood 704
Floor 795
Florian 228
Florian 442
Fluo 568
Flut 129
Fly 56
Fly 268
Focus 394
Foglia 190
Foglia 350
Foglio 361
Folk 137
Forcola 528
Fox 612
Frame 54
Frame 262
Francy 723
Frida 96
Frida 415
Frozen 66
Funky 678
Futura 458
Futura 509
Game 648
Gas 702
Gas 752
Gea 433
Geko 286
Gemini 46
Gemma 296
Giada 203
Giada 438
Giglio 242
Giglio 444
Gim 405
Gingle 287
Gioconda 230
Gioconda 443
Giove 722
Giudecca 226
Glim 314
Glim 618
Glory 143
Glory 291
Gocce 123
Goose 395
Grape 158
Gretel 181
Groove 670
Gru 456
Gun 691
Gun 713
Halo 57
Halo 274
Hammam 249
Hammam 448
Hangar 112
Harem 248
Harem 448
Haunt 191
Hilton 193
Hilton 429
Hilton 477
Hilton 527
Holiday 434
Holly 108
Hook 715
Hotel 431
Hub 747
Hugo 99
Hulahoop 52
Hydro 370
Ice 93
Igor 81
Igor 415
Iguazù 123
Iko 714
Impero 231
Indio 792
Inside 783
Iris 280
Itaca 746
Jar 741
Jazz 678
Justine 244
Kali 483
Karma 136
Karol 264
Karousel 72
Kate 492
Kauri 107
Kelly 460
Ken 175
Keope 710
Kepler 84
Kepler 417
King 201
King 335
Klimt 519
Konse 89
Kool 307
Kool 371
Kraken 511
Kronplatz 489
Kronplatz 525
Krypton 786
Kuky 125
Lana 140
Lana 298
Lana 377
Lawyer 463
Le Roy 494
Le Roy 530
Leaves 86
Led Panel 632
Lena 141
Leo 792
Leti 793
Level 289
Liberty 232
Lido 173
Lika 301
Lika 634
Line 387
Lingotto 80
Lingotto 328
Lingotto 474
Link 620
Linus 71
Linus 368
Lite 400
Live 740
Livia 691
Logos 285
Loko 158
Lolita 738
London 186
London 479
London 521
Look 60
Look 302
Look 375
Look 619
Lord 133
Lounge 678
Luce Max 148
Lucia 726
Lugano 95
Luna 687
Luna 744
Lunare 406
Lunare 616
Luxor 210
Luxury 430
Luxury 473
Luxury 525
Lyra 707
Lyra 759
Madame 184
Maddi 727
Magic 493
Magnolia 344
Mama 139
Manhattan 128
Mapa Bianco 152
Mapa Bianco 293
Mapa Bianco 380
Mapa Bianco 467
Mapa Fade 150
Mapa Fade 465
Mapa Max 149
Mapa Max 465
Mapa Plus 154
Mapa Riga 155
Mapa Riga 466
Mapa Sat 149
Maracas 318
Maracas 419
Marte 768
Martinez 205
Martinez 346
Maurien 505
Mercurio 768
Mermaid 475
Metro 110
Mib 694
Microphone 472
Microphone 503
Mikado 267
Mike 727
Milk 126
Millennium 214
Minimal 100
Minimal 414
Minimal 502
Minitommy 700
Minitommy 780
Minor 58
Mint 178
Miramare 240
Mirror-10 391
Mirror-20 393
Mirror-51 391
Moby 115
Monet 215
Mood 305
Moonlight 341
Moonlight 438
Moris 363
Mouse 312
Mouse 404
Mouse 616
Mr Jack 101
Multiflex 171
Multiflex 326
Nabucco 208
Napoleon 229
Navy 113
Nawa 249
Negresco 222
Negresco 442
Nemo 162
Nemo Plus 161
Neve 340
Newton 420
Newton 506
Nitro 304
Nodi 167
Nodi 320
Nodi 416
Nodi Crystal 321
Nodino 321
Nordik 187
Nordik 430
Nordik 473
Nordik 524
Norma 254
Norma 351
Nova 630






Arca

Pag 536



# Alphabetical index


Oak 63
Oak 306
Oby 313
Oby 406
Ocean 283
Octopus 327
Off 658
Office 70
Oil 102
Olimpia 128
Omega R. 698
Omega S. 699
Onion 91
Opera 198
Opera 435
Opera 491
Opera 533
Oracle 53
Oracle Slim 50
Orangerie 257
Origami 130
Orion 200
Orion 336
Ovalino 168
Ovalino 293
Ovalino 377
Oz 48
Oz 265
Oz 356
Oz 454
Page 401
Pagoda 515
Pan 77
Pan 422
Pandora 164
Pantheon 219
Paris 495
Park 796
Park Led 797
Pashà 209
Pashà 334
Pashà 437
Paul 376
Pauline 86
Pauline 324
Pegaso 216
Pegaso 440
Pegaso 495
Pegaso 531
Peggy 359
Penombra 159
Peter 446
Petit 310
Phoenix 185
Phoenix 349
Play 309
Play 628
Plumber 323
Plumber 418
Polka 682
Polly 508
Pop 75
Posta 364
Pouche 359
Prato 470
Privè 386
Probe 402
Provence 219
Provence 531
Pulsar 762
Puzzle 362
Quadro 338
Quark 657
Queen 494
Queen 530
Quick 596
Radio 412
Radio 504
Rain 202
Rain 348
Rain 438
Rain 490
Rain 533
Read 402
Redentore 224
Regol 478
Regol 520
Relax 284
Retrò 392
Rex-1 724
Rex-2 725
Rex-3 725
Rhapsody 73
Rialto 235
Riflesso 387
Riga 160
Ring 297
Ritz 295
Rocket 801
Rocket-Mini 800
Roma 207
Roma 333
Roma 436
Roma 490
Rondo 257
Room-33 654
Room-65 679
Rose 221
Royal 342
Rubens 381
Rubik 717
Rudy 313
Rudy 405
Sailor 117
Sailor 420
Sally 461
Samba 676
Santa 449
Sasso 745
Scacchi 450
Sem 247
Set Up 196
Set Up 426
Set Up 484
Set Up 522
Shell 299
Sheraton 432
Sheraton 527
Shower 421
Simply 298
Sirio 750
Ska 681
Sky 64
Sky 303
Sky 374
Sky 619
Slem 317
Slem 408
Slide 315
Slot 586
Smarties 142
Smarties 288
Smarties 380
Smarties 464
Smile 604
Snake 319
Snake 407
Snell 487
Snif Round 708
Snif Square 709
Soda 378
Soft 172
Sole 686
Sole 743
Soul 682
Spark 85
Spark 325
Speed 188
Spot 312
Spot 404
Spot 617
Stage 510
Stand Up 505
Stardust 739
Starlight 778
Steel 68
Steel 300
Stella 255
Steno 282
Stones 450
Strauss 234
Strauss 443
Style 705
Style 749
Sunglasses 692
Sunrise 423
Swan 199
Swan 435
Swing 678
Tall 104
Taurus 794
Tea 362
Techo 690
Tender 327
Tender 397
Terra 702
Terra 782
Tesi 578
Tesla 751
Tetris-1 718
Tetris-2 719
Thor 776
Tick 424
Tiepolo 227
Tifone 755
Titano 757
Tokyo 169
Tolomeo 135
Tommy 701
Tommy 781
Tonic 379
Tornado 383
Torre 766
Totem 285
Tower 307
Triade 109
Triplo 382
Tristan 126
Triumph 78
Triumph 322
Triumph 418
Tronco 706
Tronco 760
Truman 462
Tube 62
Tudor 385
Twin 720
Ulex 784
Ulisse 144
Ulisse 292
Ultrathin 65
Umile 131
Union 280
Universal R. 276
Universal S. 278
Up 716
Up And Down 120
Urano 693
Vanity 245
Vega 756
Vela 360
Venus 763
Versus 59
Virgin 336
Virtus 366
Virus 656
Vision 580
Vortex 87
Walky 683
Wally 461
Way 801
Wheel 194
Wheel 295
Winery 311
Winery 411
Wire 791
Woody 192
Woody 294
Woody 429
Woody 526
World 89
Xeno 692
Xeno 703
Yoko 67
Yoko 457
Yoko 500
York 518
Zed 362
Zenith 753
Zenith 783
Zeno 176
Zephyr 675
Zig Zag 369

# Typology index



Oz

Pag 048




new Gemini 046 | new Oz 048 | new Oracle Slim 050 | new Hulahoop 052 | Oracle 053 | new Frame 054 | new Fly 056

Halo 057 | Minor 058 | Versus 059 | new Look 060 | Tube 062 | Oak 063 | new Sky 064

Ultrathin 065 | new Frozen 066 | new Yoko 067 | new Steel 068 | new Office 070 | Desk 070 | new Linus 071

Karousel 072 | Rhapsody 073 | Fish 074 | Pop 075 | Dynamite 076 | Pan 077 | Triumph 078

Abc 079 | new Lingotto 080 | Igor 081 | Copernico 082 | Equinoxe 083 | Kepler 084 | Spark 085

Leaves 086 | Pauline 086 | Vortex 087 | Dust 087 | Disco 088 | Konse 089 | World 089

Clarissa 090 | Onion 091 | Ampolla 092 | Ice 093 | Citrus 094 | Lugano 095 | Frida 096



Kauri

Pag 107



# Indoors

## Suspensions




Doc 097 Edison 098 Hugo 099



Holly 108 Triade 109 Metro 110



Cantina 118 Brooklyn 119 UpandDown 120

new



Tristan 126 Cocktail 127 Olimpia 128



Audi-20 134 Eva 134 Tolomeo 135



Smarties 142 Glory 143 Ulisse 144



Mapa Fade 150 MapaBianco 152 Mapa Plus 154



Nemo Plus 161 Nemo 162 Pandora 164



Minimal 100 Mr Jack 101 Oil 102 Tall 104 A-Line 105 Chili 106 Kauri 107



Breeze 111 Hangar 112 Navy 113 Eris 114 Moby 115 Fiordi 116 Sailor 117



Fisherman 121 Flam 122 Iguazù 123 Gocce 123 Cono 124 Kuky 125 Milk 126



Manhattan 128 Flut 129 Origami 130 Umile 131 Blob 132 Blossom 132 Lord 133



Karma 136 Etna 136 Folk 137 Aria 138 Mama 139 Lana 140 Lena 141



Arizona 144 Candy 145 Clown 146 Bollicine 147 Luce Max 148 Mapa Sat 149 Mapa Max 149



Mapa Riga 155 Boa 156 Carta 157 Grape 158 Loko 158 Penombra 159 Riga 160



Basket 165 Dna 166 Nodi 167 Ovalino 168 Tokyo 169 Dream Big 170 Avion 171

# Indoors

## Suspensions



Multiflex 171



Soft 172



Lido 173



Aladino 174



Ken 175



Zeno 176



Cognac 177



Madame 184



Phoenix 185



London 186



Nordik 187

new



Speed 188



Cylinder 188

new



Cloe 189

new



Set Up 196



Opera 198



Swan 199



Calypso 200



Orion 200



King 201



Rain 202



Luxor 210



Evasione 211



Audi-77 211



Dubai 212



Caesar 213



Millennium 214



Monet 215



Continental 223



Redentore 224



Amadeus 225



Giudecca 226



Tiepolo 227



Florian 228



Napoleon 229



Doge 237



Danieli 238



Brigitta 239



Miramare 240



Bon Bon 241



Giglio 242



Firenze 243



Nawa 249



Hammam 249



Chalet 250



Driftwood 251



Canapa 252



Electric 253



Corda 253





Mint 178



Bergen 179



Bistrò 180



Gretel 181



Audi-61 182



Audi-10 182



Audi-80 183



Foglia 190



Dusty 190



Haunt 191



Woody 192



Hilton 193



Wheel 194



Ekos 195



Giada 203



Elisir 204



Martinez 205



Carlton 206



Roma 207



Nabucco 208



Pashà 209



Pegaso 216



Blanche 218



Pantheon 219



Provence 219



Colossal 220



Rose 221



Negresco 222



Gioconda 230



Impero 231



Liberty 232



Cascina 233



Strauss 234



Rialto 235



Casanova 236



Cortina 244



Justine 244



Artù 245



Vanity 245



Corte 246



Sem 247



Harem 248



Norma 254



Stella 255



Deca 255



Anfora 256



Orangerie 257



Rondo 257

# Indoors

## Ceiling lamps


new Frame 262 · Karol 264 · new Oz 265 · Cross 266 · Mikado 267 · new Fly 268 · Halo 274

Steno 282 · Ocean 283 · new Relax 284 · Totem 285 · Logos 285 · Geko 286 · Gingle 287

Ovalino 293 · MapaBianco 293 · Woody 294 · Wheel 295 · Ritz 295 · Gemma 296 · Ring 297

Sky 303 · Nitro 304 · Mood 305 · Oak 306 · Tower 307 · Kool 307 · Dynamite 308

Glim 314 · Slide 315 · Ciak 315 · Alfa 316 · Slem 317 · Maracas 318 · Snake 319

Spark 325 · Multiflex 326 · Octopus 327 · Tender 327 · Lingotto 328 · Almond 330 · Daisy 330

Calypso 337 · Audi-61 337 · Quadro 338 · Admiral 339 · Neve 340 · Moonlight 341 · Royal 342

Rain 348 · Phoenix 349 · Foglia 350 · Norma 351





Universal R. 276 · Universal S. 278 · Union 280 · Iris 280 · Flat 281 · Celine 281 · Ali 282

Smarties 288 · new Level 289 · new Chopin 290 · Glory 291 · Arizona 292 · Ulisse 292 · Candy 293

Simply 298 · Lana 298 · Dony 299 · Shell 299 · new Steel 300 · new Lika 301 · Look 302

new Play 309 · Petit 310 · Winery 311 · Mouse 312 · Spot 312 · Rudy 313 · Oby 313

Nodi 320 · Nodino 321 · Nodi Crystal 321 · Triumph 322 · Plumber 323 · Dea 324 · Pauline 324

Compo 331 · Elegant 332 · Roma 333 · Pashà 334 · King 335 · Virgin 336 · Orion 336

Bijoux 343 · Magnolia 344 · Dubai 345 · Caesar 345 · Elisir 346 · Martinez 346 · Carlton 347



Bean

Pag 398



# Indoors

## Wall lamps


new — Oz 356 — Cover 358 — new — Peggy 359 — new — Pouche 359 — Vela 360 — Commodore 360 — Fix 361

Foglio 361 — Zed 362 — Tea 362 — Puzzle 362 — Moris 363 — Box 363 — Posta 364

new — Clip 365 — Cube 366 — new — Virtus 366 — Click 367 — Bright 367 — new — Linus 368 — Desk 369

Zig Zag 369 — Hydro 370 — Kool 371 — Flash 372 — FlashGesso 373 — Sky 374 — Look 375

Paul 376 — Elica 376 — Ovalino 377 — Lana 377 — Soda 378 — Tonic 379 — Smarties 380

MapaBianco 380 — Rubens 381 — Triplo 382 — Audi-B 382 — new — Tornado 383 — Ali 384 — Denis 384

Tudor 385 — Camerino 385 — Privè 386 — Line 387 — Riflesso 387 — Alma 388 — Bonjour 389

Bow 390 — MIrror-10 391 — Mirror-51 391 — Retrò 392 — Mirror-20 393 — Cico 393 — Double 393

# Indoors

## Wall lamps


Focus 394


Goose 395


Flex 396


Dynamo 396


Tender 397

new


Bean 398


Lite 400


Rudy 405


Oby 406


Lunare 406


Snake 407


Elis 407


Alfa 408


Slem 408


Frida 415


Igor 415


Nodi 416


Kepler 417


Triumph 418


Plumber 418


Equinoxe 419


Tick 424

new


Eclissi 425

new


Set Up 426


Beverly 428


Hilton 429


Woody 429


Dusty 429


Opera 435


Swan 435


Admiral 436


Roma 436


Calypso 436


Audi-61 437


Pashà 437


Corte 441


Colossal 442


Negresco 442


Florian 442


Gioconda 443


Strauss 443


Doge 443


Santa 449


Fiocco 449


Stones 450


Scacchi 450


Carrara 451




Page 401


Probe 402


Read 402


Book 403


Mouse 404


Spot 404


Gim 405


Barber 409


Ciak 410


Bob Mini 410


Winery 411


Radio 412


Edison 413


Minimal 414


Maracas 419


Cantina 420


Sailor 420


Newton 420


Shower 421


Pan 422


Sunrise 423


Luxury 430


Nordik 430


Hotel 431


Sheraton 432


Gea 433


Holiday 434


Effetti 434


Moonlight 438


Giada 438


Rain 438


Carlton 439


Dubai 439


Blanche 440


Pegaso 440


Firenze 444


Giglio 444


Carmen 445


Peter 446


Chalet 447


Harem 448


Hammam 448



Set Up

Pag 484



# Indoors

## Table lamps


new Oz 454 · Cerchio 455 · Gru 456 · new Yoko 457 · Futura 458 · Kelly 460 · Sally 461

Wally 461 · Truman 462 · Lawyer 463 · Smarties 464 · Candy 464 · Mapa Max 465 · Mapa Fade 465

Carta 466 · Mapa Riga 466 · Mapa Bianco 467 · Birillo 468 · new Emiro 469 · Prato 470 · Cupcake 470

Edo 471 · Microphone 472 · Nordik 473 · Luxury 473 · new Lingotto 474 · Mermaid 475 · Eminent 476

Hilton 477 · Regol 478 · London 479 · Alfiere 480 · Eternity 481 · Dolomiti 482 · Boulder 482

Kali 483 · new Set Up 484 · Driftwood 486 · Snell 487 · Chalet 488 · Firenze 489 · Kronplatz 489

Roma 490 · Rain 490 · Opera 491 · Kate 492 · Magic 493 · Duchessa 493 · Queen 494

Le Roy 494 · Paris 495 · Pegaso 495



# Minimal

Pag 502



# Indoors

## Floor lamps

new



Yoko 500 | Minimal 502 | Microphone 503 | Radio 504



Stand Up 505 | Maurien 505 | Newton 506 | Elvis 507 | Polly 508 | Futura 509 | Stage 510



Kraken 511 | Dorsale 512 | Daddy 514



Pagoda 515 | Eminent 516 | Driftwood 517 | York 518 | Klimt 519 | Regol 520

new



London 521 | Set Up 522 | Cylinder 524 | Nordik 524



Luxury 525 | Kronplatz 525 | Colonna 526 | Woody 526 | Hilton 527 | Sheraton 527 | Forcola 528



Dorothy 529 | Queen 530 | Le Roy 530 | Pegaso 531



Provence 531 | Firenze 532 | Beverly 532 | Rain 533 | Opera 533



Tesi

Pag 578



# Indoors

## Systems






Arca 536 | Ego 550 | Fluo 568 | Tesi 578






Vision 580 | Slot Recessed 588 | Slot Surface 590 | Slot Angular 592

## Spotlights and Tracks






Quick 596 | Smile 604 | Fox 612 | Lunare 616






Mouse 616 | Spot 616 | Glim 618 | Look 619




Sky 619 | Link 620

## Recessed lights








Play 628 | Channel 629 | Nova 630 | Led Panel 632 | Lika 634 | Dynamic 640








Game 648 | Room-33 654 | Virus 656 | Quark 657 | Off 658 | Deep 662








Basic 664 | Groove 670 | Delta 672 | Eye 673 | Bulbo 674 | Zephyr 675








Samba 676 | Jazz 678 | Swing 678 | Lounge 678 | Funky 678 | Room-65 679







Blues 680 | Ska 681 | Soul 682 | Soul 682 | Polka 682





Walky 683 | Walky 683 | Walky 683



Sole

Pag 686



# Outdoors

## Suspensions and ceiling



Sole 686



Luna 687



Clio 688



Clio 688



Clio 688



Clio 688



Clio 688



Clio 688

new



Techo 690



Gun 691

new



Livia 691



Sunglasses 692



Xeno 692



Urano 693



Bubble 694

new



Mib 694



Fiesta 695

# Outdoors

## Wall lamps

new



Omega R. 698



Omega S. 699



Minitommy 700



Tommy 701



Terra 702



Gas 702



Xeno 703

new



Flood 704

new



Style 705



Tronco 706

new



Lyra 707

new



Etere 707



Snif R. 708



Snif S. 709



Keope 710

new



Angus 711



Apollo 711



Base 712



Gun 713



Iko 714

new



Hook 715



Up 716

new



Rubik 717



Tetris-1 718

new



Tetris-2 719

new



Argo 719



Twin 720



Andromeda 721



Giove 722



Francy 723



Rex-1 724



Rex-2 725



Rex-3 725



Lucia 726



Maddi 727



Mike 727



Bubble 728



Clio 729



Clio 729



Clio 729



Cima 730



Anna 731



Cometa 732



Down 733

new



Febe 733

# Outdoors

## Bollard and Table lamps


Lolita 738

new

Stardust 739


Live 740


Live 740


Live 740


Jar 741


Doris 742


Sole 743


Luna 744


Sasso 745


Itaca 746

new

Hub 747

new

Agos 748


Style 749


Sirio 750


Tesla 751


Gas 752


Zenith 753


Acqua 754

new

Tifone 755


Vega 756


Titano 757


Amelia 758


Dema 759

new

Lyra 759


Tronco 760


Pulsar 762


Venus 763

new

Etere 764


Edo Outdoor 765


Edo Outdoor 765


Torre 766


Elisa 767


Marte 768


Mercurio 768


Classic Globe 769


Clio 770


Clio 770


Clio 770


Cima 772


Anna 773



## Spotlights

new

Thor 776


Starlight 778


Minitommy 780


Tommy 781


Terra 782


Inside 783


Zenith 783

new

Ulex 784


Krypton 786

new

Alien 787

## Downlights

new

Bit 790

new

Wire 791

new

Indio 792

new

Leo 792


Leti Round 793

new

Taurus 794

new

Floor 795


Park 796


Park Led 797


Ceci 798


Cecilia 799


Rocket Mini 800

new

Rocket 801


Way 801



Hub

Pag 747



# Indoors

## Suspensions



new Gemini 046


new Oz 048


new Oracle Slim 050


new Hulahoop 052


Oracle 053


new Frame 054


new Fly 056


Halo 057


Minor 058


Versus 059


new Look 060


Tube 062


Oak 063


new Sky 064


Ultrathin 065


new Frozen 066


new Yoko 067


new Steel 068



new Office 070


Desk 070


new Linus 071


Karousel 072


Rhapsody 073


Fish 074


Pop 075


Dynamite 076


Pan 077


Triumph 078


Abc 079


new Lingotto 080


Igor 081


Copernico 082


Equinoxe 083


Kepler 084


Spark 085


Leaves 086


Pauline 086


Vortex 087


Dust 087


Disco 088


Konse 089


World 089


Clarissa 090


Onion 091


Ampolla 092


Ice 093


Citrus 094


Lugano 095


Frida 096



# Tristan

Pag 126



# Indoors

## Suspensions




Doc 097 Edison 098 Hugo 099



Holly 108 Triade 109 Metro 110



Cantina 118 Brooklyn 119 UpandDown 120



Tristan 126 Cocktail 127 Olimpia 128



Audi-20 134 Eva 134 Tolomeo 135



Smarties 142 Glory 143 Ulisse 144



Mapa Fade 150 MapaBianco 152 Mapa Plus 154



Nemo Plus 161 Nemo 162 Pandora 164



Minimal 100 Mr Jack 101 Oil 102 Tall 104 A-Line 105 Chili 106 Kauri 107



Breeze 111 Hangar 112 Navy 113 Eris 114 Moby 115 Fiordi 116 Sailor 117



Fisherman 121 Flam 122 Iguazù 123 Gocce 123 Cono 124 Kuky 125 Milk 126



Manhattan 128 Flut 129 Origami 130 Umile 131 Blob 132 Blossom 132 Lord 133



Karma 136 Etna 136 Folk 137 Aria 138 Mama 139 Lana 140 Lena 141



Arizona 144 Candy 145 Clown 146 Bollicine 147 Luce Max 148 Mapa Sat 149 Mapa Max 149



Mapa Riga 155 Boa 156 Carta 157 Grape 158 Loko 158 Penombra 159 Riga 160



Basket 165 Dna 166 Nodi 167 Ovalino 168 Tokyo 169 Dream Big 170 Avion 171

# Indoors

## Suspensions



Multiflex 171



Soft 172



Lido 173



Aladino 174



Ken 175



Zeno 176



Cognac 177



Madame 184



Phoenix 185



London 186



Nordik 187

new



Speed 188



Cylinder 188

new



Cloe 189

new



Set Up 196



Opera 198



Swan 199



Calypso 200



Orion 200



King 201



Rain 202



Luxor 210



Evasione 211



Audi-77 211



Dubai 212



Caesar 213



Millennium 214



Monet 215



Continental 223



Redentore 224



Amadeus 225



Giudecca 226



Tiepolo 227



Florian 228



Napoleon 229



Doge 237



Danieli 238



Brigitta 239



Miramare 240



Bon Bon 241



Giglio 242



Firenze 243



Nawa 249



Hammam 249



Chalet 250



Driftwood 251



Canapa 252



Electric 253



Corda 253





Mint 178



Bergen 179



Bistrò 180



Gretel 181



Audi-61 182



Audi-10 182



Audi-80 183



Foglia 190



Dusty 190



Haunt 191



Woody 192



Hilton 193



Wheel 194



Ekos 195



Giada 203



Elisir 204



Martinez 205



Carlton 206



Roma 207



Nabucco 208



Pashà 209



Pegaso 216



Blanche 218



Pantheon 219



Provence 219



Colossal 220



Rose 221



Negresco 222



Gioconda 230



Impero 231



Liberty 232



Cascina 233



Strauss 234



Rialto 235



Casanova 236



Cortina 244



Justine 244



Artù 245



Vanity 245



Corte 246



Sem 247



Harem 248



Norma 254



Stella 255



Deca 255



Anfora 256



Orangerie 257




Rondo 257

# Gemini new

Powder coated or plated metal ceiling rose and body. Opal polycarbonate diffuser. Clear PVC electrical cable. Available finishes: white, black or brushed antique brass.

LED LED source 3000 K, 30.000 h life.




IP20

**2,060 Kg / 0,0774 m³**
**LED 60W / 6200 Lm**

| | | |
|---|---|---|
| 247274 | White | new |
| 247281 | Black | new |
| 269849 | Brass | new |

IP20

**1,710 Kg / 0,0462 m³**
**LED 48W / 4950 Lm**

| | | |
|---|---|---|
| 247250 | White | new |
| 247267 | Black | new |
| 269832 | Brass | new |

IP20

**1,290 Kg / 0,0230 m³**
**LED 38W / 3900 Lm**


| | | |
|---|---|---|
| 247229 | White | new |
| 247236 | Black | new |
| 247243 | Brass | new |

# Oz new

Plated or powder coated metal base and frame. PVC wires. Opal rubber diffuser. Available finishes: white, black or brushed brass.

LED LED source 3000 K, 30.000 h life.




IP20 IP20

| | | | | | |
|---|---|---|---|---|---|
| **1,920 Kg / 0,1215 m³** | | | **1,630 Kg / 0,0676 m³** | | |
| **LED 59W / 6000 Lm** | | | **LED 47W / 5000 Lm** | | |
| **253664** | **White** | new | **253671** | **White** | new |
| **269450** | **Black** | new | **269436** | **Black** | new |
| **269467** | **Brass** | new | **269443** | **Brass** | new |


P. 265 P. 356 P. 454

# Oracle Slim new

Suspended lamp consisting of a thin matt white or black painted aluminum frame and opal polycarbonate diffuser. Circular or square model available in three different sizes. Integrated LEDs; available in 3000 K and 4000 K color temperatures for the circular model; CRI ≥ 80; LED useful life 17.500 h ; IP20 protection, insulation class II.

| | | | |
|---|---|---|---|
| **Source** | LED SMD | **LED life** | 17.500 h |
| **Power** | 30W / 51W | **Insulation class** | II |
| **Driver included** | On/Off | **IP** | 20 |
| **Drivers available** | No | **Material** | Aluminum |
| **Beam** | 115° | | |
| **CCT** | 3000 K / 4000 K | | |
| **CRI** | ≥80 | | |







LED SMD **Driver ON/OFF included**

| Measure | Weight | Volume | Power | Flux | CCT | Finish | | Code | |
|---|---|---|---|---|---|---|---|---|---|
| ø 50 cm | 1,400 Kg | 0,0130 m³ | 30 W | 2350 Lm | 3000 K | White | | 229461 | |
| | | | | | 3000 K | Black | | 229492 | |
| | | | | 2480 Lm | 4000 K | White | | 269856 | new |
| ø 70 cm | 1,660 Kg | 0,0252 m³ | 35 W | 3050 Lm | 3000 K | White | | 229485 | |
| | | | | | 3000 K | Black | | 229515 | |
| | | | | 3220 Lm | 4000 K | White | | 269863 | new |
| ø 90 cm | 1,800 Kg | 0,0652 m³ | 51 W | 4060 Lm | 3000 K | White | | 229478 | |
| | | | | | 3000 K | Black | | 229508 | |
| | | | | 4280 Lm | 4000 K | White | | 269870 | new |






LED SMD **Driver ON/OFF included**

| Measure | Weight | Volume | Power | Flux | CCT | Finish | | Code | |
|---|---|---|---|---|---|---|---|---|---|
| 50 x 50 cm | 1,730 Kg | 0,0422 m³ | 33 W | 2650 Lm | 3000 K | White | | 259154 | new |
| | | | | | | Black | | 259161 | new |
| 70 x 70 cm | 2,000 Kg | 0,0819 m³ | 41 W | 3300 Lm | 3000 K | White | | 259178 | new |
| | | | | | | Black | | 259185 | new |
| 90 x 90 cm | 2,100 Kg | 0,1317 m³ | 51 W | 4100 Lm | 3000 K | White | | 259192 | new |
| | | | | | | Black | | 259208 | new |












# Hulahoop new

Powder coated metal ceiling rose and frame in white finish. Opal rubber diffuser. Steel cables with ceiling supports. Clear PVC electrical cable.

LED LED source 3000 K, 17.500 h life.




IP20 | IP20 | IP20


| 2,700 Kg / 0,1603 m³ | 1,800 Kg / 0,1060 m³ | 1,400 Kg / 0,0628 m³ |
|---|---|---|
| LED 50W / 5000 Lm | LED 40W / 4000 Lm | LED 30W / 3000 Lm |
| 258751 White | new 258768 White | new 258775 White new |



# Oracle Round

White or black powder painted aluminum ceiling rose and body. Opal color plastic diffuser. Integrated LED source.

LED LED source 3000 K, 20.000 h life.




IP20 | IP20 | IP20

| 2,160 Kg / 0,0353 m³ | 1,870 Kg / 0,0260 m³ | 1,640 Kg / 0,0169 m³ |
|---|---|---|
| LED 43W / 3850 Lm | LED 38W / 3300 Lm | LED 31W / 2850 Lm |
| 211381 White | 211398 White | 211404 White |
| 222110 Black | 222103 Black | 222097 Black |






# Oracle Square

White or black powder painted aluminum ceiling rose and body. Opal color plastic diffuser. Integrated LED source.

LED LED source 3000 K, 30.000 h life.




IP20 | IP20 | IP20

| 3,400 Kg / 0,0306 m³ | 2,870 Kg / 0,0220 m³ | 2,460 Kg / 0,0169 m³ |
|---|---|---|
| LED 43W / 3900 Lm | LED 39W / 3500 Lm | LED 35W / 3200 Lm |
| 245706 White | 245683 White | 245669 White |
| 245713 Black | 245690 Black | 245676 Black |










# Frame new

Matt white or black varnished metal base and frame. Opal colour plastic diffusers. Adjustable in length cables. Direct light emission.

LED source 3000 K, 30.000 h life.








IP20

**3,500 Kg / 0,1050 m³**
**LED 82W / 8000 Lm**


**269351** White new
**269337** Black new




IP20

**4,270 Kg / 0,0689 m³**
**LED 80W / 8600 Lm**

**253596** White new
**269375** Black new




IP20

**4,300 Kg / 0,2100 m³**
**LED 93W / 9600 Lm**

**253589** White new
**269382** Black new

P. 262






# Fly new

Suspended lamp with circular base and powder coated aluminum body. PMMA microprismatic diffuser with glare control (UGR < 19). Integrated LED light source; CRI ≥ 90; protection IP40, insulation class I.

LED LED source 3000/4000 K, 50.000 h life.


IP40 Protection degree IP40.




IP40

**8,400 Kg / 0,0919 m³**
**LED 68W / 10400/10800 Lm**


| | | |
|---|---|---|
| 276625 | 3000K | new |
| 276632 | 4000K | new |




IP40

**6,000 Kg / 0,0439 m³**
**LED 50W / 8000/8400 Lm**


| | | |
|---|---|---|
| 276601 | 3000K | new |
| 276618 | 4000K | new |




IP40

**5,200 Kg / 0,0266 m³**
**LED 26W / 4000/4200 Lm**

| | | |
|---|---|---|
| 276588 | 3000K | new |
| 276595 | 4000K | new |




IP40

**4,500 Kg / 0,0176 m³**
**LED 18W / 2600/2800 Lm**

| | | |
|---|---|---|
| 276564 | 3000K | new |
| 276571 | 4000K | new |

P. 268

# Halo

Suspended lamp with circular base and powder coated aluminum body. Opal polycarbonate diffuser. Light source with integrated LED, starting binning ≤ 2-Step MacAdam; CRI ≥ 80.

LED LED source 3000/4000 K, 35.000 h life.

Up-light included.




IP20

**7,100 Kg / 0,0583 m³**
**LED 44W / 4300/5000 Lm**


| | | | |
|---|---|---|---|
| 226743 | White | 3000K | |
| 226750 | White | 4000K | |




IP20

**4,930 Kg / 0,0329 m³**
**LED 31W / 2800/3200 Lm**

| | | | |
|---|---|---|---|
| 226729 | White | 3000K | |
| 226736 | White | 4000K | |




IP20

**3,250 Kg / 0,0194 m³**
**LED 25W / 2200/2500 Lm**

| | | | |
|---|---|---|---|
| 226712 | White | 3000K | |
| 223254 | White | 4000K | |

P. 274






# Minor

Powder coated metal frame. Pvc electrical wire. Replaceable LED sources.

LED Bulbs LED GX53 7W 3000 K included.
Cod. **101385**




IP20 | **3,440 Kg / 0,1199 m³** | **GX53 max 8 x 15W** | **235547** Black | 3000 K 560 Lm | **101385**

IP20 | **2,250 Kg / 0,0564 m³** | **GX53 max 5 x 15W** | **235516** Black | 3000 K 560 Lm | **101385**


IP20 | **2,210 Kg / 0,0203 m³** | **GX53 max 6 x 15W** | **235486** Black | 3000 K 560 Lm | **101385**

IP20 | **1,650 Kg / 0,0135 m³** | **GX53 max 4 x 15W** | **235455** Black | 3000 K 560 Lm | **101385**

# Versus

Chrome metal frame. Decorative elements are made of square mesh fob-chains. Steel wires adjustable in length with automatic blocking mechanisms.

LED LED source 3000 K, 30.000 h life.




IP20 | **4,450 Kg / 0,0445 m³** | **LED 43,2W / 4300 Lm** | **137056** Chrome

IP20 | **3,200 Kg / 0,0370 m³** | **LED 33,6W / 3300 Lm** | **137032** Chrome

# Look new


Metal ceiling rose and diffuser with different finishes. Power cable coated with fabric adjustable in length. It fits replaceable bulbs. Faded chrome version with glass diffuser.

Halogen bulbs GU10 28W and GU10 50W 2700 K included.






104935 104942 141800 104928 141817 259239 141794 141855 170589





IP20

2,950 Kg / 0,0092 m³
GU10 max 1 x 50W

158655 White
158723 Black
187686 Corten

3000 K
950 Lm

189031





IP20

0,990 Kg / 0,0029 m³
GU10 max 1 x 28W

104935 White
104942 Chrome
104928 Black

3000 K
400 Lm

108292




IP20

0,990 Kg / 0,0029 m³
GU10 max 1 x 28W

194806 Clear
141800 Silver
141817 Gold
259239 Satin Brass new
141794 Ant. Brass
141855 Copper
170589 Corten

3000 K
400 Lm

108292



P. 302 P. 375 P. 619







# Tube

White or black powder coated aluminum ceiling cup and body.
Power cable coated with fabric.
Integrated LED light emission.


LED Led source 3000 K, 35.000 h life.



211701




211718




IP20

**1,320 Kg / 0,0069 m³**
**LED 14W / 1650 Lm**


**211749** White
**211756** Black




IP20

**0,960 Kg / 0,0073 m³**
**LED 9W / 1200 Lm**

**211701** White
**211718** Black




IP20

**0,680 Kg / 0,0048 m³**
**LED 9W / 1200 Lm**

**211459** White
**211466** Black



# Oak

Metal ceiling cup with matt varnish finish. Gypsum or concrete diffuser.
Electrical cable coated with fabric.

Item suitable for painting and varnishing.




P. 306



150666



150635





IP20

**1,220 Kg / 0,0055 m³**
**GU10 max 1 x 35W**

**150628** White
**150635** Concrete

3000 K
400 Lm

**108292**




IP20


**1,720 Kg / 0,0055 m³**
**GU10 max 1 x 35W**

**150666** White
**150673** Concrete

3000 K
400 Lm

**108292**










# Sky new

Plated metal ceiling cup and diffuser, matt varnished or decorated with gold or silver leaf.

LED Bulbs LED GU10 5W 3000 K included.
Cod. **108292**



**126906** **126913** **136936** **259017** **170596**




IP20

**0,950 Kg / 0,0043 m³**
**GU10 max 1 x 28W**

**126906** White
**126913** Black
**136936** Gold
**259017** Satin Brass new
**170596** Corten

3000 K
400 Lm

**108292**




P. 303 P. 374 P. 619

# Ultrathin

Metal ceiling cup and diffuser plated chrome or with matt white or black varnish finish. Electrical cable coated with fabric.


LED Led source 3000 K, 30.000 h life.




IP20

**0,670 Kg / 0,0036 m³**
**LED 11,5W / 1000 Lm / 51°**


**142906** White
**164878** Chrome
**142913** Black




IP20

**0,860 Kg / 0,0036 m³**
**LED 11,5W / 1000 Lm / 51°**


**194172** White
**194196** Black




IP20

**0,460 Kg / 0,0036 m³**
**LED 11,5W / 1000 Lm / 51°**

**156682** White
**187662** Chrome
**156699** Black




IP20

**0,450 Kg / 0,0019 m³**
**LED 11,5W / 1000 Lm / 51°**

**194189** White
**194202** Black






# Frozen new


Powder coater or plated metal ceiling rose and body. Clear PVC electrical cable. Satin acrylic diffusers. Available finishes: whire, black or chrome.

LED LED source 3000 K, 20.000 h life.



233444 233475 233468






IP20

4,440 Kg / 0,0564 m³
LED 15,5W / 1150 Lm

| | | | | |
|---|---|---|---|---|
| 233499 | White | new | 233444 | White | new |
| 233536 | Chrome | new | 233475 | Chrome | new |
| 233512 | Black | new | 233468 | Black | new |





IP20

2,570 Kg / 0,0540 m³
LED 8W / 550 Lm


# Yoko new

Matt varnished ceiling rose, frame and support for the metal cable. Opal polycarbonate diffuse. Clear PVC electrical cable. Colors: white or black.

LED LED source 3000 K, 17.500 h life.



258898 258928




IP20

0,700 Kg / 0,0383 m³
LED 17W / 1500 Lm

| | | |
|---|---|---|
| 258898 | White | new |
| 258928 | Black | new |



P. 457 P. 500

# Steel new


Linear aluminum lamp with direct and indirect light with glare control for suspended application. The indirect light can be turned on or off thanks to the switch positioned on the edge of the fitting. The lamp is available in WIDE model with diffusing downlight optics made of microprismatized PMMA (UGR < 19) and in ACCENT model with black refector (UGR < 16).

| | | | |
|---|---|---|---|
| **Source** | LED SMD | **UGR** | <16 / <19 |
| **Power** | 36W | **LED life** | 50.000 h |
| **Driver included** | On/Off | **Insulation class** | I |
| **Drivers available** | No | **IP** | 20 |
| **Beam** | 60° / 70° | **Material** | Aluminum |
| **CCT** | 3000 K / 4000 K | | |
| **CRI** | ≥90 | | |

**PRO** High-tech product with high quality materials, intended for professional use.

Up-light included.







2,250 Kg/0,0182 m³

## LED SMD SAMSUNG

**Up-light included - Driver OSRAM ON/OFF included - UGR <19**

| Power | Beam | Flux | CCT | Finish | | Code | |
|---|---|---|---|---|---|---|---|
| 36 W | 70° | 2600 Lm | 3000 K | White | | 276700 | new |
| | | | | Black | | 276687 | new |
| | | 2770 Lm | 4000 K | White | | 276717 | new |
| | | | | Black | | 276694 | new |






2,250 Kg/0,0182 m³

## LED SMD SAMSUNG

**Up-light included - Driver OSRAM ON/OFF included - UGR <16**

| Power | Beam | Flux | CCT | Finish | | Code | |
|---|---|---|---|---|---|---|---|
| 36 W | 60° | 2500 Lm | 3000 K | White | | 276663 | new |
| | | | | Black | | 276649 | new |
| | | 2680 Lm | 4000 K | White | | 276670 | new |
| | | | | Black | | 276656 | new |

## UP-LIGHT INFO

| Power | Beam | Flux | CCT |
|---|---|---|---|
| 10 W | 110° | 1010 Lm | 3000 K |
| | | 1080 Lm | 4000 K |

## OPTIONAL Not included



| | | Cables Length | Code | |
|---|---|---|---|---|
| Kit Single Cable | 1 Kit x 100 cm | 200 cm | 271750 | new |





| | Code | |
|---|---|---|
| Kit Straight Continuos | 271712 | new |

P. 300






# Office new

Aluminum linear lamp with direct light. White or black finish available with black refectors. Integrated LED sources with glare control (UGR < 16); starting binning ≤ 3-Step MacAdam; CRI ≥ 80.

LED LED source 3000/4000 K, 30.000 h life.




IP20

**1,820 Kg / 0,0041 m³**
**LED 30W / 2800/3100 Lm**

| | | | |
|---|---|---|---|
| 271194 | White | 3000K new |
| 271217 | White | 4000K new |
| 271187 | Black | 3000K new |
| 271200 | Black | 4000K new |









# Desk

Aluminum ceiling cup and body finished with matt white or black powder coating. Suspension models provided with electrical wires adjustable in length.

LED LED source 3000 K, 30.000 h life.




IP20

**1,890 Kg / 0,0196 m³**
**LED 32W / 2100 Lm**

| | | |
|---|---|---|
| 138237 | White |
| 173245 | Black |



P. 369








# Linus new


Linear aluminum lamp with direct and indirect light. The lamp is modular and can be used individually or in a continuous line. Integrated LED, starting binning ≤ 3-Step MacAdam; CRI ≥ 80; protection IP20, insutlation class I. Dimmable power supply 1-10V integrated as standard.

LED LED source 3000/4000 K, 50.000 h life.

Up-light included.




P. 368




IP20

**2,550 Kg / 0,0112 m³**
**LED 34W / 3850 Lm**


| | | | |
|---|---|---|---|
| 241968 | White | 3000K |
| 268231 | White | 4000K new |
| 241975 | Black | 3000K |
| 268217 | Black | 4000K new |




IP20

**0,260 Kg / 0,0003 m³**
**LED 3W / 350 Lm**

| | | | |
|---|---|---|---|
| 241999 | White | 3000K |
| 268149 | White | 4000K new |
| 242002 | Black | 3000K |
| 268118 | Black | 4000K new |




**Connector**
**Not included**
**Optional**

| |
|---|
| 241982 |








# Karousel

Metal frame with satin brass finish. White overlay acid-etched blown glass diffuser.

LED Bulbs LED G9 3,2W 3000 K included.
Cod. **209043**






IP20

**4,340 Kg / 0,1739 m³**
**G9 max 10 x 15W**

**206394** Satin Brass

**3000 K**
**300 Lm**

**209043**




IP20

**2,810 Kg / 0,1055 m³**
**G9 max 6 x 15W**

**206387** Satin Brass

**3000 K**
**300 Lm**

**209043**




# Rhapsody

Metal frame with satin brass finished ceiling rose and matt black arms. PVC cables. White acid-etched blown glass diffusers.

LED Bulbs LED G9 3,2W 3000 K included.
Cod. **209043**







IP20

**5,020 Kg / 0,2040 m³**
**G9 max 16 x 15W**

**236964** Black

**3000 K**
**300 Lm**

**209043**




IP20

**3,510 Kg / 0,1399 m³**
**G9 max 12 x 15W**

**236957** Black

**3000 K**
**300 Lm**

**209043**





# Fish

Matt white or black varnished metal ceiling rose, pole and diffuser. Steel cable with chromed metal support. Integrated LED with opal color screen.


LED source 3000 K, 20.000 h life.



**196961**




**196978**




IP20

**6,790 Kg / 0,0377 m³**
**LED 37W / 2800 Lm**

**196985** White
**196992** Black




IP20

**3,120 Kg / 0,0377 m³**
**LED 18W / 1400 Lm**

**196961** White
**196978** Black

# Pop


Metal ceiling cup, frame and bulb socket cover with white or black matt varnish finish. Cables adjustable in length.



**186795**



**158815**





IP20

**2,920 Kg / 0,0147 m³**
**E27 max 10 x 60W**

**186801** White
**158860** Black

3000 K
810 Lm

**123899**




IP20

**1,670 Kg / 0,0096 m³**
**E27 max 6 x 60W**

**186795** White
**158815** Black

3000 K
810 Lm

**123899**






# Dynamite

Powder coated or plated or brushed metal frame. Adjustable diffusers. Power cable coated with fabric. Suspension model includes also kit for ceiling installation.

LED Bulbs LED GU10 5W 3000 K included.
Cod. **108292**




IP20

**2,700 Kg / 0,0360 m³**
**GU10 max 6 x 28W**

**231433** White
**231396** Black
**244648** Satin Brass

3000 K
400 Lm

**108292**




IP20

**2,310 Kg / 0,0243 m³**
**GU10 max 4 x 28W**

**231372** White
**231341** Black
**244624** Satin Brass

3000 K
400 Lm

**108292**



**231433**



**231396**



**244648**



P. 308

# Pan

Metal frame. Diffusers made of decorative elements with metal tube shape of different length. Steel cables adjustable in length.



P. 422




IP20

**13,920 Kg / 0,1355 m³**
**E27 max 5 x 60W**

**208817** Gold

3000 K
860 Lm

**119571**





# Triumph


Metal base, arms and bulb socket cover with antiqued brass finish.



242347



160269




IP20

3,640 Kg / 0,0470 m³
E27 max 8 x 60W

242347 Black
160269 Brass

2200 K
300 Lm

151687




P. 322



P. 418

# Abc

Total metal ceiling rose, bulb socket covers and decorative structure with satin brass finish. Power cable coated with black fabric.





IP20

0,590 Kg / 0,0117 m³
E27 max 1 x 70W

207834 Brass

2200 K
300 Lm

151694





IP20

0,570 Kg / 0,0100 m³
E27 max 1 x 70W

207841 Brass

2200 K
300 Lm

151700




IP20

0,610 Kg / 0,0100 m³
E27 max 1 x 70W

207858 Brass

2200 K
300 Lm

151717






# Lingotto new

Varnished metal frame: matt black base and matt brass structure. White overlay acid-etched blown glass diffuser.

LED Bulbs LED G9 3,2W 3000 K included in models: **251110** and **251103**. Code **209043**






**4,530 Kg / 0,0564 m³**
**E14 max 3 x 40W**

**198125** Brass

3000 K
360 Lm

**101217**

**2,260 Kg / 0,0442 m³**
**G9 max 3 x 28W**

**251110** Brass new

3000 K
300 Lm

**209043**

**0,660 Kg / 0,0105 m³**
**G9 max 1 x 28W**

**251103** Brass new

3000 K
300 Lm

**209043**



P. 328




P. 474

# Igor

Metal body with matt black enamel finish. Shade made of clear glass slabs.



P. 415




**8,810 Kg / 0,0941 m³**
**E27 max 4 x 60W**

**092942** Black

2200 K
300 Lm

**151694**

**7,100 Kg / 0,0682 m³**
**E27 max 3 x 60W**

**092881** Black

2200 K
300 Lm

**151694**

**2,600 Kg / 0,0281 m³**
**E27 max 1 x 60W**

**092850** Black

2200 K
300 Lm

**151694**









# Copernico

Matt white or black varnished metal frame with brass details. White overlay acid-etched blown glass diffuser.


LED Bulbs LED G9 3,2W 3000 K included.
Cod. **209043**



**197302**



**197319**





IP20

**10,270 Kg / 0,1340 m³**
**G9 max 20 x 40W**

**197326** White
**197333** Black

**3000 K**
**300 Lm**

**209043**




IP20

**6,870 Kg / 0,0970 m³**
**G9 max 12 x 40W**

**197302** White
**197319** Black

**3000 K**
**300 Lm**

**209043**

# Equinoxe

Metal frame and electrified arms with chrome or antiqued brass finish. Transparent blown glass diffusers.


LED Bulbs LED G4 2W 3000 K included.
Cod. **222257**



**200118**



**200125**




IP20

**5,540 Kg / 0,1304 m³**
**G4 max 12 x 2W**

**200118** Chrome
**200125** Brass

**3000 K**
**170 Lm**

**222257**


P. 419





# Kepler

Matt black varnished metal chain and frame. Amber transparent blown glass diffusers.





IP20

**5,300 Kg / 0,1296 m³**
**E27 max 18 x 40W**

**162478** Black

3000 K
430 Lm

**101279**




IP20

**3,630 Kg / 0,1010 m³**
**E27 max 12 x 40W**

**162201** Black


3000 K
430 Lm

**101279**

P. 417

# Spark

Matt black varnished metal ceiling rose and frame and plated bulb holders. Power cable coated with fabric.




IP20

**3,000 Kg / 0,0885 m³**
**E27 max 24 x 25W**

**238241** Black

3000 K
860 Lm


**101323**

P. 325

# Leaves

White metal frame. White hand-shaped blown glass decorative elements. Steel cables adjustable in length.

LED Bulbs LED G9 3,2W 3000 K included.
Cod. **209043**





IP20

**5,800 Kg / 0,1123 m³**
**G9 max 12 x 40W**

**112268** White

**3000 K**
**300 Lm**

**209043**




IP20

**3,700 Kg / 0,0702 m³**
**G9 max 8 x 40W**

**111957** White

**3000 K**
**300 Lm**


**209043**



# Pauline

Chrome metal frame. Blown hand-shaped glass decorative elements. Suspension lamps provided with steel cables adjustable in length.

LED Bulbs LED G9 3,2W 3000 K included.
Cod. **209043**




IP20

**6,300 Kg / 0,0596 m³**
**G9 max 8 x 40W**

**115801** Smoky Grey

**3000 K**
**300 Lm**

**209043**




P. 324



# Vortex

Matt white painted metal frame. Hand shaped and hand painted with gold or silver enamel decorative metal elements.




IP20

**2,500 Kg / 0,2344 m³**
**E14 max 6 x 40W**

**101613** Silver
**101606** Gold

**3000 K**
**430 Lm**

**101200**



**101613**




**101606**



# Dust

Tube-shaped handcrafted silver aluminum frame. Electrical cable adjustable in length.

LED Bulbs LED G9 3,2W 3000 K included.
Cod. **209043**





IP20

**2,280 Kg / 0,2421 m³**
**G9 max 12 x 40W**

**114361** Silver

**3000 K**
**300 Lm**

**209043**





IP20

**1,450 Kg / 0,1250 m³**
**G9 max 8 x 40W**

**114811** Silver

**3000 K**
**300 Lm**

**209043**








# Konse

Totally metal frame and decorative elements. Satin dark gold varnish finish.





IP20

**4,600 Kg / 0,7203 m³**
**E27 max 7 x 60W**

**156033** Gold

3000 K
860 Lm

**119571**





IP20

**3,510 Kg / 0,1201 m³**
**E27 max 6 x 60W**

**156026** Gold

3000 K
860 Lm

**119571**




IP20

**1,930 Kg / 0,1175 m³**
**E27 max 1 x 60W**

**155968** Gold

3000 K
860 Lm


**119571**





# Disco

Rotating circular decorative elements adjustable at will. Available in metal with white or matt black finish and in natural wood.





IP20

**1,240 Kg / 0,0447 m³**
**E27 max 1 x 60W**

**138275** Wood

3000 K
720 Lm

**101330**





IP20

**2,660 Kg / 0,0365 m³**
**E27 max 1 x 60W**

**103723** White
**114262** Black

3000 K
720 Lm

**101330**





IP20

**13,020 Kg / 0,5011 m³**
**E14 max 4 x 40W**

**156347** Chrome
**156330** Ant. Brass

3000 K
430 Lm

**101224**




IP20

**4,870 Kg / 0,0771 m³**
**E14 max 3 x 40W**

**156323** Chrome
**156316** Ant. Brass

3000 K
430 Lm

**101224**



**138275**



**103723**



**114262**

# World

Metal frame with antique brass or chrome finish. Clear blown glass diffuser. SP4 model with PVC shades coated with fabric. Velvet chain cover.





**156323**



**156316**








# Clarissa

Matt white varnished or shiny copper finished metal ceiling rose, bulb socket cover and diffuser.




IP20

3,000 Kg / 0,3169 m³
E27 max 1 x 60W


220604 White
220611 Copper

3000 K
860 Lm

101323

# Onion

Metal frame finished with brown varnish with metallic effect. Power cable coated with fabric.





IP20

5,050 Kg / 0,2383 m³
E27 max 1 x 60W

205311 Brown

2200 K
300 Lm

151724




IP20

3,520 Kg / 0,1325 m³
E27 max 1 x 60W

205304 Brown

2200 K
300 Lm

151724




IP20

2,380 Kg / 0,0705 m³
E27 max 1 x 60W

205298 Brown

2200 K
300 Lm

151717




IP20


1,260 Kg / 0,0169 m³
E27 max 1 x 60W

205281 Brown

2200 K
300 Lm

151717






200903 167497 167503





# Ampolla

Metal ceiling rose, bulb socket and decorative structure with white, black or copper finishes. Power cable adjustable in length.





IP20

0,950 Kg / 0,0709 m³
E27 max 1 x 60W

194295 White
148502 Black
166209 Copper

2200 K
300 Lm

151717





IP20

0,590 Kg / 0,0480 m³
E27 max 1 x 60W

200880 White
148151 Black
167282 Copper

2200 K
300 Lm

151687




IP20

0,720 Kg / 0,0480 m³
E27 max 1 x 60W

200897 White
148175 Black
167367 Copper

2200 K
300 Lm

151694




IP20

1,470 Kg / 0,0709 m³
E27 max 1 x 60W

200903 White
167497 Black
167503 Copper

2200 K
300 Lm

151694

# Ice


Matt white or black varnished metal ceiling rose and frame. Metal bulb socket cover with satin brass finish. PVC power cable.



237671



237664




IP20

2,920 Kg / 0,0345 m³
E27 max 5 x 60W

237671 White
237664 Black

3000 K
360 Lm

101286










# Citrus

Natural wood ceiling cup. Body with painted multilevel wood elements. Power cable coated with black fabric.





IP20

**0,660 Kg / 0,0174 m³**
**E27 max 1 x 60W**

**159843** Wood

**3000 K**
**860 Lm**

**119571**




IP20

**0,720 Kg / 0,0242 m³**
**E27 max 1 x 60W**

**159850** Wood

**3000 K**
**860 Lm**

**119571**




IP20

**0,510 Kg / 0,0148 m³**
**E27 max 1 x 60W**

**159867** Wood

**3000 K**
**860 Lm**

**119571**

# Lugano

Matt varnished metal ceiling cup. Power cable coated with fabric with antique brass metal bulb socket cover. Ceramic diffuser.







IP20

**2,950 Kg / 0,0618 m³**
**E27 max 3 x 60W**

**206875** White

**3000 K**
**810 Lm**

**123899**





IP20

**0,850 Kg / 0,0090 m³**
**E27 max 1 x 60W**

**206806** White

**3000 K**
**810 Lm**

**123899**




IP20

**0,860 Kg / 0,0068 m³**
**E27 max 1 x 60W**

**206820** White

**3000 K**
**810 Lm**

**123899**




IP20

**0,700 Kg / 0,0063 m³**
**E27 max 1 x 60W**

**206844** White


**3000 K**
**810 Lm**

**123899**



# Frida

Metal ceiling cup and bulb socket cover with plated or matt varnish finish. Power cable coated with black fabric.




IP20

**0,320 Kg / 0,0015 m³**
**E27 max 1 x 60W**

**139432** Chrome
**139425** Black
**122106** Copper
**122083** Ant. Brass

2200 K
300 Lm

**151717**




**139432** **139425** **122106** **122083**

P. 415

# Doc

Metal ceiling cup and bulb socket cover with various finishes. Power cable coated with black fabric. Switcher integrated to the bulb socket.

ON OFF Lamp with integrated switch.




IP20

**0,220 Kg / 0,0015 m³**
**E27 max 1 x 60W**

**163123** Copper
**163154** Brass
**163109** Ant. Brass
**163161** Lead

2200 K
300 Lm

**223933**



**163123** **163154** **163109** **163161**





# Edison

Metal ceiling cup and bulb holder with matt white or black varnish finish. Electrical cable coated with fabric.


LED Bulbs LED E27 8W Globo D125 trasparente 3000 K included.
Cod. **101347**



**113302**



**113319**




IP20

**0,320 Kg / 0,0098 m³**
**E27 max 1 x 60W**


**113302** White
**113319** Black

3000 K
860 Lm
**101347**

P. 413

# Hugo

Metal ceiling cup and frame, both with black matt varnish finish.
Power cable coated with fabric.




IP20

**0,380 Kg / 0,0099 m³**
**E27 max 1 x 60W**

**139685** Black

3000 K
860 Lm
**101347**






# Minimal

Metal frame with colored varnish finish. Power cable with fabric coating. SPI version supplied with two-meters long cable.

LED Bulbs LED E27 8W Globo D125 trasparente 3000 K included.
Cod. **101347**





IP20 INCLUSA

**0,900 Kg / 0,0171 m³**
**E27 max 2 x 60W**

**112718** White
**112671** Black

3000 K
860 Lm

**101347**




IP20 INCLUSA

**0,470 Kg / 0,0099 m³**
**E27 max 1 x 70W**

**009360** White
**009407** Black
**009391** Gold

3000 K
860 Lm

**101347**



P. 414




P. 502

# Mr Jack

Metal frame and spherical diffuser with white, chrome or black finish. Electrical cable covered with fabric.

LED Bulbs LED GU10 5W 3000 K included.
Cod. **108292**





IP20 INCLUSA

**0,890 Kg / 0,0089 m³**
**GU10 max 1 x 28W**

**231273** White
**116464** Chrome
**231297** Black

3000 K
400 Lm

**108292**




IP20 INCLUSA

**0,520 Kg / 0,0040 m³**
**GU10 max 1 x 28W**

**231228** White
**116457** Chrome
**231259** Black

3000 K
400 Lm

**108292**






# Oil

Metal frame with matt black finish. Concrete diffuser. Model 110462 supplied with 12 meters length electrical cable coated with fabric; 6 mounting hooks and Italian plug which can replace the ceiling cup.







IP20

**1,780 Kg / 0,0130 m³**
**E27 max 1 x 15W**

**110417** Concrete

3000 K
430 Lm

**101279**





IP20

**1,180 Kg / 0,0119 m³**
**E27 max 1 x 15W**

**110424** Concrete

3000 K
430 Lm

**101279**





IP20

**1,810 Kg / 0,0130 m³**
**E27 max 1 x 15W**

**110431** Concrete

3000 K
430 Lm

**101279**





IP20

**1,650 Kg / 0,0165 m³**
**E27 max 1 x 15W**

**129082** Concrete

3000 K
430 Lm

**101279**





IP20

**1,760 Kg / 0,0236 m³**
**E27 max 1 x 15W**

**129099** Concrete

3000 K
430 Lm

**101279**




IP20

**1,490 Kg / 0,0111 m³**
**GU10 max 1 x 15W**

**110462** Concrete

3000 K
400 Lm

**108292**



# Tall

Matt white or black varnished metal diffuser and details. SMALL model with integrated led and opal color screen. BIG model open with replaceable bulb.

LED source 3000 K in model **196794** and **196800**, 20.000 h life.



**196770**



**196787**




IP20

**0,550 Kg / 0,0036 m³**
**E27 max 1 x 42W**

**196770** White
**196787** Black




IP20

**0,500 Kg / 0,0024 m³**
**LED 4,5W / 510Lm**

**196794** White
**196800** Black

**3000 K**
**360 Lm**

**101286**

# A-Line

Powder coated metal ceiling cup. Matt white or black varnished metal diffuser white inside. Power cable coated with fabric.

LED

Bulbs LED GU10 5W 3000 K included in models: **232690** and **232713**.
Code **108292**



**232690**

**232713**





IP20

**1,080 Kg / 0,0491 m³**
**E27 max 1 x 60W**

**232720** White
**232744** Black

**3000 K**
**810 Lm**

**123899**




IP20

**0,330 Kg / 0,0114 m³**
**GU10 max 1 x 28W**

**232690** White
**232713** Black

**3000 K**
**400 Lm**

**108292**

# Chili new


Powder coated metal ceiling rose and shade. Electrical cable in PVC. Available finishes: white or black with white inside.



269955



259741





IP20

**0,870 Kg / 0,0304 m³**
**E27 max 1 x 60W**

| | | |
|---|---|---|
| 269955 | White | new |
| 259741 | Black | new |

3000 K
810 Lm

123899





IP20

**0,510 Kg / 0,0065 m³**
**E27 max 1 x 60W**

| | | |
|---|---|---|
| 269962 | White | new |
| 259734 | Black | new |

3000 K
810 Lm

123899




IP20

**0,400 Kg / 0,0051 m³**
**E27 max 1 x 60W**

| | | |
|---|---|---|
| 269979 | White | new |
| 259727 | Black | new |

3000 K
810 Lm

123899



# Kauri new

Powder coated metal ceiling rose. Electrical cable coated with black fabric. Natural wood diffuser. Available finishes: light wood or dark wood.







IP20

**0,630 Kg / 0,0188 m³**
**E27 max 1 x 28W**

| | | |
|---|---|---|
| 271507 | Wh. Pine | new |
| 259130 | Bl. Walnut | new |

3000 K
720 Lm

101330












# Holly

Metal ceiling rose and diffusers with brushed brass finish or powder coated with white or black finish. Power cables coated with fabric.




IP20

2,740 Kg / 0,0254 m³
E27 max 3 x 60W

231587 White
231594 Black
231600 Satin Brass

3000 K
810 Lm

123899

IP20

0,780 Kg / 0,0064 m³
E27 max 1 x 60W

231556 White
231563 Black
231570 Satin Brass

3000 K
810 Lm

123899

# Triade

Powder coated metal ceiling rose and diffuser, white inside. Golden spherical decorative element.




IP20

2,630 Kg / 0,0797 m³
E27 max 3 x 42W

194677 Black

3000 K
810 Lm

123899





IP20

0,960 Kg / 0,0169 m³
E27 max 1 x 42W

221489 Black

3000 K
810 Lm

123899





IP20

0,750 Kg / 0,0090 m³
E27 max 1 x 42W

221496 Black

3000 K
810 Lm

123899




IP20

1,020 Kg / 0,0105 m³
E27 max 1 x 42W

194684 Black

3000 K
810 Lm

123899









# Metro

Metal body and diffuser. Enameled white inside. Electrical cable adjustable in length.




IP20

**0,970 Kg / 0,0261 m³**
**E27 max 1 x 60W**

**139098** Black

**3000 K**
**720 Lm**

**101354**

# Breeze

Metal body and diffuser. Enameled white inside. Electrical cable adjustable in length.





IP20

**3,490 Kg / 0,0707 m³**
**E27 max 1 x 60W**

**232041** Dark Grey

**3000 K**
**720 Lm**

**101354**




IP20

**0,790 Kg / 0,0206 m³**
**E27 max 1 x 60W**

**137681** Dark Grey

**3000 K**
**720 Lm**

**101354**






# Hangar

Anodized aluminum body and diffuser. Enameled white inside. Power cable adjustable in length.










IP20

1,800 Kg / 0,0442 m³
E27 max 1 x 60W

100326 Aluminum
100333 Black

3000 K
720 Lm

101354

# Navy


Metal frame and diffuser with aluminum, antique brass and copper finishes. White enamel inside. Electrical cable adjustable in length.










IP20

0,800 Kg / 0,0235 m³
E27 max 1 x 60W

020716 Aluminum
020747 Copper
020723 Ant. Brass

3000 K
720 Lm

101354







# Eris


Metal frame with matt white or black varnished ceiling rose and diffusers. Details with satin gold finish. Braided electrical wire coated with fabric.



238104



249056





IP20

0,630 Kg / 0,0102 m³
E27 max 1 x 60W

238104 White
249056 Black

3000 K
360 Lm

101286




IP20

1,080 Kg / 0,0257 m³
E27 max 1 x 60W

238135 White
249063 Black

3000 K
720 Lm

101330




IP20

0,740 Kg / 0,0126 m³
E27 max 1 x 60W

238173 White
249070 Black

3000 K
360 Lm

101286




IP20

0,960 Kg / 0,0231 m³
E27 max 1 x 60W

238210 White
249087 Black

3000 K
360 Lm

101286



# Moby

Metal frame and diffuser white inside. Available finishes: aluminum, white, black or copper.



102047



102054



093659



093697




IP20

1,200 Kg / 0,0356 m³
E27 max 1 x 60W

102047 White
102054 Aluminum
093659 Black
093697 Copper

3000 K
720 Lm

101330





# Fiordi

Metal body, available with antique brass or black enamel finish. Blown and hand finished clear glass diffuser.










IP20

2,370 Kg / 0,0464 m³
E27 max 1 x 60W

122052 Black
005041 Ant. Brass

3000 K
860 Lm

119571


# Sailor

Dome-shaped metal frame with antique brass or copper finish and white enamel inside. Blown glass diffuser with rustic effect.











IP20

2,920 Kg / 0,1060 m³
E27 max 1 x 60W

025315 Copper
025285 Ant. Brass

3000 K
860 Lm

119571




IP20

1,700 Kg / 0,0467 m³
E27 max 1 x 60W

025278 Copper
025308 Ant. Brass

3000 K
860 Lm

119571

P. 420







# Cantina

Metal frame, diffuser and bulb socket cover, available with antique brass or copper finish. Electrical cable covered with stranded fabric.




IP20

0,810 Kg / 0,0189 m³
E27 max 1 x 60W

112732 Copper
112701 Ant. Brass


3000 K
860 Lm
119571

P. 420

# Brooklyn

Metal frame with antique brass finish. Concrete diffuser. Suspension lamps with power cable coated with black fabric.







IP20

1,930 Kg / 0,0288 m³
E27 max 1 x 60W

153445 Concrete

2200 K
300 Lm
151694




IP20

1,070 Kg / 0,0154 m³
E27 max 1 x 60W


153438 Concrete

2200 K
300 Lm
151694

# Up and Down

Metal frame with matt black enamel finish. Antique brass metal lamp socket covers and screws. Diffusers can be individually adjusted by means of a counterweight system.







IP20

**6,760 Kg / 0,0582 m³**
**E27 max 3 x 60W**

**136349** Black

2200 K
300 Lm

**151687**




IP20

**1,940 Kg / 0,0151 m³**
**E27 max 1 x 60W**

**136332** Black

2200 K
300 Lm

**151687**



# Fisherman


Totally metal body with chrome, copper or matt black enamel finish. White silkscreen-printed glass diffuser.










IP20

**5,040 Kg / 0,0899 m³**
**E27 max 1 x 60W**

**125824** Chrome
**125831** Black
**134871** Copper

3000 K
860 Lm


**101323**





# Flam

Chrome metal frame. Clear Pyrex glass diffuser, frosted in the central part.





IP20

**1,330 Kg / 0,0164 m³**
**E27 max 1 x 60W**

**027364** White

**3000 K**
**860 Lm**

**119571**





IP20

**0,810 Kg / 0,0115 m³**
**E27 max 1 x 60W**

**027357** White

**3000 K**
**860 Lm**

**119571**




IP20

**1,140 Kg / 0,0123 m³**
**GU 10 max 1 x 28W**

**089669** Chrome


**3000 K**
**400 Lm**

**108292**



# Iguazù

Chrome metal frame. Pyrex glass diffuser with octagonal crystal pendants. Suspension lamps with cables adjustable in length with automatic devices.




IP20

**3,950 Kg / 0,0524 m³**
**E14 max 4 x 40W**

**052373** Chrome

**3000 K**
**430 Lm**

**101224**




IP20

**2,940 Kg / 0,0364 m³**
**E14 max 3 x 40W**

**052366** Chrome

**3000 K**
**430 Lm**

**101224**




IP20

**0,950 Kg / 0,0126 m³**
**E14 max 1 x 40W**

**052359** Chrome

**3000 K**
**430 Lm**

**101224**



# Gocce

Chrome metal frame. Tubular Pyrex glass diffuser. Octagonal decorative elements and cut crystal drops. Power cables adjustable in length.

**LED** Bulbs LED GU10 5W 3000 K included.
Cod. **108292**








# Cono

Chrome or matt white metal frame and lamp sockets. Hand-blown glass diffuser. White version with clear glass and sandblasted stripe or in chrome version with totally clear glass.





IP20

**4,110 Kg / 0,0763 m³**
**E14 max 3 x 40W**

**112381** White
**112367** Chrome

3000 K
430 Lm

**101255**




IP20

**1,420 Kg / 0,0243 m³**
**E14 max 1 x 40W**

**112459** White
**017440** Chrome


3000 K
430 Lm

**101255**

# Kuky

Chrome metal frame. Available with sanded frosted Pyrex glass in the central part or with white acid-etched blown glass.





IP20

**4,580 Kg / 0,0766 m³**
**E27 max 4 x 60W**

**023038** Clear

3000 K
860 Lm

**119571**





IP20

**2,510 Kg / 0,0464 m³**
**E27 max 3 x 60W**

**033952** Clear

3000 K
860 Lm

**119571**




IP20

**0,980 Kg / 0,0165 m³**
**E27 max 1 x 60W**


**023021** Clear
**053448** White

3000 K
860 Lm

**119571**

# Milk

White enameled elliptical metal frame. White blown and acid-etched glass diffuser. Power cables adjustable in length.





IP20

**4,220 Kg / 0,1024 m³**
**E27 max 3 x 60W**

**030326** White

3000 K
810 Lm

**123899**




IP20

**1,270 Kg / 0,0354 m³**
**E27 max 1 x 60W**

**026787** White

3000 K
810 Lm

**123899**










# Tristan new

Powder coated metal ceiling rose and body. Striped clear acrylic shade. Satin polycarbonate diffuser. PVC electrical cable. Available in white, black or metallic gold finish.

LED source 3000 K, 20.000 h life.




IP20

**0,430 Kg / 0,0099 m³**
**LED 5W / 540 Lm**

**256429** White new
**256436** Black new
**256443** Gold new



**256429** **256436** **256443**






# Cocktail

Blown overlay acid-etched glass diffuser. White inside and colored outside. Suspension models supplied with cables adjustable in length.



**074337** **074344**





IP20

**3,740 Kg / 0,0708 m³**
**E14 max 3 x 40W**

**074245** White

3000 K
360 Lm

**101217**





IP20

**3,200 Kg / 0,1259 m³**
**E27 max 1 x 60W**

**074313** White

3000 K
810 Lm

**123899**




IP20

**1,180 Kg / 0,0257 m³**
**E14 max 1 x 40W**


**074337** White
**074344** Black

3000 K
360 Lm

**101217**

# Olimpia

Chrome metal frame. Blown overlay colored glass diffuser. Power cable adjustable in length.




IP20

1,080 Kg / 0,0374 m³
E27 max 1 x 60W

013244 White
012919 Black


3000 K
810 Lm

123899



013244 012919








# Manhattan

Metal ceiling rose and diffuser with matt white or black varnish finish and natural wood detail. Power cable coated with fabric.




IP20

0,560 Kg / 0,0060 m³
E14 max 1 x 40W

110745 White
110752 Black

3000 K
430 Lm

101200



110745 110752






# Flut

Blown overlay frosted glass diffuser: white inside and coloured outside. Cable adjustable in length.





IP20

1,570 Kg / 0,0422 m³
E27 max 1 x 60W

035666 White
035680 Black

3000 K
810 Lm

123899




IP20

0,930 Kg / 0,0179 m³
E14 max 1 x 40W

035697 White
035710 Black
035703 Red

3000 K
360 Lm

101217









# Origami

Matt varnished metal frame. White acid-etched blown glass diffusers with folds reliefs.




IP20

**3,740 Kg / 0,0642 m³**
**E27 max 3 x 60W**


**198095** White

**3000 K**
**810 Lm**
**123899**

# Umile

Metal ceiling rose and decorative elements with satin gold finish. White acid-etched blown glass diffusers. Integrated LED.

LED source 3000 K, 20.000 h life.




IP20

**8,600 Kg / 0,2150 m³**
**LED 60,2W / 3160 Lm**

**224541** White

# Blob

Metal frame. Power cable coated with fabric. Transparent blown glass diffuser with smoked or amber finish.




IP20

1,470 Kg / 0,0347 m³
E27 max 1 x 42W

207995 Smoky Grey
207988 Amber

3000 K
860 Lm

119571



207995



207988









# Blossom

Chrome metal frame and ceiling cup. Clear blown glass diffuser with amber or smoky finish. Clear PVC power cable.




IP20

1,890 Kg / 0,0705 m³
E27 max 1 x 60W

241517 Smoky Grey
241524 Amber

3000 K
720 Lm

101354



241517



241524





# Lord new

Powder coated metal ceiling rose and frame with black finish. Black PVC electrical cable. Blown glass diffuser with decorations in relief. Glass available in amber, clear or smoky color.

263632



263656



263649






IP20

1,430 Kg / 0,0389 m³
E27 max 1 x 60W

263632 Clear new
263649 Smoky Grey new
263656 Amber new


3000 K
860 Lm

119571

# Audi-20

Chrome metal central bulb holder. Blown clear or blend chrome glass diffuser. Steel wire adjustable in length with automatic blocking mechanisms.

LED Bulbs LED E27 8W Globo D125 3000 K included. Cod. **101347/101354**




IP20

**4,370 Kg / 0,1017 m³**
**E27 max 1 x 60W**

**016931** Clear
**103990** FadeChrome

3000 K
720 Lm
**101354**


**016931**



**103990**





# Eva

Chrome metal frame. Clear blown glass diffuser with smoky effect. Steel cables adjustable in length with automatic devices.





IP20

**5,750 Kg / 0,1201 m³**
**E27 max 1 x 60W**

**101095** SmokyGrey

3000 K
860 Lm
**101347**




IP20

**3,600 Kg / 0,0741 m³**
**E27 max 1 x 60W**

**101101** SmokyGrey

3000 K
860 Lm
**101347**









# Tolomeo

Hand decorated and coated blown glass diffuser. Steel cables adjustable in length with automatic devices.


**001814**


**001821**




IP20

**3,390 Kg / 0,0871 m³**
**E27 max 1 x 60W**

**001814** White
**001821** Grey

3000 K
720 Lm
**101354**

# Karma

Chrome metal frame. White coated and acid-etched blown glass diffuser. Steel wires adjustable in length with automatic blocking mechanisms.




IP20

**4,310 Kg / 0,1185 m³**
**E27 max 1 x 60W**

**132365** White

**3000 K**
**720 Lm**

**101354**




IP20

**3,700 Kg / 0,0693 m³**
**E27 max 1 x 60W**

**132389** White

**3000 K**
**720 Lm**

**101354**









# Folk


Metal ceiling cup and diffuser decorated with an oxidized effect or with matt white varnish. Corrugated white enamelled internal parable. Power cable coated with black fabric.



**103136**



**174228**





IP20

**2,190 Kg / 0,0255 m³**
**E27 max 3 x 60W**

**174235** Corten

**3000 K**
**360 Lm**

**101286**





IP20

**3,070 Kg / 0,0843 m³**
**E27 max 1 x 60W**

**174228** Corten
**103136** White

**3000 K**
**720 Lm**

**101354**





IP20

**1,980 Kg / 0,0420 m³**
**E27 max 1 x 60W**

**174211** Corten
**103112** White

**3000 K**
**720 Lm**

**101330**




IP20

**0,530 Kg / 0,0072 m³**
**E27 max 1 x 60W**

**174204** Corten

**3000 K**
**810 Lm**

**123899**

# Etna

Metal frame with satin nickel finish. White blown acid-etched glass diffuser.




IP20

**4,390 Kg / 0,1072 m³**
**E27 max 1 x 60W**

**027906** White

**3000 K**
**720 Lm**

**101354**







# Aria

White blown acid-etched glass diffuser. Suspension lamps provided with steel wires adjustable in length with automatic devices.




IP20

**4,080 Kg / 0,0847 m³**
**E27 max 1 x 60W**

**059679** White

3000 K
720 Lm
**101330**

# Mama

Metal frame and ring positioned on the lower edge with satin white enamel finish. White blown acid-etched glass diffuser. Steel cables adjustable in length with automatic devices.




IP20

**4,170 Kg / 0,1223 m³**
**E27 max 3 x 60W**

**071022** White

3000 K
720 Lm
**101354**




IP20

**2,810 Kg / 0,0722 m³**
**E27 max 1 x 60W**

**071015** White

3000 K
720 Lm
**101330**






# Lana

Transparent glass diffuser with silkscreen decorations inside and sandblasted outside. Chrome metal glass holders.






IP20

3,700 Kg / 0,0811 m³
E27 max 1 x 60W

068176 White

3000 K
720 Lm

101330




IP20

2,720 Kg / 0,0533 m³
E27 max 1 x 60W

068169 White

3000 K
720 Lm

101330

P. 298 P. 377

# Lena

Chrome metal frame. Double glass diffuser: frosted and coloured the external one, white the inner one. Suspension lamp provided with steel cables adjustable in length with automatic devices.




035727



066592



066608





IP20

8,310 Kg / 0,1785 m³
E27 max 3 x 60W

052786 White

3000 K
360 Lm

101286




IP20

6,600 Kg / 0,1304 m³
E27 max 3 x 60W

035727 White
066592 Grey
066608 Brown

3000 K
360 Lm


101286





# Smarties

White varnished metal frame. White blown glass diffuser. Steel cables adjustable in length with automatic blocking mechanism.




IP20

**5,280 Kg / 0,1479 m³**
**E27 max 5 x 60W**

**031996** White

3000 K
360 Lm

**101286**

IP20

**3,740 Kg / 0,1009 m³**
**E27 max 3 x 60W**

**032009** White

3000 K
360 Lm

**101286**

IP20

**2,930 Kg / 0,0645 m³**
**E27 max 3 x 60W**

**032016** White


3000 K
360 Lm

**101286**

P. 288 P. 380 P. 464

# Glory

Satin nickel frame. White acid-etched blown glass diffuser. Pendant lamps provided with steel cables adjustable in length with automatic blocking mechanisms.




IP20

**5,780 Kg / 0,1715 m³**
**E27 max 5 x 60W**

**019741** White

3000 K
360 Lm

**101286**

IP20

**3,260 Kg / 0,0832 m³**
**E27 max 3 x 60W**

**019734** White

3000 K
360 Lm

**101286**

IP20

**2,200 Kg / 0,0686 m³**
**E27 max 3 x 60W**

**101125** White


3000 K
360 Lm

**101286**

P. 291

# Ulisse

Metal frame coated with matt white enamel. Blown acid-etched white glass diffuser. Suspension models provided with steel cables adjustable in length with automatic blocking mechanisms.




IP20

**5,010 Kg / 0,1177 m³**
**E27 max 3 x 60W**

**098616** White

**3000 K**
**860 Lm**

**119571**




IP20

**3,110 Kg / 0,0720 m³**
**E27 max 3 x 60W**

**095226** White

**3000 K**
**860 Lm**

**119571**



P. 292









# Arizona

Metal frame with satin brass finish. White acid-etched blown glass diffuser with embossed decorative stripes.

LED Bulbs LED GX53 9,5W 3000 K included. Cod. **123936**




IP20

**6,190 Kg / 0,1288 m³**
**GX53 max 5 x 15W**

**214481** White

**3000 K**
**760 Lm**

**123936**




IP20

**3,260 Kg / 0,0740 m³**
**GX53 max 3 x 15W**

**214474** White

**3000 K**
**760 Lm**

**123936**




P. 292





# Candy

Metal frame with satin nickel finish. Blown acid-etched white glass diffuser. Steel cables adjustable in length with automatic devices.





IP20

**4,200 Kg / 0,1547 m³**
**E27 max 1 x 60W**

**086743** White

**3000 K**
**810 Lm**

**123899**




IP20

**3,100 Kg / 0,0778 m³**
**E27 max 1 x 60W**

**086736** White

**3000 K**
**810 Lm**

**123899**



P. 293



P. 464



# Clown

Metal frame with blown hand-shaped glass diffusers. Available with chrome frame and chrome or multicolor glass balloons and also with white frame and white balloons.

LED Bulbs LED G9 3,2W 3000 K included.
Cod. **209043**




**100944**



**100883**



**100913**




IP20

**6,000 Kg / 0,1860 m³**
**G9 max 12 x 28W**

**100951** Color

3000 K
300 Lm

**209043**





IP20

**5,700 Kg / 0,1442 m³**
**G9 max 8 x 28W**

**100944** Color
**100883** White
**100913** Chrome

3000 K
300 Lm

**209043**




IP20

**5,000 Kg / 0,1283 m³**
**G9 max 7 x 28W**

**100937** Color

3000 K
300 Lm

**209043**



# Bollicine

Decorative elements composed of metal wires with clear and white or clear and chrome blown glass bubbles.

LED Bulbs LED G9 3,2W 3000 K included.
Cod. **209043**



**087924**



**093024**






IP20

**9,500 Kg / 0,2076 m³**
**G9 max 14 x 40W**

**087924** White
**093024** Chrome

3000 K
300 Lm

**209043**





# Mapa Sat

Metal frame with nickel or brass finish. Clear blown glass diffuser with internal aluminum threads decoration.




IP20

**6,550 Kg / 0,1862 m³**
**E27 max 7 x 60W**

**176062** Nickel
**176000** Brass

**3000 K**
**860 Lm**

**119571**




IP20

**2,700 Kg / 0,1210 m³**
**E27 max 3 x 60W**

**176031** Nickel
**175973** Brass

**3000 K**
**860 Lm**

**119571**






# Mapa Max


Chrome metal frame. Clear blown glass diffuser with decorative aluminum thread inside. Suspension lamps with steel cables adjustable in length with automatic device.





# Luce Max

Chrome frame. Clear blown glass diffuser with decorative aluminum thread inside. Suspension lamps with steel cables adjustable in length with automatic devices.





IP20

**4,150 Kg / 0,0851 m³**
**E27 max 4 x 60W**

**047799** Clear

**3000 K**
**860 Lm**

**119571**




IP20

**2,150 Kg / 0,0458 m³**
**E27 max 3 x 60W**

**081762** Clear

**3000 K**
**860 Lm**

**119571**





IP20

**2,460 Kg / 0,0732 m³**
**E27 max 1 x 60W**

**033662** Clear

**3000 K**
**860 Lm**

**119571**





IP20

**1,500 Kg / 0,0334 m³**
**E27 max 1 x 60W**

**033679** Clear

**3000 K**
**860 Lm**

**119571**





IP20

**8,700 Kg / 0,2456 m³**
**E27 max 5 x 60W**

**091112** Chrome

**3000 K**
**860 Lm**

**119571**





IP20

**3,450 Kg / 0,1370 m³**
**E27 max 1 x 60W**

**045122** Chrome

**3000 K**
**860 Lm**

**119571**




IP20

**1,370 Kg / 0,0527 m³**
**E27 max 1 x 60W**

**045115** Chrome

**3000 K**
**860 Lm**

**119571**

P. 465






# Mapa Fade

Chrome metal frame. Sphere shape diffuser made of clear chrome blown glass with downward nuance.







IP20

**8,700 Kg / 0,2470 m³**
**E27 max 5 x 60W**

**140759** Fade Chrome

3000 K
860 Lm

**119571**





IP20

**5,390 Kg / 0,2254 m³**
**E27 max 1 x 60W**

**161327** Fade Chrome

3000 K
860 Lm

**119571**





IP20

**3,620 Kg / 0,1215 m³**
**E27 max 1 x 60W**

**161334** Fade Chrome

3000 K
860 Lm

**119571**




IP20

**1,920 Kg / 0,0630 m³**
**E27 max 1 x 60W**

**140728** Fade Chrome

3000 K
860 Lm

**119571**




IP20

**1,130 Kg / 0,0272 m³**
**E27 max 1 x 60W**

**140711** Fade Chrome

3000 K
860 Lm

**119571**



P. 465






# Mapa Bianco

White metal frame. White spherical shape acid-etched blown glass diffuser. Steel cables adjustable in length.






IP20

**8,700 Kg / 0,2470 m³**
**E27 max 5 x 60W**

**043562** White

3000 K
860 Lm

**119571**




IP20

**5,390 Kg / 0,2254 m³**
**E27 max 1 x 60W**

**032122** White

3000 K
860 Lm

**119571**




IP20

**3,620 Kg / 0,1215 m³**
**E27 max 1 x 60W**

**032139** White

3000 K
860 Lm

**119571**




IP20

**1,920 Kg / 0,0630 m³**
**E27 max 1 x 60W**

**009087** White

3000 K
860 Lm

**119571**




IP20

**1,130 Kg / 0,0272 m³**
**E27 max 1 x 60W**

**009148** White


3000 K
860 Lm

**119571**



P. 293 P. 380 P. 467





# Mapa Plus

Metal frame. White blown acid-etched spherical glass diffusers. Steel cables adjustable in length.





IP20

**10,800 Kg / 0,1976 m³**
**E14 max 22 x 40W**

**140230** White

3000 K
360 Lm

**101217**




IP20

**5,520 Kg / 0,1205 m³**
**E14 max 11 x 40W**

**131924** White

3000 K
360 Lm


**101217**

# Mapa Riga

White metal frame. White spherical shape blown glass diffuser with painted decoration. Steel cables adjustable in length.



P. 466




IP20

**5,390 Kg / 0,2254 m³**
**E27 max 1 x 60W**

**161365** White

3000 K
860 Lm

**119571**




IP20

**3,620 Kg / 0,1215 m³**
**E27 max 1 x 60W**

**161372** White

3000 K
860 Lm

**119571**




IP20

**1,920 Kg / 0,0630 m³**
**E27 max 1 x 60W**

**161389** White

3000 K
860 Lm

**119571**






# Boa

Matt white or black varnished metal frame. Power cable coated with fabric of 12 meter length with 6 cable holders. Blown acid-etched white glass diffuser.



160863 160856




IP20

2,900 Kg / 0,0726 m³
E27 max 1 x 60W

160863 White
160856 Black

3000 K
810 Lm

123899

# Carta

Matt white painted metal frame. Polycarbonate diffuser with paper effect covering. Power cable coated with fabric.






IP20

1,780 Kg / 0,1601 m³
E27 max 1 x 25W

226040 White

3000 K
720 Lm

101330





IP20

1,460 Kg / 0,0880 m³
E27 max 1 x 25W

226033 White

3000 K
720 Lm

101330




IP20

0,860 Kg / 0,0404 m³
E27 max 1 x 25W

226026 White

3000 K
720 Lm

101330


P. 466

# Grape

Metal frame with satin brass finish. Power cable coated with fabric. White blown glass diffuser with satin stripes.



LED Bulbs LED G9 3,2W 3000 K included in **241340** model. Code **209043**




IP20

**3,300 Kg / 0,0639 m³**
**G9 max 3 x 28W**

**241340** White

3000 K
300 Lm

**209043**




IP20

**3,080 Kg / 0,1303 m³**
**E27 max 1 x 60W**

**241364** White

3000 K
810 Lm

**123899**




IP20

**2,500 Kg / 0,0693 m³**
**E27 max 1 x 60W**

**241357** White

3000 K
810 Lm

**123899**



# Loko

Metal frame with satin brass finish. White overlay acid-etched blown glass diffuser.




IP20

**2,970 Kg / 0,1290 m³**
**E27 max 1 x 60W**

**197920** White


3000 K
810 Lm

**123899**



# Penombra

Metal frame and upper vault with brass finish. White blown acid-etched glass diffuser.




IP20

**2,070 Kg / 0,0710 m³**
**E27 max 1 x 60W**

**176734** Brass

3000 K
810 Lm

**123899**





# Riga


Matt black varnished metal ceiling rose and frame. PVC cables. Amber or smoky blown glass diffuser with stripes in relief.



241227



241203





IP20

4,670 Kg / 0,0768 m³
E27 max 8 x 60W

241197 Smoky Grey
241173 Amber

3000 K
430 Lm

101279




IP20

1,260 Kg / 0,0255 m³
E27 max 1 x 60W

241227 Smoky Grey
241203 Amber

3000 K
430 Lm

101279




IP20

0,770 Kg / 0,0202 m³
E27 max 1 x 60W

241258 Smoky Grey
241241 Amber


3000 K
430 Lm

101279



# Nemo Plus

Chrome frame. Blown glass diffuser with shaded chrome finish. Steel cable adjustable in length by automatic blocking cable mechanism.





IP20

8,700 Kg / 0,2424 m³
E27 max 5 x 60W

138305 Fade Chrome

3000 K
860 Lm

119571




IP20

4,500 Kg / 0,0873 m³
E27 max 4 x 60W

149561 Fade Chrome

3000 K
860 Lm

119571






# Nemo

Blown glass diffuser. Available with smoky, copper, clear or faded chrome finishes. 052793 model with white blown and acid-etched glass bulb cover.

LED Bulbs LED G9 3,2W 3000 K included in **052793** model. Cod. **209043**



**052809** **149592** **094236** **250335** **111902**




IP20 | IP20 | IP20 | IP20 | IP20 RICLUSA

**4,000 Kg / 0,2220 m³**
**E27 max 1 x 60W**

**094137** Smoky Grey

3000 K
860 Lm

**101347**

**3,490 Kg / 0,1227 m³**
**E27 max 1 x 60W**

**052816** Clear
**250359** Fade Chrome
**094229** Smoky Grey
**250342** Chrome
**111919** Copper

3000 K
860 Lm

**101347**

**2,960 Kg / 0,0664 m³**
**E27 max 1 x 60W**

**052809** Clear
**149592** Fade Chrome
**094236** Smoky Grey
**250335** Chrome
**111902** Copper

3000 K
860 Lm

**101323**

**1,300 Kg / 0,0241 m³**
**E27 max 1 x 60W**

**149585** Fade Chrome
**250311** Smoky Grey
**250304** Chrome
**250328** Copper

3000 K
860 Lm

**101323**

**1,080 Kg / 0,0241 m³**
**G9 max 1 x 40W**

**052793** Clear

3000 K
300 Lm

**209043**





# Pandora

Metal frame and diffuser with white enamel coating inside. Available in white color on the outside. Electrical cable adjustable in length.




IP20

**1,000 Kg / 0,0313 m³**
**E27 max 1 x 60W**

**005218** White

**3000 K**
**720 Lm**

**101330**

# Basket

Chrome metal frame. Diffuser made of fireproof twine. Sphere suspension provided with steel wire adjustable in length with automatic blocking mechanisms.





IP20

**0,800 Kg / 0,0911 m³**
**E27 max 1 x 60W**

**096162** White

**3000 K**
**810 Lm**

**123899**




IP20

**0,500 Kg / 0,0417 m³**
**E27 max 1 x 60W**

**096100** White

**3000 K**
**810 Lm**

**123899**









# Dna

Golden metal ceiling rose and frame. White overlay, acid-etched blown glass diffusers. Adjustable steel cables.

LED Bulbs LED G9 3,2W 3000 K included.
Cod. **209043**




IP20

**4,930 Kg / 0,2034 m³**
**G9 max 25 x 15W**

**208398** White

**3000 K**
**300 Lm**

**209043**

# Nodi

Chrome or satin brass metal frame. White acid-etched blown or transparent or chrome glass diffusers.



**082073**



**200491**




**241012**





P. 320 P. 416





IP20

**8,000 Kg / 0,4651 m³**
**E14 max 15 x 40W**

**082073** White
**241012** Satin Brass

**3000 K**
**430 Lm**

**101200**





IP20

**8,000 Kg / 0,4651 m³**
**E14 max 15 x 40W**

**200491** Chrome

**3000 K**
**430 Lm**

**101200**




IP20

**5,300 Kg / 0,1479 m³**
**E14 max 9 x 40W**

**082059** White
**241036** Satin Brass

**3000 K**
**430 Lm**

**101200**





# Ovalino

Diffuser composed of circular elements created from curved and acid-etched glass sheet. Steel cables adjustable in length with automatic devices.




IP20

**6,700 Kg / 0,1448 m³**
**E27 max 8 x 60W**

**090481** White

3000 K
810 Lm

**123899**

IP20

**4,810 Kg / 0,1184 m³**
**E27 max 5 x 60W**

**074139** White

3000 K
810 Lm

**123899**






P. 293 P. 377

# Tokyo

Chrome metal frame adjustable in length. Blown overlay and acid-etched white glass diffusers.




IP20

**5,200 Kg / 0,1519 m³**
**E14 max 8 x 40W**

**068466** Chrome

3000 K
360 Lm

**101217**

IP20

**3,600 Kg / 0,1386 m³**
**E14 max 5 x 40W**

**068459** Chrome

3000 K
360 Lm


**101217**





# Dream Big new

Matt white varnished metal ceiling cup. Power cable coated with fabric. White acid-etched glass diffuser. Rope basket.





IP20

**3,830 Kg / 0,1676 m³**
**E27 max 1 x 42W**

**261195** White

**3000 K**
**810 Lm**

**123899**




IP20

**2,420 Kg / 0,1013 m³**
**E27 max 1 x 42W**

new **179858** White


**3000 K**
**810 Lm**

**123899**



# Avion

Matt painted wooden body and ceiling cup. Chrome metal details. Blown and acid-etched white glass diffusers.




IP20

**2,440 Kg / 0,0618 m³**
**E14 max 3 x 40W**

**136325** Blue
**136318** Red


**3000 K**
**360 Lm**

**101217**



# Multiflex

Metal structure finished with matt paint. Flexible arms covered with rubber. Steel wire adjustable in length with automatic blocking mechanism.




IP20

**4,440 Kg / 0,0656 m³**
**E14 max 8 x 40W**


**141893** White
**141909** Color

**3000 K**
**360 Lm**

**101217**



**141893**



**141909**

P. 326









# Soft

Metal frame with white and chrome finishes. White or smoky blown glass diffusers.






111858



111865





IP20

6,400 Kg / 0,1138 m³
E14 max 6 x 40W

087818 White
111841 Smoky Grey

3000 K
360 Lm

101217




IP20

3,000 Kg / 0,0657 m³
E14 max 3 x 40W

111858 White
111865 Smoky Grey

3000 K
360 Lm


101217



# Lido

Chrome metal frame. Power cable coated with fabric. Smoky clear acid-etched blown glass diffusers.

LED Bulbs LED G9 3,2W 3000 K included.
Cod. **209043**





IP20

0,790 Kg / 0,0180 m³
G9 max 1 x 15W

168326 Smoky Grey

3000 K
300 Lm

209043





IP20

0,790 Kg / 0,0156 m³
G9 max 1 x 15W

168357 Smoky Grey

3000 K
300 Lm

209043




IP20

0,660 Kg / 0,0243 m³
G9 max 1 x 15W

168364 Smoky Grey

3000 K
300 Lm

209043





# Aladino

Satin white enameled metal frame. Hand blown case glass diffuser: acid-etched the white one, shiny the blue one. Steel wires adjustable in length with automatic blocking mechanisms.



137315



137292





IP20

4,180 Kg / 0,0783 m³
E27 max 1 x 60W

137308 White

3000 K
720 Lm

101330




IP20

1,730 Kg / 0,0462 m³
E27 max 1 x 60W

137315 White
137292 Blue

3000 K
720 Lm

101330



# Ken

Chrome metal frame. Blown glass diffuser. Steel cables adjustable in length with automatic blocking mechanisms.




IP20

3,050 Kg / 0,0862 m³
E27 max 1 x 60W

112107 Fade Chrome

3000 K
860 Lm

119571




IP20

1,520 Kg / 0,0309 m³
E27 max 1 x 60W

112084 Fade Chrome


3000 K
860 Lm

119571

# Zeno

Chrome metal frame. Clear and coloured blown glass diffuser. Electrical cable adjustable in length.




IP20

1,370 Kg / 0,0231 m³
E27 max 1 x 60W

088921 Clear
088938 Smoky Grey

3000 K
860 Lm

119571

# Cognac

Black matt varnished metal ceiling cup and frame. Blown transparent glass diffuser with embossed decoration.



166988




167015



167107



167022





IP20

0,710 Kg / 0,0066 m³
G9 max 1 x 15W

166988 Clear

3000 K
300 Lm

209043





IP20

0,920 Kg / 0,0086 m³
G9 max 1 x 15W

167015 Clear

3000 K
300 Lm

209043





IP20

0,650 Kg / 0,0066 m³
G9 max 1 x 15W

167107 Clear

3000 K
300 Lm

209043




IP20

0,780 Kg / 0,0139 m³
G9 max 1 x 15W

167022 Clear

3000 K
300 Lm

209043

# Mint

Metal frame with satin brass finish and matt black ceiling rose. Power cable coated with fabric. Blown glass diffuser with stripes in relief. Available finishes: smoky or green.



237510



237497




IP20

1,350 Kg / 0,0147 m³
E27 max 1 x 60W

237442 Smoky Grey
248554 Gray

3000 K
860 Lm

119571





IP20

1,560 Kg / 0,0532 m³
E27 max 1 x 60W

237398 Smoky Grey
237428 Gray

3000 K
860 Lm

119571




IP20

1,80 Kg / 0,0269 m³
E27 max 1 x 60W

237510 Smoky Grey
237497 Gray

3000 K
860 Lm

119571



# Bergen

Black powder coated metal ceiling cup. Natural wood frame. Clear blown glass diffuser with motif in relief and smoky finish. Power cable coated with fabric.






IP20

1,570 Kg / 0,0331 m³
E27 max 1 x 60W

238838 Smoky Grey

3000 K
860 Lm

119571





IP20

1,840 Kg / 0,0439 m³
E27 max 1 x 60W

238920 Smoky Grey

3000 K
860 Lm

119571




IP20

1,430 Kg / 0,0378 m³
E27 max 1 x 60W

238746 Smoky Grey

3000 K
860 Lm

119571





# Bistrò

Black enamel coated metal frame.
Handcrafted blown amber, clear or smoky glass diffuser.





IP20

2,190 Kg / 0,0806 m³
E27 max 1 x 60W

120898 Clear
120904 Smoky Grey

3000 K
860 Lm

119571




IP20

1,840 Kg / 0,0427 m³
E27 max 1 x 60W

112305 Clear
112312 Smoky Grey
163789 Amber

3000 K
860 Lm

119571




IP20

1,200 Kg / 0,0274 m³
E27 max 1 x 60W

112336 Clear
112343 Smoky Grey

3000 K
860 Lm

119571



112305



112312




163789



# Gretel

Metal frame with matt black varnish finish with natural wood applications. Blown clear glass diffusers. Power cables covered with black fabric.





IP20

5,960 Kg / 0,1419 m³
E27 max 5 x 60W

103174 Black

3000 K
860 Lm

119571




IP20

4,090 Kg / 0,0983 m³
E27 max 4 x 60W

122557 Black

3000 K
860 Lm

119571




IP20

0,950 Kg / 0,0243 m³
E27 max 1 x 60W

122564 Black


3000 K
860 Lm

119571

# Audi-61

Chrome metal frame. Octagonal crystal chains. Blown glass diffuser. Steel wires adjustable in length with automatic mechanisms.

LED Bulbs LED G9 3,2W 3000 K included. Cod. **209043**




IP20

**7,790 Kg / 0,1170 m³**
**G9 max 8 x 40W**

**133881** Chrome

3000 K
300 Lm
**209043**




IP20

**4,570 Kg / 0,0783 m³**
**G9 max 6 x 40W**

**133874** Chrome

3000 K
300 Lm
**209043**


P. 337


P. 437






# Audi-10

Chrome metal frame. Clear or smoky grey blown glass diffuser. Steel wires adjustable in length with automatic blocking mechanisms.

LED Bulbs LED E27 8W Globo D95 3000 K included. Cod. **101330/101323**





IP20

**5,520 Kg / 0,1044 m³**
**E27 max 5 x 60W**

**016863** Clear
**103983** Smoky Grey

3000 K
720 Lm
**101330**


**016863**


**103983**











# Audi-80

Chrome metal frame. Decorative elements composed of glass balls suspended on metal wires. Blown clear or smoked glass diffuser. Steel wires adjustable in length with an automatic device.

LED Bulbs LED G9 3,2W 3000 K included. Cod. **209043**


**031743**


**197661**





IP20

**9,560 Kg / 0,1289 m³**
**G9 max 8 x 40W**

**031750** Clear
**197654** Smoky Grey

3000 K
300 Lm
**209043**




IP20

**5,890 Kg / 0,0876 m³**
**G9 max 5 x 40W**

**031743** Clear
**197661** Smoky Grey


3000 K
300 Lm
**209043**





# Madame

Matt varnished metal ceiling cup.
Power cable coated with fabric.
Metal frame diffuser covered with white, canvas or black satin ribbon.




IP20

**2,560 Kg / 0,2012 m³**
**E27 max 1 x 60W**

**174396** White
**219875** Ivory
**174402** Black

**3000 K**
**720 Lm**

**101354**



**174396**



**219875**



**174402**

# Phoenix


Chrome metal frame. Fabric coated shade with metal frame. Decorative elements composed of cut crystal octagons. Suspension versions supplied with steel cables adjustable in length with automatic devices.



**099101**



**101163**




IP20

**8,400 Kg / 0,1030 m³**
**E27 max 5 x 60W**

**099101** White
**101163** Black

**3000 K**
**810 Lm**

**123899**



P. 349





# London

Chrome metal frame. Shade made of semi transparent chrome PVC foil. Suspension lamp equipped with steel cables adjustable with automatic devices.




IP20

2,950 Kg / 0,1055 m³
E27 max 5 x 60W

032351 Chrome

3000 K
860 Lm

119571



P. 479



P. 521

# Nordik

Matt black varnished metal frame. Golden PVC foil shade covered with black fabric.




IP20

1,760 Kg / 0,1694 m³
E27 max 6 x 60W

161662 Black

3000 K
860 Lm

101347




IP20

1,500 Kg / 0,1064 m³
E27 max 4 x 60W

161648 Black

3000 K
860 Lm

101347



P. 430



P. 473




P. 524

# Speed new

Matt white varnished metal ceiling rose and shade. Opal polycarbonate diffuser. Easily replaceable integrated led source. Clear PVC electrical cable.

LED LED source 3000 K, 17.500 h life.




IP20

**3,100 Kg / 0,0487 m³**
**LED 24W / 3100 Lm**

**259604** White new




IP20

**2,200 Kg / 0,0306 m³**
**LED 18W / 2300 Lm**

**259598** White new











# Cylinder

Metal frame. White blown acid-etched diffuser. Steel cables adjustable in length with automatic blocking mechanisms.




IP20

**4,040 Kg / 0,0729 m³**
**E27 max 1 x 60W**

**025438** White


3000 K
720 Lm

**101354**



P. 524





# Cloe new

Plated or powder coated metal ceiling rose and shade. Opal color polycarbonate diffuser. Clear PVC electrical cable. Colors: white, black or brushed chrome.

LED LED source 3000 K, 30.000 h life.








IP20

**2,040 Kg / 0,0622 m³**
**LED 43W / 2900 Lm**

**247298** White new
**269795** Chrome new
**247304** Black new

# Foglia

Hand-painted black metal body.
Centrifuged glass diffuser
with embossed hand painted
decorations.




IP20

**3,270 Kg / 0,1362 m³**
**E27 max 2 x 60W**

**021416** Ant. White

3000 K
860 Lm

**119571**




IP20

**4,810 Kg / 0,0816 m³**
**E27 max 1 x 60W**

**021430** Ant. White

3000 K
860 Lm

**119571**




IP20

**3,290 Kg / 0,0566 m³**
**E27 max 1 x 60W**

**007533** Ant. White

3000 K
860 Lm

**119571**





P. 350

# Dusty

Chrome metal frame. Diffuser
made of fireproof twine. Sphere
suspension provided with steel wire
adjustable in length with automatic
blocking mechanisms.




IP20

**1,200 Kg / 0,0555 m³**
**E27 max 3 x 60W**

**082509** White

3000 K
810 Lm

**123899**



P. 429









# Haunt


Matt white varnished metal ceiling
cup. Power cable coated with fabric.
Wicker basket diffuser natural or
white varnished.



**159256**



**159812**




IP20

**0,460 Kg / 0,0622 m³**
**E27 max 1 x 60W**

**159256** White
**159812** Wood

3000 K
860 Lm

**101347**






# Woody

Chrome metal frame. PVC or fabric shade closed at the bottom with acid-etched glass. Pendant lamps provided with steel cables adjustable in length.



**087719**




IP20

**6,150 Kg / 0,1352 m³**
**E27 max 5 x 60W**

**103242** White
**105628** Black
**087719** Wood

3000 K
810 Lm

**123899**




IP20

**4,000 Kg / 0,0832 m³**
**E27 max 4 x 60W**

**122236** White
**122243** Black
**087702** Wood

3000 K
810 Lm


**123899**

P. 294 P. 429 P. 526

# Hilton

Chrome metal frame. PVC foil shade covered with fabric. Transparent, sandblasted bottom glass diffuser. Pendant lamps provided with cables adjustable in length.

LED Bulbs LED G9 3,2W
3000 K included in **075495** model.
Cod. **209043**





IP20

**2,850 Kg / 0,0374 m³**
**G9 max 4 x 40W**

**075495** White

3000 K
300 Lm

**209043**





IP20

**5,980 Kg / 0,1183 m³**
**E27 max 6 x 60W**

**075518** White

3000 K
810 Lm

**123899**




IP20

**3,480 Kg / 0,0817 m³**
**E27 max 4 x 60W**

**075501** White

3000 K
810 Lm

**123899**

P. 429 P. 477 P. 527






# Wheel

Enameled metal circular frame.
PVC foil shade, covered with fabric.
Steel cables adjustable in length
with automatic devices.




IP20

**2,810 Kg / 0,1412 m³**
**E27 max 5 x 60W**

**009698** White

**3000 K**
**810 Lm**

**123899**




IP20

**2,020 Kg / 0,0614 m³**
**E27 max 3 x 60W**

**009681** White

**3000 K**
**810 Lm**

**123899**




P. 295

# Ekos

Metal frame with matt white finish.
PVC foil shades coated with fabric
in canvas color.

LED Bulbs LED G9 3,2W 3000 K included.
Cod. **209043**




IP20

**3,950 Kg / 0,0917 m³**
**G9 max 5 x 40W**

**110868** Canvas

**3000 K**
**300 Lm**

**209043**



P. 426 P. 484 P. 522



# Set up new


Powder coated or plated metal frames. Lampshades in fireproof PVC covered with fabric. Frame colors: white, black, satin nickel or brushed brass. Lampshade colors: beige, white or black.











260013 260044 260020 260051




IP20

| 0,350 Kg / 0,0019 m³<br>E27 max 1 x 60W | 1,260 Kg / 0,2131 m³ | 0,047 Kg / 0,0768 m³ | 0,700 Kg / 0,0259 m³ | 0,280 Kg / 0,0108 m³ |
|---|---|---|---|---|
| 260013 White | new 260471 White | new 260457 White | new 270050 Clear | new 270043 Clear new |
| 260044 Nickel | new 270029 Black | new 270012 Black | new | |
| 260020 Black | new 260488 Beige | new 260464 Beige | new | |
| 260051 Brass | new | | | |

3000 K
810 Lm

123899









# Opera

Chrome frame. PVC foil shade covered with metallic filaments. Cut crystal pendants. Suspension lamps provided with steel cables adjustable in length.




IP20

**6,880 Kg / 0,3322 m³**
**E27 max 10 x 60W**

**165011** White

**3000 K**
**810 Lm**

**123899**




IP20

**7,450 Kg / 0,1652 m³**
**E27 max 6 x 60W**

**068299** White

**3000 K**
**810 Lm**

**123899**




IP20

**2,780 Kg / 0,0646 m³**
**E27 max 4 x 60W**

**182179** White

**3000 K**
**810 Lm**

**123899**

P. 435 P. 491 P. 533

# Swan

Chrome metal frame. Hand-shaped blown glass body. Cut crystal decorative elements. Pleated organza shade. Velvet chain cover.



**035840**



**208497**




IP20

**6,420 Kg / 0,2708 m³**
**E14 max 6 x 40W**

**035826** White
**208152** Silver

**3000 K**
**360 Lm**

**101217**




IP20

**4,770 Kg / 0,1632 m³**
**E14 max 3 x 40W**

**035840** White
**208497** Silver

**3000 K**
**360 Lm**

**101217**




P. 435

# Calypso

Chrome metal frame. Cut crystal decorative elements. Suspension lamps with steel wires adjustable in length with automatic devices.

LED Bulbs LED G9 3,2W 3000 K included in model **044187**. Cod. **209043**




IP20

**6,410 Kg / 0,0893 m³**
**E27 max 5 x 60W**

**044200** Chrome

3000 K
430 Lm

**101279**





IP20

**4,000 Kg / 0,0566 m³**
**E27 max 3 x 60W**

**044194** Chrome

3000 K
430 Lm

**101279**




IP20 INCLUSA

**1,130 Kg / 0,0138 m³**
**G9 max 1 x 40W**

**044187** Chrome

3000 K
300 Lm

**209043**






P. 337 P. 436

# Orion

Diffuser composed of chrome metal rings with octagonal crystals set inside. Steel cables adjustable with automatic device.





IP20

**10,100 Kg / 0,2435 m³**
**E14 max 12 x 40W**

**066394** Chrome

3000 K
430 Lm

**101200**





IP20

**6,800 Kg / 0,1476 m³**
**E14 max 8 x 40W**

**066387** Chrome

3000 K
430 Lm

**101200**





IP20

**4,600 Kg / 0,0875 m³**
**E14 max 6 x 40W**

**059181** Chrome

3000 K
430 Lm

**101200**





P. 336





# King

Diffuser composed of chrome or golden metal rings with octagonal crystals set inside. Steel cables adjustable in length with automatic devices.


Halogen bulbs G9 28W 2700 K included.



**088013**



**088020**





IP20 INCLUSA

**10,000 Kg / 0,1486 m³**
**G9 max 12 x 40W**

**088013** Chrome
**088020** Gold

3000 K
300 Lm

**209043**




IP20 INCLUSA

**5,300 Kg / 0,0748 m³**
**G9 max 7 x 40W**

**087979** Chrome

3000 K
300 Lm

**209043**



P. 335










# Rain

Chrome metal frame. Pendants composed of multi-shaped colored cut crystal beads and final drops. Suspension versions provided with steel cables adjustable in length.



P. 348 P. 438 P. 490 P. 533




IP20

**3,320 Kg / 0,0351 m³**
**E14 max 5 x 40W**

**008363** Chrome

3000 K
430 Lm

**101224**




IP20

**1,870 Kg / 0,0131 m³**
**E14 max 3 x 40W**

**008349** Chrome

3000 K
430 Lm

**101224**




# Giada

Chrome metal frame. Cut crystal pendants with octagonal elements and final icicles. Suspension lamps provided with steel cables adjustable in length.

LED Bulbs LED G9 3,2W 3000 K included.
Cod. **209043**



P. 438





IP20 INCLUSA

**5,500 Kg / 0,0297 m³**
**G9 max 7 x 40W**

**098739** Clear

3000 K
300 Lm

**209043**




IP20 INCLUSA

**4,000 Kg / 0,0217 m³**
**G9 max 5 x 40W**

**098722** Clear

3000 K
300 Lm

**209043**





# Elisir

Metal frame. Cut crystals prisms decorative elements: transparent for the chrome version, amber for the brass version.


LED Bulbs LED G9 3,2W 3000 K included.
Cod. **209043**



**200002**



**200071**




IP20

**8,380 Kg / 0,0408 m³**
**G9 max 8 x 40W**

**200002** Chrome
**200071** Brass

3000 K
300 Lm

**209043**




IP20

**6,370 Kg / 0,0325 m³**
**G9 max 6 x 40W**

**199993** Chrome
**200064** Brass

3000 K
300 Lm

**209043**



P. 346





# Martinez


Chromed or golden metal frame. Decorative elements with fob-chains composed of octagons and transparent cut-crystals bars.



**166360**



**213583**





IP20

**17,600 Kg / 0,1129 m³**
**E14 max 8 x 40W**

**166360** Chrome
**213583** Gold

3000 K
430 Lm

**101224**




IP20

**14,490 Kg / 0,0723 m³**
**E14 max 6 x 40W**

**166322** Chrome

3000 K
430 Lm

**101224**



P. 346





# Carlton

Chromed or golden metal frame. Decorative elements with fob-chains composed of octagons and transparent cut-crystals bars.



**166247**



**213521**





IP20

**12,800 Kg / 0,1614 m³**
**E14 max 12 x 40W**

**166247** Chrome
**213521** Gold

**3000 K**
**430 Lm**

**101224**




IP20

**10,000 Kg / 0,1136 m³**
**E14 max 8 x 40W**

**117737** Chrome

**3000 K**
**430 Lm**

**101224**

P. 347 P. 439

# Roma

Chrome metal frame and details. Square-shaped crystal elements on sides and sandblasted bottom glass sheet. Suspension models supplied with cables adjustable in length.

LED Bulbs LED G9 3,2W 3000 K included.
Cod. **209043**




IP20 VOLTAGE INDICATOR

**10,000 Kg / 0,1202 m³**
**G9 max 12 x 40W**

**093062** Chrome

**3000 K**
**300 Lm**

**209043**




IP20 VOLTAGE INDICATOR

**7,100 Kg / 0,0890 m³**
**G9 max 9 x 40W**

**093048** Chrome

**3000 K**
**300 Lm**

**209043**








P. 333 P. 436 P. 490





# Nabucco

Metal frame with gold finish. Clear cut crystals decorative elements: square shaped in the upper part, diamond shaped in the lower part.




IP20

**18,730 Kg / 0,2127 m³**
**E14 max 16 x 40W**

**237800** Gold

3000 K
430 Lm

**101200**

IP20

**13,810 Kg / 0,1703 m³**
**E14 max 12 x 40W**

**237794** Gold

3000 K
430 Lm

**101200**







# Pashà

Metal Frame. Diffuser composed of cut crystal pearl strings. Bottom part closed with sandblasted glass disk. Steel cables adjustable in length with automatic device.



**164977**




**164984**



P. 334



P. 437




IP20

**13,000 Kg / 0,1777 m³**
**E14 max 14 x 40W**

**164977** Chrome
**164984** Gold

3000 K
430 Lm

**101200**

IP20

**8,500 Kg / 0,1007 m³**
**E14 max 10 x 40W**

**082196** Chrome
**082257** Gold

3000 K
430 Lm

**101200**

IP20

**5,350 Kg / 0,0573 m³**
**E14 max 6 x 40W**

**082158** Chrome
**082172** Gold

3000 K
430 Lm

**101200**






# Luxor

Chrome metal frame. Diffuser made of cut crystal octagons and rectangular drops. Velvet chain cover.

Halogen bulbs G9 28W 2700 K included.





IP20

**12,250 Kg / 0,3047 m³**
**G9 max 12 x 40W**

**116235** Chrome

3000 K
300 Lm

**209043**





IP20

**8,780 Kg / 0,2054 m³**
**G9 max 8 x 40W**

**116228** Chrome

3000 K
300 Lm

**209043**




IP20

**8,340 Kg / 0,1260 m³**
**G9 max 6 x 40W**

**092911** Chrome

3000 K
300 Lm

**209043**



# Evasione

Cut crystal pendants. Steel cables adjustable in length with automatic device.

LED Bulbs LED G9 3,2W 3000 K included.
Cod. **209043**




IP20

**7,100 Kg / 0,1082 m³**
**G9 max 10 x 40W**

**044767** Chrome

3000 K
300 Lm

**209043**





IP20

**5,900 Kg / 0,0706 m³**
**G9 max 8 x 40W**

**044774** Chrome

3000 K
300 Lm

**209043**




IP20

**2,800 Kg / 0,0283 m³**
**G9 max 4 x 40W**

**062211** Chrome

3000 K
300 Lm

**209043**

# Audi-77

Octagonal and round cut crystal pendants. Pendant lamps with wires adjustable in length with an automatic device.

Halogen bulbs G9 28W 2700 K included.





IP20

**6,550 Kg / 0,1347 m³**
**G9 max 8 x 40W**

**020556** Chrome

3000 K
300 Lm

**209043**




IP20

**5,230 Kg / 0,1044 m³**
**G9 max 6 x 40W**

**019499** Chrome

3000 K
300 Lm

**209043**





# Dubai

Metal frame with chrome or brass finish. Decorative elements composed of transparent cut crystals pearls, octagons and prisms.





IP20

**20,000 Kg / 0,7875 m³**
**E14 max 24 x 40W**

**243597** Chrome
**243528** Brass

3000 K
430 Lm

**101224**




IP20

**9,170 Kg / 0,2859 m³**
**E14 max 10 x 40W**

**215969** Chrome
**207216** Brass

3000 K
430 Lm

**101224**



**243597**



**243528**

P. 345




P. 439



# Caesar

Metal frame with gold or chrome finish. Octagonal decorative elements with icicle shaped crystal beads.

Halogen bulbs G9 28W 2700 K included.





IP20

**9,600 Kg / 0,2965 m³**
**G9 max 12 x 40W**

**114279** Chrome
**114743** Gold

3000 K
300 Lm

**209043**





IP20

**6,700 Kg / 0,2253 m³**
**G9 max 9 x 40W**

**041827** Chrome
**114736** Gold

3000 K
300 Lm

**209043**




IP20

**5,100 Kg / 0,1175 m³**
**G9 max 6 x 40W**

**033532** Chrome
**114729** Gold

3000 K
300 Lm

**209043**




**114279**



**114743**


P. 345





# Millennium

Metal frame and details with rust effect paint finish. Central decorative elements made of natural wood with antiqued effect.





IP20

**8,330 Kg / 1,0291 m³**
**E14 max 8 x 40W**

**129709** Wood

3000 K
430 Lm

**101224**




IP20

**2,670 Kg / 0,2695 m³**
**E14 max 5 x 40W**


**129921** Wood

3000 K
430 Lm

**101224**

# Monet

Metal frame with round bands decorated with repoussage technique. Chains of natural wood gems. White matt varnish finish.




IP20

**6,700 Kg / 0,0534 m³**
**E14 max 6 x 40W**

**162751** White

3000 K
360 Lm

**101217**




IP20

**5,300 Kg / 0,0387 m³**
**E14 max 5 x 40W**

**162737** White

3000 K
360 Lm

**101217**





# Pegaso

Chromed or satin brass metal frame. Cut crystal main body, candle cups and pendants. Organza fabric shades. Velvet chain cover.






059242



197739





IP20

8,100 Kg / 0,3349 m³
E14 max 12 x 40W

066431 White
197746 Satin Brass

3000 K
360 Lm

101231





IP20

7,900 Kg / 0,2138 m³
E14 max 8 x 40W

059242 White
197739 Satin Brass

3000 K
360 Lm

101231




IP20

5,600 Kg / 0,1445 m³
E14 max 5 x 40W

066448 White
197722 Satin Brass

3000 K
360 Lm

101231




IP20

3,050 Kg / 0,0758 m³
E14 max 3 x 40W

059235 White
197715 Satin Brass

3000 K
360 Lm

101231



P. 440



P. 495



P. 531





# Blanche

Metal frame finished with satin white or black varnish. PVC foil shades coated with white or black fabric. Velvet chain cover.




035581



111872

P. 440





IP20

6,820 Kg / 0,1975 m³
E14 max 8 x 40W

035574 White
111896 Black

3000 K
360 Lm

101231




IP20

4,800 Kg / 0,1451 m³
E14 max 6 x 40W

035581 White
111872 Black

3000 K
360 Lm

101231

# Pantheon

Chromed or golden metal frame. Central element equipped with glass balls. Cut crystal pendants and candle cups. Fabric shade with relief decorations and glitter. Velvet chain cover.




IP20

5,500 Kg / 0,0900 m³
E14 max 6 x 40W

088051 Chrome
088068 Gold

3000 K
430 Lm

101224




088051



088068

# Provence

Hand turned wooden frame and metal arms. Matt varnish finish. PVC foil shades coated with large weave fabric.




IP20

3,100 Kg / 0,0700 m³
E14 max 6 x 40W

003399 Ant. White

3000 K
430 Lm

101224




IP20

2,000 Kg / 0,0420 m³
E14 max 3 x 40W

025032 Ant. White

3000 K
430 Lm

101224



P. 531

















# Colossal

Chrome metal frame and details.
Blown clear glass arms with smoky grey or ivory white inner side.
Transparent glass and cut crystal pendants and decorative elements.
Velvet chain cover.



P. 442





IP20

**19,000 Kg / 0,2828 m³**
**E14 max 15 x 40W**

**114170** Clear
**081564** Ivory
**081526** Grey

3000 K
430 Lm

**101224**





IP20

**11,400 Kg / 0,1386 m³**
**E14 max 8 x 40W**

**114187** Clear
**081557** Ivory
**081519** Grey

3000 K
430 Lm

**101224**




IP20

**9,200 Kg / 0,1095 m³**
**E14 max 6 x 40W**

**114194** Clear
**081540** Ivory
**081502** Grey


3000 K
430 Lm

**101224**

# Rose

Blown glass chandelier with chrome metal details. Cut-crystals octagons and drops. Velvet chain cover.






IP20

**7,630 Kg / 0,1321 m³**
**E14 max 8 x 40W**

**166889** Amber

3000 K
430 Lm

**101248**









# Negresco


Metal frame with chrome or golden finish. Golden version with blown and gilded inside glass arms. Main structure composed of cut crystal blocks. Clear glass and cut crystal decorative elements. Velvet chain cover.



**141060**



**087771**





IP20

**14,400 Kg / 0,1687 m³**
**E14 max 10 x 40W**

**141060** Clear
**087771** Gold

3000 K
430 Lm

**101248**




IP20

**11,300 Kg / 0,1461 m³**
**E14 max 8 x 40W**

**141053** Clear
**087764** Gold

3000 K
430 Lm

**101248**


P. 442



# Continental

Chrome metal frame and details. Blown glass electrified arms. Pendants and decorative elements made of transparent glass and cut crystal. Velvet chain cover.






IP20

**14,900 Kg / 0,2574 m³**
**E14 max 12 x 40W**

**207483** Clear

3000 K
430 Lm

**101224**






# Redentore

Chrome metal frame. Blown glass and cut crystals decorative elements. Velvet chain cover.






IP20

**35,250 Kg / 0,3574 m³**
**E14 max 18 x 40W**


**176291** Clear

**3000 K**
**430 Lm**
**101224**

# Amadeus

Metal chrome frame. Decorative elements made of blown glass and cut crystals. Velvet chain cover.







IP20

**8,200 Kg / 0,1574 m³**
**E14 max 8 x 40W**

**168777** Clear

**3000 K**
**430 Lm**
**101224**




IP20

**6,700 Kg / 0,1202 m³**
**E14 max 6 x 40W**

**168753** Clear

**3000 K**
**430 Lm**
**101224**





# Giudecca

Blown and hand finished glass chandelier with chrome details. Crystal pendants composed of octagons and drops. Velvet chain cover. Available finishes: clear, black and red.




027821



032504



027418




IP20

5,770 Kg / 0,1041 m³
E14 max 6 x 40W


027821 Clear
032504 Black
027418 Red

3000 K
430 Lm

101248

# Tiepolo

Blown and hand finished glass chandelier with chrome metal details. Crystal pendants composed of octagons and drops. Velvet chain cover.





IP20

7,220 Kg / 0,1040 m³
E14 max 8 x 40W

034720 Clear

3000 K
360 Lm

101231





IP20

5,120 Kg / 0,0791 m³
E14 max 5 x 40W

034713 Clear

3000 K
360 Lm

101231




IP20

3,650 Kg / 0,0609 m³
E14 max 3 x 40W

034706 Clear

3000 K
360 Lm

101231





# Florian

Metal frame with decorative glass elements. Pendants composed of cut crystal octagons and final drops. Available versions: clear glass with golden or silvery metal.




035604



035611

P. 442





IP20

17,200 Kg / 0,3482 m³
E14 max 18 x 40W

075150 Chrome
075181 Gold

3000 K
430 Lm

101224





IP20

9,760 Kg / 0,2187 m³
E14 max 12 x 40W

035604 Chrome
035611 Gold

3000 K
430 Lm

101224




IP20

6,380 Kg / 0,1368 m³
E14 max 6 x 40W

035628 Chrome
035635 Gold

3000 K
430 Lm

101224



# Napoleon


Chrome or gold metal frame. Blown glass and cut crystals decorative elements. Velvet chain cover.



167244



167398





IP20

17,920 Kg / 0,4424 m³
E14 max 16 x 40W

167268 Chrome
167411 Gold

3000 K
430 Lm

101224





IP20

11,260 Kg / 0,2633 m³
E14 max 12 x 40W

167251 Chrome
167404 Gold

3000 K
430 Lm

101224




IP20

9,070 Kg / 0,2156 m³
E14 max 8 x 40W

167244 Chrome
167398 Gold

3000 K
430 Lm

101224





# Gioconda

Casted metal body with gold or antique silver finish. Octagonal and round cut crystal pendants. Velvet chain cover.



164953



164960

P. 443




IP20

18,100 Kg / 0,1360 m³
E14 max 12 x 40W

164953 Silver
164960 Gold

3000 K
430 Lm

101224




IP20

9,060 Kg / 0,0809 m³
E14 max 8 x 40W

044934 Silver
060514 Gold

3000 K
430 Lm

101224




IP20

6,340 Kg / 0,0682 m³
E14 max 6 x 40W

044927 Silver
060507 Gold

3000 K
430 Lm

101224

# Impero

Cast metal frame with silver antique-like finish. Cut crystal decorative elements. Velvet chain cover.






IP20

7,500 Kg / 0,0454 m³
E14 max 8 x 40W

014395 Silver

3000 K
430 Lm

101224




IP20

5,000 Kg / 0,0340 m³
E14 max 6 x 40W

002408 Silver

3000 K
430 Lm


101224





# Liberty

Rusty varnished metal frame. Cut crystals decorative elements. Velvet chain cover.





IP20

**8,660 Kg / 0,2042 m³**
**E14 max 12 x 40W**

**166551** Black

3000 K
430 Lm

**101224**





IP20

**5,300 Kg / 0,1160 m³**
**E14 max 6 x 40W**

**073729** Black

3000 K
430 Lm

**101224**




IP20

**3,800 Kg / 0,0643 m³**
**E14 max 4 x 40W**

**166544** Black


3000 K
430 Lm

**101224**



# Cascina

Hand leaf-shaped frame and decorative elements. Hand painted with white or gold varnish.





IP20

**7,400 Kg / 0,3810 m³**
**E14 max 10 x 40W**

**100302** Ant. White

3000 K
430 Lm

**101224**





IP20

**4,000 Kg / 0,3169 m³**
**E14 max 8 x 40W**

**100289** Ant. White

3000 K
430 Lm

**101224**




IP20

**2,300 Kg / 0,1648 m³**
**E14 max 5 x 40W**

**100272** Ant. White

3000 K
430 Lm


**101224**





# Strauss

Metal frame and details with rose gold finish. Blown clear glass arms. Amber crystal decorative elements. Velvet chain cover.




IP20

**20,700 Kg / 0,4508 m³**
**E14 max 18 x 40W**

**140629** Gold

3000 K
430 Lm

**101248**

IP20

**14,930 Kg / 0,3414 m³**
**E14 max 12 x 40W**

**140612** Gold

3000 K
430 Lm

**101248**

IP20

**7,410 Kg / 0,1420 m³**
**E14 max 6 x 40W**

**140605** Gold

3000 K
430 Lm

**101248**


P. 443



# Rialto

Blown and hand finished clear glass chandelier with amber glass mass finish. Brass metal inner cup.






IP20

**9,900 Kg / 0,1521 m³**
**E14 max 8 x 40W**

**004099** Amber

3000 K
430 Lm

**101200**

IP20

**6,970 Kg / 0,1485 m³**
**E14 max 5 x 40W**

**009704** Amber

3000 K
430 Lm

**101200**










# Casanova

Blown and hand finished glass chandelier with chrome metal socket covers and details. Available in clear, white, multicolor or smoky grey.



104775






044255



094045



095615

# Doge

Hand-shaped blown clear or white glass chandelier. Chrome metal frame and details.




044422



113678

P. 443








# Danieli

Chrome or gold metal frame. Amber or transparent blown glass decorative elements. Velvet chain cover.





IP20

**10,180 Kg / 0,2477 m³**
**E14 max 12 x 40W**

**213484** Clear
**221373** Amber

**3000 K**
**430 Lm**

**101200**





IP20

**7,510 Kg / 0,2048 m³**
**E14 max 8 x 40W**

**159980** Clear
**159973** Amber

**3000 K**
**430 Lm**

**101200**




IP20

**3,840 Kg / 0,1759 m³**
**E14 max 6 x 40W**

**159959** Clear
**159942** Amber

**3000 K**
**430 Lm**

**101200**




**159980**



**159973**

# Brigitta

Handcrafted clear or amber blown glass chandelier with metal body and velvet chain cover.





IP20

**12,500 Kg / 0,2380 m³**
**E14 max 12 x 40W**

**199375** Clear
**199405** Amber

**3000 K**
**430 Lm**

**101200**




IP20

**7,700 Kg / 0,1797 m³**
**E14 max 8 x 40W**

**199382** Clear
**199412** Amber

**3000 K**
**430 Lm**

**101200**



**199382**




**199412**





# Miramare

Blown and hand finished clear and white glass chandelier. Chrome metal bulb socket covers and details. Velvet chain cover.




IP20

**8,800 Kg / 0,1653 m³**
**E14 max 8 x 40W**

**068190** White

3000 K
430 Lm

**101224**

IP20

**8,100 Kg / 0,1437 m³**
**E14 max 6 x 40W**

**068183** White

3000 K
430 Lm

**101224**

# Bon Bon


Matt white or black varnished frame with die-cast metal arms. Blown glass candle cups for the white model, metal cups for the black one. Velvet chain cover.



**093994**



**140339**




IP20

**11,710 Kg / 0,1953 m³**
**E14 max 8 x 40W**

**094007** White

3000 K
360 Lm

**101217**

IP20

**8,110 Kg / 0,1547 m³**
**E14 max 6 x 40W**

**093994** White
**140339** Black

3000 K
360 Lm


**101217**





# Giglio

Metal frame and bearing structure. Handcrafted resin body modeled with artisan technique which reproduces horns and carved wood. Antiqued effect obtained by golden leaf.




IP20

**10,100 Kg / 0,1270 m³**
**E14 max 8 x 40W**

**075341** Gold

3000 K
430 Lm

**101248**

IP20

**6,700 Kg / 0,0889 m³**
**E14 max 6 x 40W**

**075327** Gold

3000 K
430 Lm

**101248**

P. 444

# Firenze

Resin body with hand modelled metal arms. Hand decorated with gold-leaf and antiqued effect.



**012872**



**020839**

P. 444 P. 489 P. 532




IP20

**6,440 Kg / 0,0842 m³**
**E14 max 8 x 40W**

**012872** Ant. White
**020839** Gold

3000 K
430 Lm

**101248**

IP20

**4,360 Kg / 0,0609 m³**
**E14 max 5 x 40W**


**012865** Ant. White
**020822** Gold

3000 K
430 Lm

**101248**

# Cortina

Hand modelled metal frame. Resin central element and lamp socket bases. Hand decorated with antiqued effect.




IP20

**7,800 Kg / 0,1769 m³**
**E14 max 10 x 40W**

**088433** Rust


**3000 K**
**430 Lm**

**101224**



# Artù

Nickel frame with shiny finish. Cut crystal decorative elements on the top of the arms. Velvet chain cover.





IP20

**9,500 Kg / 0,4031 m³**
**E14 max 16 x 40W**

**073149** Nickel

**3000 K**
**430 Lm**

**101248**




IP20

**8,120 Kg / 0,3587 m³**
**E14 max 12 x 40W**

**073132** Nickel


**3000 K**
**430 Lm**

**101248**



# Justine

Metal ceiling rose and frame with casted arms. White matt varnish finish. Velvet chain cover.




IP20

**4,550 Kg / 0,3281 m³**
**E14 max 8 x 40W**

**197524** White

**3000 K**
**430 Lm**

**101248**

IP20

**3,440 Kg / 0,2592 m³**
**E14 max 6 x 40W**

**197500** White


**3000 K**
**430 Lm**

**101248**



# Vanity

Golden metal frame with matt black details. Cut crystals decorative elements. Velvet chain cover.





IP20

**8,850 Kg / 0,2878 m³**
**E14 max 15 x 40W**

**206639** Gold

**3000 K**
**430 Lm**

**101224**




IP20

**4,940 Kg / 0,1454 m³**
**E14 max 8 x 40W**

**206622** Gold

**3000 K**
**430 Lm**

**101224**







# Corte

Totally handcrafted metal frame.
Hand painted finish with antiqued effect. Available versions: white or rusty effect.




005881



057187



P. 441





IP20

7,100 Kg / 0,6840 m³
E14 max 12 x 40W

097664 Ant. White
097671 Rust

3000 K
430 Lm

101224





IP20

5,220 Kg / 0,3169 m³
E14 max 8 x 40W

005898 Ant. White
057194 Rust

3000 K
430 Lm

101224




IP20

3,180 Kg / 0,1500 m³
E14 max 5 x 40W


005881 Ant. White
057187 Rust

3000 K
430 Lm

101224

# Sem

Entirely hand shaped metal frame.
Satin white varnish finish.





IP20

5,800 Kg / 0,2201 m³
E14 max 10 x 40W

100432 White

3000 K
430 Lm

101224





IP20

4,300 Kg / 0,1593 m³
E14 max 8 x 40W

092782 White

3000 K
430 Lm

101224




IP20

2,200 Kg / 0,0773 m³
E14 max 5 x 40W

092751 White

3000 K
430 Lm


101224





# Harem

Antique brass metal body and embossed ornaments. Cut crystal set octagons. Blown light amber clear glass diffusers with tassels. Velvet chain cover.





IP20

**8,550 Kg / 0,2571 m³**
**E27 max 9 x 60W**

**116006** Ant. Brass

**3000 K**
**860 Lm**

**119571**





IP20

**3,150 Kg / 0,0604 m³**
**E27 max 3 x 60W**

**115986** Ant. Brass

**3000 K**
**860 Lm**

**119571**




IP20

**0,980 Kg / 0,0228 m³**
**E27 max 1 x 60W**

**115979** Ant. Brass

**3000 K**
**860 Lm**


**119571**

P. 447



# Nawa

Openwork metal diffuser with silver effect finish and embedded crystal octagons.





IP20

**2,760 Kg / 0,0852 m³**
**E27 max 3 x 60W**

**141923** Silver

**3000 K**
**860 Lm**

**119571**




IP20

**2,100 Kg / 0,0368 m³**
**E27 max 1 x 60W**

**138343** Silver

**3000 K**
**860 Lm**

**119571**




IP20

**1,350 Kg / 0,0368 m³**
**E27 max 1 x 60W**


**140827** Silver

**3000 K**
**860 Lm**

**119571**

# Hammam

Metal frame with silver finish. Transparent blown glass diffusers. Tassel pendants. Velvet chain cover.





IP20

**4,030 Kg / 0,1752 m³**
**E14 max 5 x 40W**

**139586** Silver

**3000 K**
**430 Lm**

**101200**





IP20

**2,530 Kg / 0,0852 m³**
**E14 max 3 x 40W**

**135823** Silver

**3000 K**
**430 Lm**

**101200**




IP20

**0,840 Kg / 0,0264 m³**
**E14 max 1 x 40W**

**135816** Silver

**3000 K**
**430 Lm**

**101200**


P. 448





# Chalet

Metal frame and bearing structure. Handcrafted and hand painted resin decorative elements. An accurate reproduction of horns and carved wood.




IP20

**14,650 Kg / 0,2039 m³**
**E14 max 12 x 40W**

**113975** Beige

3000 K
430 Lm

**101224**

IP20

**8,350 Kg / 0,1535 m³**
**E14 max 8 x 40W**

**115504** Beige

3000 K
430 Lm

**101224**

IP20

**5,700 Kg / 0,2270 m³**
**E14 max 6 x 40W**

**115498** Beige

3000 K
430 Lm

**101224**



P. 447




P. 488

# Driftwood

Metal ceiling cup. Suspended structure made of natural branches. Brushed metal bulb socket cover.






IP20

**4,500 Kg / 0,1402 m³**
**E27 max 6 x 60W**

**180922** Wood

2200 K
300 Lm

**151687**

IP20

**1,240 Kg / 0,0599 m³**
**E27 max 1 x 60W**

**129600** Wood

2200 K
300 Lm

**151687**



P. 486



P. 517





# Canapa

Metal varnished frame. Electrical cables and diffusers covered with natural hemp rope.






IP20

2,190 Kg / 0,0944 m³
E27 max 1 x 15W

134833 Rope

3000 K
860 Lm

119571





IP20

0,650 Kg / 0,0063 m³
E27 max 2 x 15W

134840 Rope

3000 K
860 Lm

119571




IP20

2,410 Kg / 0,0254 m³
E27 max 6 x 15W

134826 Rope


3000 K
860 Lm

119571



# Electric

Metal frame with corten finish.
Power cable coated with fabric.
Enameled ceramic bulb socket.
Steel cables adjustable in length.





IP20

3,000 Kg / 0,0162 m³
E27 max 8 x 60W

176369 Corten

2200 K
300 Lm

151687




IP20

1,800 Kg / 0,0093 m³
E27 max 4 x 60W


176352 Corten

2200 K
300 Lm

151687

# Corda

Metal frame and details with matt black finish. Partially covered with natural hemp rope.





IP20

4,550 Kg / 0,2084 m³
E14 max 6 x 40W

130910 Rope

3000 K
430 Lm

101200




IP20

3,580 Kg / 0,1273 m³
E14 max 3 x 40W

130903 Rope

3000 K
430 Lm

101200










# Norma

Metal frame with chrome or antique brass finish. Diffuser composed of clear glass sheets with polished edges. Velvet chain cover.










IP20

2,620 Kg / 0,0286 m³
E27 max 1 x 60W

094786 Chrome
005911 Ant. Brass

3000 K
430 Lm

101279




P. 351



# Stella

Hand shaped metal frame. Diffuser composed of clear glass sheets embedded in metal structure. A portion of the diffuser can be opened for bulb replacing.





IP20

3,100 Kg / 0,0968 m³
E27 max 1 x 60W

093079 Chrome

3000 K
860 Lm

119571




IP20

1,600 Kg / 0,0226 m³
E27 max 1 x 60W


093000 Chrome

3000 K
860 Lm

119571

# Deca

Metal frame with antique brass finish. Diffuser made of transparent glass sheets which can be opened to change the bulb.





IP20

6,720 Kg / 0,2288 m³
E27 max 1 x 60W

168869 Ant. Brass

2200 K
300 Lm

151724




IP20

2,580 Kg / 0,0589 m³
E27 max 1 x 60W

168852 Ant. Brass

2200 K
300 Lm

151717








# Anfora

Handcrafted and black lacquered metal frame. Hand blown clear glass diffuser.




IP20

3,340 Kg / 0,0846 m³
E27 max 1 x 42W

131795 Black

3000 K
860 Lm

119571




IP20

1,940 Kg / 0,0461 m³
E27 max 1 x 42W

131788 Black


3000 K
860 Lm

119571



# Orangerie

Metal frame with antique brass finish. Clear glass sheets diffuser. Power cable coated with black fabric.





IP20

5,000 Kg / 0,1221 m³
E27 max 1 x 60W

160085 Ant. Brass

3000 K
860 Lm

119571




IP20

2,200 Kg / 0,0414 m³
E27 max 1 x 60W


152776 Ant. Brass

3000 K
860 Lm

119571

# Rondo

Metal frame with antique brass finish. Clear glass sheets diffuser. Steel cable adjustable in length.




IP20

3,910 Kg / 0,1237 m³
E27 max 1 x 60W

168968 Ant. Brass

2200 K
300 Lm

151724




IP20

1,970 Kg / 0,0403 m³
E27 max 1 x 60W

168951 Ant. Brass

2200 K
300 Lm

151717







# Indoors

## Ceiling lamps



# Indoors

## Ceiling lamps


new Frame 262 · Karol 264 · new Oz 265 · Cross 266 · Mikado 267 · new Fly 268 · Halo 274

Steno 282 · Ocean 283 · new Relax 284 · Totem 285 · Logos 285 · Geko 286 · Gingle 287

Ovalino 293 · MapaBianco 293 · Woody 294 · Wheel 295 · Ritz 295 · Gemma 296 · Ring 297

Sky 303 · Nitro 304 · Mood 305 · Oak 306 · Tower 307 · Kool 307 · Dynamite 308

Glim 314 · Slide 315 · Ciak 315 · Alfa 316 · Slem 317 · Maracas 318 · Snake 319

Spark 325 · Multiflex 326 · Octopus 327 · Tender 327 · Lingotto 328 · Almond 330 · Daisy 330

Calypso 337 · Audi-61 337 · Quadro 338 · Admiral 339 · Neve 340 · Moonlight 341 · Royal 342

Rain 348 · Phoenix 349 · Foglia 350 · Norma 351

Universal R. 276 · Universal S. 278 · Union 280 · Iris 280 · Flat 281 · Celine 281 · Ali 282

Smarties 288 · new Level 289 · new Chopin 290 · Glory 291 · Arizona 292 · Ulisse 292 · Candy 293


Simply 298 · Lana 298 · Dony 299 · Shell 299 · new Steel 300 · new Lika 301 · Look 302

new Play 309 · Petit 310 · Winery 311 · Mouse 312 · Spot 312 · Rudy 313 · Oby 313

Nodi 320 · Nodino 321 · Nodi Crystal 321 · Triumph 322 · Plumber 323 · Dea 324 · Pauline 324

Compo 331 · Elegant 332 · Roma 333 · Pashà 334 · King 335 · Virgin 336 · Orion 336


Bijoux 343 · Magnolia 344 · Dubai 345 · Caesar 345 · Elisir 346 · Martinez 346 · Carlton 347




# Frame new

Matt white or black varnished metal base and frame. Opal colour plastic diffusers. Direct light emission.


LED source 3000 K, 30.000 h life.



230702




269825




IP20

1,600 Kg / 0,0641 m³
LED 40W / 2800 Lm


255019 White
269825 Black new




IP20

1,430 Kg / 0,0530 m³
LED 35W / 3200 Lm

230702 White
270678 Black new




IP20

1,240 Kg / 0,0264 m³
LED 31W / 2700 Lm

230726 White new
270661 Black new

P. 054





# Karol

Matt white varnished metal body.
Opal colour plastic diffuser.


LED LED source 4000 K, 10.000 h life.




IP20

**3,430 Kg / 0,1185 m³**
**LED 90W / 8380 Lm**

**227832** White




IP20

**2,300 Kg / 0,0901 m³**
**LED 74W / 6900 Lm**


**227825** White

# Oz new

Plated or powder coated metal base and frame. Opal rubber diffuser. Available finishes: white, black or brushed brass.

LED LED source 3000 K, 30.000 h life.








IP20

**2,010 Kg / 0,0676 m³**
**LED 49W / 5000 Lm**

**253688** White new
**269412** Black new
**269429** Brass new

P. 048 P. 356 P. 454






# Cross

Chrome metal frame with LED sources integrated into the batons that can be quickly removed for a rapid replacement.


LED source 3000 K, 20.000 h life.




IP20

**2,170 Kg / 0,1390 m³**
**LED 38,4W / 2850 Lm**

**114767** Chrome




IP20


**1,650 Kg / 0,1074 m³**
**LED 28,8W / 2150 Lm**

**114750** Chrome

# Mikado

Chrome metal frame. Satin acrylic diffusers. Integrated LED source.


LED source 3000 K, 20.000 h life.




IP20

**2,850 Kg / 0,0551 m³**
**LED 56W / 4400 Lm**

**196657** Chrome




IP20

**1,600 Kg / 0,0222 m³**
**LED 28W / 2600 Lm**

**196640** Chrome

# Fly new

Family composed by ceiling lamps with circular base, available with four different diameters (350 mm, 450 mm, 600 mm, 900 mm). Powder coated body with white finish RAL 9016, recessed optics with PMMA microprismatic diffuser with glare control (UGR < 19). The lamp is ready to be integrated with the uplight accessory module for the indirect light part. Integrated LED light source; available with 3000 k and 4000 k color temperatures; CRI ≥ 80; LED useful life 50.000 h ; protection IP40, insulation class I. Driver included, integrated in the body, dimmable options available: 1-10V, DALI and Push. Suitable for locations where professional and uniform lighting is required, such as OFFICES and SHOPS. The high color rendering level makes it ideal even for exhibiting spaces and for the enhancement of the products in a showroom and sales area of the RETAIL sector.

PRO High-tech product with high quality materials, intended for professional use.

IP40 Protection degree IP40.

| | |
|---|---|
| **Source** | LED SMD |
| **Power** | 18W / 26W / 50W / 68W |
| **Driver included** | On/Off |
| **Drivers available** | 1-10V / DALI / Push |
| **CCT** | 3000 K / 4000 K |
| **CRI** | ≥80 |
| **UGR** | <19 |
| **LED life** | 50.000 h |
| **Insulation class** | I |
| **IP** | 40 |
| **Material** | Aluminum |
| **Warranty** | 5 years |

P. 056

# Fly new






LED SMD SAMSUNG **Driver TRIDONIC ON/OFF included**


| Power | Beam | Flux | CCT | Finish | Code | |
|---|---|---|---|---|---|---|
| 18 W | 87° | 2600 Lm | 3000 K | White | 270272 | new |
| | | 2800 Lm | 4000 K | White | 270289 | new |

3,000 Kg/0,0160 m³

DIMMABLE DRIVER Not included/Optional

| | Power | Output | Measure | Code | |
|---|---|---|---|---|---|
| 1-10V / Push | 20 W | 500 mA | 108 x 52 x 22 mm | 270333 | new |
| DALI | 20 W | 500 mA | 108 x 52 x 22 mm | 270364 | new |






LED SMD SAMSUNG **Driver TRIDONIC ON/OFF included**

| Power | Beam | Flux | CCT | Finish | Code | |
|---|---|---|---|---|---|---|
| 26 W | 87° | 4000 Lm | 3000 K | White | 254272 | new |
| | | 4200 Lm | 4000 K | White | 270296 | new |

3,700 Kg/0,0250 m³


DIMMABLE DRIVER Not included/Optional

| | Power | Output | Measure | Code | |
|---|---|---|---|---|---|
| 1-10V / Push | 32 W | 700 mA | 94 x 67 x 21 mm | 270586 | new |
| DALI | 32 W | 700 mA | 94 x 67 x 21 mm | 270593 | new |

UPLIGHT Not included/Optional




| Model | Power | Beam | Flux | CCT | Code | |
|---|---|---|---|---|---|---|
| ø 35 | 10 W | 120° | 900 Lm | 3000 K | 270258 | new |
| | | | 1000 Lm | 4000 K | 270395 | new |
| ø 45 | 13 W | 120° | 1200 Lm | 3000 K | 270258 | new |
| | | | 1300 Lm | 4000 K | 270395 | new |




| m | lx | øm |
|---|---|---|
| 1 | 2945 | 1,90 |
| 2 | 736 | 3,80 |
| 3 | 327 | 5,60 |
| 4 | 184 | 7,50 |
| 5 | 116 | 9,40 |

CRI≥83 18W 87° 2600Lm 3000K




| m | lx | øm |
|---|---|---|
| 1 | 1562 | 1,90 |
| 2 | 390 | 3,70 |
| 3 | 174 | 5,60 |
| 4 | 98 | 7,50 |
| 5 | 62 | 9,40 |

CRI≥83 26W 87° 4000Lm 3000K










# Fly new






4,500 Kg/0,0423 m³


LED SMD SAMSUNG **Driver TRIDONIC ON/OFF included**

| Power | Beam | Flux | CCT | Finish | Code | |
|---|---|---|---|---|---|---|
| 50 W | 87° | 8000 Lm | 3000 K | White | 270302 | new |
| | | 8400 Lm | 4000 K | White | 270319 | new |

DIMMABLE DRIVER Not included/Optional

| | Power | Output | Measure | Code | |
|---|---|---|---|---|---|
| 1-10V | 60 W | 1400 mA | 124 x 82 x 23 mm | 270340 | new |
| DALI / Push | 60 W | 1400 mA | 125 x 85 x 28 mm | 270371 | new |






6,900 Kg/0,0903 m³

LED SMD SAMSUNG **Driver TRIDONIC ON/OFF included**

| Power | Beam | Flux | CCT | Finish | Code | |
|---|---|---|---|---|---|---|
| 68 W | 87° | 10400 Lm | 3000 K | White | 270326 | new |
| | | 10800 Lm | 4000 K | White | 270241 | new |


DIMMABLE DRIVER Not included/Optional

| | Power | Output | Measure | Code | |
|---|---|---|---|---|---|
| 1-10V | 68 W | 1400 mA | 130 x 75 x 25 mm | 270357 | new |
| DALI / Push | 100 W | 1400 mA | 140 x 100 x 30 mm | 270388 | new |

UPLIGHT Not included/Optional




| Model | Power | Beam | Flux | CCT | Code | |
|---|---|---|---|---|---|---|
| ø 60 | 20 W | 120° | 1900 Lm | 3000 K | 270401 | new |
| | | | 2000 Lm | 4000 K | 270265 | new |
| ø 90 | 28 W | 120° | 2700 Lm | 3000 K | 271002 | new |
| | | | 2900 Lm | 4000 K | 270715 | new |




| m | lx | øm |
|---|---|---|
| 1 | 2945 | 1,90 |
| 2 | 736 | 3,80 |
| 3 | 327 | 5,60 |
| 4 | 184 | 7,50 |
| 5 | 116 | 9,40 |

CRI≥83 50W 87° 8000Lm 3000K




| m | lx | øm |
|---|---|---|
| 1 | 3991 | 1,90 |
| 2 | 998 | 3,90 |
| 3 | 443 | 5,80 |
| 4 | 249 | 7,80 |
| 5 | 160 | 9,70 |

CRI≥83 68W 87° 10400Lm 3000K

# Halo

Ceiling lamp with circular base and powder coated aluminum body. Opal polycarbonate diffuser. Available with three different diameters in white color. Light source with integrated LED, starting binning ≤ 2-Step MacAdam; available with 3000 k and 4000k color temperature; CRI ≥ 80; LED useful life 35.000 ; protection IP20, insulation class I.

| | | | |
|---|---|---|---|
| **Source** | LED SMD | **LED life** | 35.000 h |
| **Power** | 25W / 31W / 44W | **Insulation class** | I |
| **Driver included** | On/Off | **IP** | 20 |
| **Drivers available** | No | **Material** | Aluminum |
| **CCT** | 3000 K / 4000 K | | |
| **CRI** | ≥80 | | |
| **UGR** | <22 | | |

Up-light included.






LED SMD **Driver ON/OFF included**

| Power | Beam | Flux | CCT | Finish | Code |
|---|---|---|---|---|---|
| 25 W | 110° | 2200 Lm | 3000 K | White | 223186 |
| | | 2500 Lm | 4000 K | White | 223193 |

2,750 Kg/0,0177 m³







LED SMD **Driver ON/OFF included**

| Power | Beam | Flux | CCT | Finish | Code |
|---|---|---|---|---|---|
| 31 W | 110° | 2800 Lm | 3000 K | White | 223209 |
| | | 3200 Lm | 4000 K | White | 223216 |

4,430 Kg/0,0313 m³






LED SMD **Driver ON/OFF included**

| Power | Beam | Flux | CCT | Finish | Code |
|---|---|---|---|---|---|
| 44 W | 110° | 4300 Lm | 3000 K | White | 223223 |
| | | 5000 Lm | 4000 K | White | 223230 |

6,600 Kg/0,0566 m³



P. 057





# Universal Round

Diffusive ceiling lamp for indoor ceiling or wall installation, suitable for general and uniform lighting. Varnished steel body with white finish, plastic diffuser. Integrated LED source, available in 5 different powers and in a square or round version. LED useful life 17.500 h ; protection IP20, insulation class II.

| | | | |
|---|---|---|---|
| **Source** | LED SMD | **Insulation class** | II |
| **Power** | 13,5W / 32W | **IP** | 20 |
| **Driver included** | On/Off | **Material** | Steel |
| **Drivers available** | No | | |
| **CCT** | 3000 K | | |
| **CRI** | ≥80 | | |
| **LED life** | 17.500 h | | |






LED SMD **Driver ON/OFF included**

| Power | Beam | Flux | CCT | Finish | Code |
|---|---|---|---|---|---|
| 13,5 W | 110° | 840 Lm | 3000 K | White | 138596 |

0,420 Kg/0,0015 m³






LED SMD **Driver ON/OFF included**

| Power | Beam | Flux | CCT | Finish | Code |
|---|---|---|---|---|---|
| 19 W | 110° | 1250 Lm | 3000 K | White | 138602 |

0,580 Kg/0,0025 m³







LED SMD **Driver ON/OFF included**

| Power | Beam | Flux | CCT | Finish | Code |
|---|---|---|---|---|---|
| 25 W | 110° | 1800 Lm | 3000 K | White | 138619 |

0,850 Kg/0,0045 m³






LED SMD **Driver ON/OFF included**

| Power | Beam | Flux | CCT | Finish | Code |
|---|---|---|---|---|---|
| 32 W | 110° | 3060 Lm | 3000 K | White | 240367 |

1,390 Kg/0,0068 m³





# Universal Square

Diffusive ceiling lamp for indoor ceiling or wall installation, suitable for general and uniform lighting. Varnished steel body with white finish, plastic diffuser. Integrated LED source, available in 5 different powers and in a square or round version. LED useful life 17.500 h ; protection IP20, insulation class II.

| | | | |
|---|---|---|---|
| **Source** | LED SMD | **Insulation class** | II |
| **Power** | 13,5W / 32W | **IP** | 20 |
| **Driver included** | On/Off | **Material** | Steel |
| **Drivers available** | No | | |
| **CCT** | 3000 K | | |
| **CRI** | ≥80 | | |
| **LED life** | 17.500 h | | |







LED SMD **Driver ON/OFF included**

| Power | Beam | Flux | CCT | Finish | Code |
|---|---|---|---|---|---|
| 13,5 W | 110° | 840 Lm | 3000 K | White | 138633 |

0,510 Kg/0,0015 m³







LED SMD **Driver ON/OFF included**

| Power | Beam | Flux | CCT | Finish | Code |
|---|---|---|---|---|---|
| 19 W | 110° | 1250 Lm | 3000 K | White | 138640 |

0,710 Kg/0,0025 m³







LED SMD **Driver ON/OFF included**

| Power | Beam | Flux | CCT | Finish | Code |
|---|---|---|---|---|---|
| 25 W | 110° | 1800 Lm | 3000 K | White | 138657 |

1,070 Kg/0,0045 m³






LED SMD **Driver ON/OFF included**

| Power | Beam | Flux | CCT | Finish | Code |
|---|---|---|---|---|---|
| 32 W | 110° | 3060 Lm | 3000 K | White | 240374 |


2,000 Kg/0,0068 m³

# Union

Metal structure with matt white finish. Diffuser with acid-etched glass sheet fixed to the base with magnets.

LED Bulbs LED GX53 9,5W 3000 K included. Cod. **123936**







| 3,950 Kg / 0,0368 m³ | 2,640 Kg / 0,0257 m³ | 1,360 Kg / 0,0092 m³ |
|---|---|---|
| GX53 max 3 x 15W | GX53 max 2 x 15W | GX53 max 1 x 15W |
| 142203 White | 142197 White | 116099 White |
| 3000 K 760 Lm | 3000 K 760 Lm | 3000 K 760 Lm |
| 123936 | 123936 | 123936 |

# Iris

Chrome metal base. Transparent acid-etched glass diffuser. Replaceable LED source.

LED Bulbs LED GX53 9,5W 3000 K included. Cod. **123936**






| 3,210 Kg / 0,0108 m³ | 2,240 Kg / 0,0081 m³ |
|---|---|
| GX53 max 1 x 15W | GX53 max 1 x 15W |
| 104546 White | 104539 White |
| 3000 K 760 Lm | 3000 K 760 Lm |
| 123936 | 123936 |




# Flat

Metal frame with matt white enamel finish. Frosted transparent acrylic diffuser.

LED Bulbs LED GX53 9,5W 3000 K included. Cod. **123936**







| 2,480 Kg / 0,0263 m³ | 1,620 Kg / 0,0159 m³ | 0,700 Kg / 0,0088 m³ |
|---|---|---|
| GX53 max 4 x 15W | GX53 max 4 x 15W | GX53 max 1 x 15W |
| 134901 White | 134895 White | 134888 White |
| 3000 K 760 Lm | 3000 K 760 Lm | 3000 K 760 Lm |
| 123936 | 123936 | 123936 |

# Celine

Enameled metal frame. Sandblasted clear glass diffuser. chrome metal glass holders.







| 2,540 Kg / 0,0467 m³ | 1,740 Kg / 0,0296 m³ | 1,120 Kg / 0,0189 m³ |
|---|---|---|
| E27 max 4 x 60W | E27 max 3 x 60W | E27 max 2 x 60W |
| 044293 White | 044286 White | 044279 White |
| 3000 K 360 Lm | 3000 K 360 Lm | 3000 K 360 Lm |
| 101286 | 101286 | 101286 |

# Ali

White acid-etched glass diffuser composed of one frontal and two side elements. Chrome glass holders.






IP20

**2,510 Kg / 0,0350 m³**
**E27 max 4 x 60W**

**026565** White

**3000 K**
**360 Lm**


**101286**

P. 384

# Steno

Metal base with silkscreened and sandblasted glass. Glass diffuser with silkscreened decoration and cut crystal elements.







IP20

**3,000 Kg / 0,0339 m³**
**E27 max 3 x 60W**

**087580** White

**3000 K**
**430 Lm**

**101279**




IP20

**1,800 Kg / 0,0173 m³**
**E27 max 2 x 60W**

**087573** White

**3000 K**
**430 Lm**

**101279**





# Ocean


Diffuser composed of two glass sheets: the back one with mirror edge and frosted in the middle, the front one with decorative serigraph and glass buttons.



**091013**



**081434**





IP20

**2,930 Kg / 0,0281 m³**
**E27 max 3 x 60W**

**081441** Clear
**091013** Color

**3000 K**
**360 Lm**

**101286**




IP20

**1,930 Kg / 0,0160 m³**
**E27 max 2 x 60W**

**081434** Clear
**091006** Color

**3000 K**
**360 Lm**


**101286**



# Totem

Matt white varnished laser shaped metal base. Replaceable LED lighting sources.

LED Bulbs LED GX53 9,5W 3000 K included. Cod. **123936**







IP20

**5,320 Kg / 0,0470 m³**
**GX53 max 6 x 15W**

**215785** White

3000 K
760 Lm

**123936**




IP20

**3,890 Kg / 0,0322 m³**
**GX53 max 4 x 15W**

**215778** White

3000 K
760 Lm

**123936**




IP20

**2,960 Kg / 0,0227 m³**
**GX53 max 3 x 15W**

**215761** White

3000 K
760 Lm

**123936**




IP20

**0,960 Kg / 0,0055 m³**
**GX53 max 1 x 15W**

**215747** White


3000 K
760 Lm


**123936**

# Logos

Metal frame with white matt varnish finish. Replaceable LED sources.

LED Bulbs LED GX53 9,5W 3000 K included. Cod. **123936**







IP20

**2,850 Kg / 0,0278 m³**
**GX53 max 6 x 15W**

**175799** White

3000 K
760 Lm

**123936**




IP20

**1,450 Kg / 0,0160 m³**
**GX53 max 3 x 15W**

**175768** White

3000 K
760 Lm


**123936**

# Relax new

Metal frame finished with matt white varnish. Opal policarbonate diffusers. Double light emission: primary and lateral. Replaceable LED source.

LED LED source 3000 K, 17.500 h life.


Lamp with dimmer.




IP20

**8,190 Kg / 0,0740 m³**
**LED 84W / 8100 Lm**

**255941** White new




IP20

**5,760 Kg / 0,0486 m³**
**LED 65W / 6100 Lm**

**255934** White new





# Geko

White enameled metal frame. Transparent silkscreened or white glass diffuser. Chrome metal central glass screw.





IP20

**3,820 Kg / 0,0385 m³**
**E27 max 4 x 60W**

**116112** White

3000 K
360 Lm
**101286**





IP20

**2,000 Kg / 0,0203 m³**
**E27 max 3 x 60W**

**018508** White

3000 K
360 Lm
**101286**




IP20

**1,200 Kg / 0,0130 m³**
**E27 max 2 x 60W**


**010861** White

3000 K
360 Lm
**101286**

# Gingle

Powder coated metal base and body. Integrated LED light source with mirrored light emission.


LED LED source 3000 K, 17.500 h life.




IP20

**1,540 Kg / 0,0233 m³**
**LED 34W / 3550 Lm**


**196220** White




IP20

**1,000 Kg / 0,0139 m³**
**LED 26W / 2580 Lm**

**196206** White




IP20

**0,730 Kg / 0,0153 m³**
**LED 18W / 1940 Lm**

**196190** White










# Smarties

White varnished metal frame.
White blown glass diffuser.





IP20

**4,690 Kg / 0,1480 m³**
**E27 max 3 x 60W**

**032023** White

3000 K
360 Lm

**101286**





IP20

**3,070 Kg / 0,1009 m³**
**E27 max 3 x 60W**

**032030** White

3000 K
360 Lm

**101286**





IP20

**2,810 Kg / 0,0599 m³**
**E27 max 2 x 60W**

**032047** White

3000 K
360 Lm

**101286**




IP20

**1,440 Kg / 0,0454 m³**
**E27 max 1 x 60W**

**009223** White

3000 K
360 Lm

**101286**



P. 142



P. 380



P. 464




# Level new

Powder coated metal base. White acid-etched blown glass diffuser with fastening system without screws. Easily repleaceable integrated led source.

LED LED source 3000 K, 17.500 h life.






IP20

**5,120 Kg / 0,1122 m³**
**LED 24W / 2100 Lm**

**261188** White new




IP20

**2,360 Kg / 0,0541 m³**
**LED 18W / 1600 Lm**

**261164** White new





# Chopin new

Matt varnished metal base. Shiny white acid-etched overlay blown glass diffuser. Repleaceable integrated LED source.


LED LED source 3000 K, 17.500 h life.




IP20

**2,930 Kg / 0,0649 m³**
**LED 18W / 1600 Lm**

**261010** White new




IP20

**2,060 Kg / 0,0420 m³**
**LED 12W / 1050 Lm**


**261003** White new

# Glory

Metal frame with satin nickel finish. White acid-etched blown glass diffuser.



P. 143





IP20

**4,810 Kg / 0,1789 m³**
**E27 max 5 x 60W**

**019765** White

3000 K
360 Lm

**101286**





IP20

**3,410 Kg / 0,0744 m³**
**E27 max 3 x 60W**

**019758** White

3000 K
360 Lm

**101286**




IP20

**2,100 Kg / 0,0700 m³**
**E27 max 2 x 60W**

**101132** White

3000 K
360 Lm


**101286**

# Arizona

Metal frame with satin brass finish. White acid-etched blown glass diffuser with embossed decorative stripes.

LED Bulbs LED GX53 9,5W 3000 K included. Cod. **123936**







IP20

**7,680 Kg / 0,1299 m³**
**GX53 max 5 x 15W**

**214511** White

3000 K
760 Lm

**123936**





IP20

**3,050 Kg / 0,0744 m³**
**GX53 max 3 x 15W**

**214504** White

3000 K
760 Lm

**123936**




IP20

**2,960 Kg / 0,0452 m³**
**GX53 max 2 x 15W**

**214498** White

3000 K
760 Lm

**123936**





P. 144

# Ulisse

Matt white varnished metal frame. White acid-etched blown glass diffuser.






IP20

**4,750 Kg / 0,1218 m³**
**E27 max 3 x 60W**

**098586** White

3000 K
860 Lm

**119571**




IP20

**2,290 Kg / 0,0720 m³**
**E27 max 3 x 60W**

**095196** White

3000 K
860 Lm

**119571**



P. 144







P. 145



P. 464





P. 168



P. 377





P. 152




P. 380



P. 467

# Candy

Metal frame with satin nickel finish. White acid-etched blown glass diffuser.




IP20


**2,500 Kg / 0,0799 m³**
**E27 max 1 x 60W**

**086781** White

3000 K / 720 Lm
**123899**

# Ovalino

Enamelled metal frame. Diffuser composed of curved acid-etched glass sheets.





IP20

**7,700 Kg / 0,1448 m³**
**E27 max 8 x 60W**

**094014** White

3000 K / 810 Lm
**123899**




IP20


**5,100 Kg / 0,1202 m³**
**E27 max 5 x 60W**

**093963** White

3000 K / 810 Lm
**123899**

# Mapa Bianco

Metal base and fastening system. White blown acid-etched spherical glass diffuser.




IP20

**2,590 Kg / 0,1290 m³**
**E27 max 1 x 60W**

**059839** White

3000 K / 860 Lm
**119571**





122205 122212 090863

# Wheel

Enamelled metal base and structure. Fireproof PVC foil shade, coated with fabric.




IP20

**3,890 Kg / 0,1270 m³**
**E27 max 5 x 60W**

**036021** White

3000 K
810 Lm

**123899**




IP20

**2,280 Kg / 0,0758 m³**
**E27 max 3 x 60W**

**036014** White

3000 K
810 Lm


**123899**



P. 194

# Ritz

Enameled metal base. PVC foil shade and lower diffuser panel covered with fabric.





IP20

**6,000 Kg / 0,1352 m³**
**E27 max 5 x 60W**

**122205** White
**122212** Black
**090863** Wood

3000 K
810 Lm

**123899**





IP20

**3,800 Kg / 0,0908 m³**
**E27 max 4 x 60W**

**103266** White
**103273** Black
**090900** Wood

3000 K
810 Lm

**123899**





IP20

**1,710 Kg / 0,0968 m³**
**E27 max 4 x 60W**

**152912** White

3000 K
810 Lm

**123899**





IP20

**1,480 Kg / 0,0700 m³**
**E27 max 4 x 60W**

**152899** White

3000 K
810 Lm

**123899**




IP20

**1,110 Kg / 0,0444 m³**
**E27 max 4 x 52W**

**152875** White

3000 K
810 Lm

**123899**



P. 192



P. 429



P. 526





# Gemma

Plastic base with different finishes.
Matt white polycarbonate diffuser.
Quick fastening system.


LED LED source 3000 K, 20.000 h life.



252612




252629




IP20

0,760 Kg / 0,0275 m³
LED 24W / 2880 Lm

252612 White
252629 Black




IP20


0,430 Kg / 0,0164 m³
LED 12W / 1440 Lm

252599 White
252605 Black



# Ring

Chrome metal frame. White blown acid-etched glass diffuser with bayonet fixing.





IP20

2,020 Kg / 0,0370 m³
E27 max 3 x 60W

045733 White

3000 K
360 Lm

101286




IP20

1,220 Kg / 0,0217 m³
E27 max 2 x 60W

045726 White


3000 K
360 Lm

101286

# Simply

Transparent frosted glass diffuser. Enameled metal glass holders with cast-on cast-off mechanism.







IP20

**3,190 Kg / 0,0487 m³**
**E27 max 4 x 60W**

**007991** White

3000 K
360 Lm

**101286**





IP20

**1,670 Kg / 0,0284 m³**
**E27 max 3 x 60W**

**007984** White

3000 K
360 Lm

**101286**





IP20

**1,010 Kg / 0,0172 m³**
**E27 max 2 x 60W**

**007977** White

3000 K
360 Lm

**101286**




IP20

**0,670 Kg / 0,0131 m³**
**E27 max 1 x 60W**

**007960** White


3000 K
360 Lm

**101286**

# Lana

Transparent glass diffuser with silkscreen decorations inside and sandblasted outside. Chrome metal glass holders.







IP20

**1,500 Kg / 0,0279 m³**
**E27 max 3 x 60W**

**068145** White

3000 K
360 Lm

**101286**




IP20

**0,800 Kg / 0,0168 m³**
**E27 max 2 x 60W**

**068138** White

3000 K
360 Lm

**101286**



P. 140



P. 377






# Dony

Hand-blown transparent glass diffuser. White serigraph decorations. chrome metal glass holders.







IP20

**1,880 Kg / 0,0389 m³**
**E27 max 3 x 60W**

**019635** White

3000 K
360 Lm

**101286**




IP20

**1,100 Kg / 0,0179 m³**
**E27 max 2 x 60W**

**020891** White


3000 K
360 Lm

**101286**

# Shell

Plate-worked glass diffuser with grit decoration inside. Glass holder with metal detail. Available versions: clear glass with chrome detail or amber glass with gold detail.







IP20

**8,850 Kg / 0,0943 m³**
**E27 max 6 x 60W**

**008622** Clear
**140193** Amber

3000 K
430 Lm

**101279**





IP20

**6,150 Kg / 0,0647 m³**
**E27 max 4 x 60W**

**008615** Clear
**140186** Amber

3000 K
430 Lm

**101279**




IP20

**3,940 Kg / 0,0381 m³**
**E27 max 3 x 60W**

**008608** Clear
**140179** Amber

3000 K
430 Lm

**101279**



**008622** **140193**





276762




276748

# Steel new

Linear aluminum lamp with direct and indirect light with glare control for ceiling application. The lamp is available in WIDE model with diffusing downlight optics made of microprismatized PMMA (UGR < 19) and in ACCENT model with black refector (UGR < 16). Integrated LED sources, CRI ≥ 90.


LED LED source 3000/4000 K, 50.000 h life.




IP20

**2,140 Kg / 0,0178 m³**
**LED 36W / 2600/2770 Lm**


| | | | |
|---|---|---|---|
| 276786 | White | 3000K | new |
| 276793 | White | 4000K | new |
| 276762 | Black | 3000K | new |
| 276779 | Black | 4000K | new |




IP20

**2,140 Kg / 0,0178 m³**
**LED 36W / 2500/2680 Lm**

| | | | |
|---|---|---|---|
| 276748 | White | 3000K | new |
| 276755 | White | 4000K | new |
| 276724 | Black | 3000K | new |
| 276731 | Black | 4000K | new |




**Kit Straight Continuous**
**Not included**
**Optional**

| | | | |
|---|---|---|---|
| 271712 | | | new |



P. 068


# Lika Surface new

Family of recessed rectangular LED modules in die-cast aluminium, painted black or white with polycarbonate reflector. Modules available with five lenses. Specially designed to avoid glare (UGR <16), best for installation in OFFICES and SHOPS.

LED LED source 3000/4000 K, 30.000 h life.








IP20

**0,370 Kg / 0,0011 m³**
**LED 12,5W / 1100/1250 Lm**

| | | | |
|---|---|---|---|
| 248530 | White | 3000K | |
| 267838 | White | 4000K | new |
| 244884 | Black | 3000K | |
| 267821 | Black | 4000K | new |



P. 634



# Look

Turned almuminum fixing base. White or black powder coated metal cylindrical diffuser.

LED Bulbs LED GU10 5W 3000 K included.
Cod. **108292**



**233352** **233321**




IP20

**1,380 Kg / 0,0037 m³**
**GU10 max 1 x 28W**

**233352** White
**233321** Black

3000 K
400 Lm

**108292**




IP20

**0,740 Kg / 0,0025 m³**
**GU10 max 1 x 28W**

**233215** White
**233192** Black

3000 K
400 Lm

**108292**




IP20

**0,400 Kg / 0,0013 m³**
**GU10 max 1 x 28W**

**233079** White
**233062** Black

3000 K
400 Lm

**108292**



P. 060 P. 375 P. 619



# Sky

White or black powder coated metal diffuser and body. Fastening system without visible screws.

LED Bulbs LED GU10 5W 3000 K included.
Cod. **108292**



**234007** **233970**





IP20

**1,940 Kg / 0,0047 m³**
**GU10 max 1 x 28W**

**234007** White
**233970** Black

3000 K
400 Lm

**108292**




IP20

**1,090 Kg / 0,0027 m³**
**GU10 max 1 x 28W**

**233833** White
**233826** Black

3000 K
400 Lm

**108292**




IP20

**0,600 Kg / 0,0016 m³**
**GU10 max 1 x 28W**

**233772** White
**233765** Black

3000 K
400 Lm

**108292**



P. 064 P. 374 P. 619





# Nitro

White or black matt varnished aluminum body. Internally finished with plastic mask. Integrated LED source with lens.

LED source 3000 K, 30.000 h life.




IP20

**0,910 Kg / 0,0030 m³**
**LED 15W / 1350 Lm**


**205977** White
**205984** Black




IP20

**0,390 Kg / 0,0013 m³**
**LED 10W / 900 Lm**

**205991** White
**206004** Black




IP20

**0,400 Kg / 0,0013 m³**
**LED 15W / 1350 Lm**

**206011** White
**206028** Black




IP20

**0,230 Kg / 0,0005 m³**
**LED 10W / 900 Lm**

**206035** White
**206042** Black



**206035**



**206042**

# Mood

Metal structure available with square or round section. Black inside and white or black colour outside. Adjustable inner diffuser.

Halogen bulbs GU10 28W and GU10 50W 2700 K included.



**140841**



**243924**





IP20

**1,210 Kg / 0,0061 m³**
**GU10 max 1 x 50W**

**140872** White
**243450** Black

3000 K
950 Lm

**189031**




IP20

**0,400 Kg / 0,0022 m³**
**GU10 max 1 x 28W**

**140841** White
**243924** Black

3000 K
400 Lm

**108292**





IP20

**1,420 Kg / 0,0068 m³**
**GU10 max 1 x 50W**

**140933** White
**243931** Black

3000 K
950 Lm

**189031**




IP20

**0,460 Kg / 0,0023 m³**
**GU10 max 1 x 28W**

**140902** White
**243948** Black

3000 K
400 Lm

**108292**



# Oak

Gypsum or concrete body. Adjustable central bulb holder made of varnished metal.

Item suitable for painting and varnishing.



**150475**



**150420**




IP20

**1,730 Kg / 0,0082 m³**
**GU10 max 1 x 35W**

**150420** White
**150437** Concrete

3000 K
400 Lm

**108292**





IP20

**2,210 Kg / 0,0078 m³**
**GU10 max 1 x 35W**

**150468** White
**150475** Concrete

3000 K
400 Lm

**108292**




IP20

**0,980 Kg / 0,0040 m³**
**GU10 max 1 x 7W**

**229874** Concrete

3000 K
400 Lm

**108292**



P. 063








**155869** **155791**

# Tower

Plastic installing base with bayonet system. Total gypsum body. It fits replaceable GU10 bulbs.

Item suitable for painting and varnishing.




IP20

**0,430 Kg / 0,0023 m³**
**GU10 max 1 x 35W**

**155869** White

3000 K
400 Lm

**108292**




IP20

**0,620 Kg / 0,0023 m³**
**GU10 max 1 x 35W**

**155791** White

3000 K
400 Lm

**108292**

# Kool

Totally pure concrete body. Hidden inner metal fastening support.

LED Bulbs LED GU10 5W 3000 K included.
Cod. **108292**



P. 371





# Dynamite

Powder coated or plated or brushed metal frame. Adjustable diffusers.

LED Bulbs LED GU10 5W 3000 K included.
Cod. **108292**







IP20

**0,240 Kg / 0,0022 m³**
**GU10 max 1 x 28W**

**231495** White
**231471** Black
**244662** Satin Brass

**3000 K**
**400 Lm**

**108292**


P. 076

# Play new

Powder coated die-cast aluminum base, junction and orientable body. Knurled clear acrylic diffuer. Available with black finish or white finish with black rear cover and front inner ring.

LED LED source 3000 K, 50.000 h life.




IP20

**0,210 Kg / 0,0010 m³**
**LED 7W / 520 Lm**

**258287** White new
**268101** Black new

P. 628






# Petit

Plated or matt varnished metal body. Fastening system without visible screws. Available finishes: white, chrome, brass and black.

LED Bulbs LED E27 8W Globo D95 3000 K included. Cod. **101330**



**232966** **233017** **232980** **233031**




IP20

**0,790 Kg / 0,0071 m³**
**E27 max 1 x 60W**

**232966** White
**233017** Chrome
**232980** Black
**233031** Satin Brass

**3000 K**
**720 Lm**

**101330**

# Winery

Enamelled ceramic body with integrated bulb socket with shiny white or black enamel finish.



**155227** **155142**




IP20

**0,290 Kg / 0,0004 m³**
**E27 max 1 x 60W**

**155227** White
**155142** Black


**3000 K**
**860 Lm**

**101323**

P. 411

# Mouse

Metal base, frame and diffuser finished with matt varnish and chrome details. Adjustable diffusers. Available finishes: white or black.




IP20

**1,900 Kg / 0,0157 m³**
**GU10 max 4 x 50W**

**073583** White
**156712** Black

3000 K
400 Lm

**108292**

P. 404 P. 616






**073583** **156712**

# Rudy

White or black powder coated die-cast aluminum frame. Adjustable diffusers: they can be rotated and reclined.

LED Bulbs LED GU10 5W 3000 K included.
Cod. **108292**




IP20

**1,230 Kg / 0,0057 m³**
**GU10 max 4 x 35W**

**229089** White
**229072** Black

3000 K
400 Lm

**108292**




IP20

**1,080 Kg / 0,0041 m³**
**GU10 max 3 x 35W**

**229065** White
**229058** Black

3000 K
400 Lm

**108292**

P. 405





**229089** **2290072**

# Spot

Metal base, frame and diffusers finished with matt varnish and chrome details. Adjustable diffusers. Available finishes: white or black.




IP20

**1,320 Kg / 0,0139 m³**
**GU10 max 4 x 50W**

**156774** White
**156781** Black

3000 K
400 Lm

**108292**

P. 404 P. 616





**156774** **156781**

# Oby

Matt white varnished metal frame with chromed junctions. Adjustable body with white plastic diffuser.

LED LED source 3000 K, 20.000 h life.




IP20

**1,210 Kg / 0,0058 m³**
**LED 24W / 2200 Lm**

**196718** White




IP20

**0,870 Kg / 0,0038 m³**
**LED 18W / 1650 Lm**

**196701** White

P. 406





# Slide

White or black powder coated or nickel-plated metal frame. Adjustable diffuser. External cable coated with metallic spiral.

LED Bulbs LED GU10 5W 3000 K included.
Cod. **108292**




IP20

**0,350 Kg / 0,0029 m³**
**GU10 max 1 x 50W**

**237046** White
**237022** Nickel
**237039** Black

**3000 K**
**400 Lm**

**108292**






# Ciak

Metal frame with matt black finish. Diffuser is adjustable by means of little wings which regulate the light spread.

LED Bulbs LED GU10 5W 3000 K included.
Cod. **108292**



# Glim

Total powder painted metal frame available in white or black color. Adjustable diffuser with replaceable bulb.

LED Bulbs LED GU10 13W 3000 K included.
Cod. **189031**




IP20

**1,850 Kg / 0,0228 m³**
**GU10 max 4 x 50W**

**229638** White
**229645** Black

**3000 K**
**950 Lm**

**189031**




IP20

**1,270 Kg / 0,0202 m³**
**GU10 max 4 x 50W**

**200217** White
**200255** Black

**3000 K**
**950 Lm**

**189031**




IP20

**0,890 Kg / 0,0074 m³**
**GU10 max 2 x 50W**

**200200** White
**200248** Black

**3000 K**
**950 Lm**

**189031**




IP20

**0,480 Kg / 0,0034 m³**
**GU10 max 1 x 50W**

**200194** White
**200231** Black

**3000 K**
**950 Lm**

**189031**




IP20

**1,700 Kg / 0,0141 m³**
**GU10 max 4 x 50W**

**095707** Black

**3000 K**
**400 Lm**

**108292**

P. 618

P. 410












# Alfa

Metal structure with chrome, antique brass, satin white or satin nickel finish. Reflecting body is adjustable by rotation of the stem and inclination of the turning point.

LED Bulbs LED GU10 5W 3000 K included.
Cod. **108292**





| | |
|---|---|
| 1,140 Kg / 0,0196 m³ | 1,070 Kg / 0,0158 m³ |
| GU10 max 6 x 50W | GU10 max 4 x 50W |
| **122748** White | **122731** White |
| **089591** Chrome | **089584** Chrome |
| **006338** Nickel | **006321** Nickel |
| | **119830** Ant. Brass |
| 3000 K | 3000 K |
| 400 Lm | 400 Lm |
| **108292** | **108292** |

P. 408

# Slem

Metal structure with white, chrome or satin nickel finish. Adjustable body: rotational and axially movable stem valve.

LED Bulbs LED GU10 5W 3000 K included.
Cod. **108292**




| |
|---|
| 1,070 Kg / 0,0152 m³ |
| GU10 max 4 x 50W |
| **142098** White |
| **142067** Chrome |
| **018850** Nickel |
| 3000 K |
| 400 Lm |
| **108292** |


P. 408



# Maracas

Total metal frame with stain brass finish. Adjustable transparent blown glass diffusers.

LED Bulbs LED G4 2W 3000 K included.
Cod. **222257**




IP20

**1,280 Kg / 0,0242 m³**
**G4 max 6 x 2W**

**200361** Brass

3000 K
170 Lm

**222257**




IP20

**0,960 Kg / 0,0142 m³**
**G4 max 4 x 2W**

**200354** Brass

3000 K
170 Lm

**222257**


P. 419





# Snake

Chrome metal frame. Adjustable body. White acid-etched blown glass diffuser.




IP20

**1,280 Kg / 0,0131 m³**
**E14 max 4 x 40W**

**002781** Chrome

3000 K
360 Lm

**101217**

P. 407






073712 200484 241050

# Nodino

Metal frame with chrome or matt white paint finish. White acid-etched blown glass diffuser.

LED Bulbs LED G9 3,2W 3000 K included.
Cod. **209043**





IP20

**4,390 Kg / 0,5036 m³**
**G9 max 15 x 15W**

**149608** White

3000 K
300 Lm

**209043**





IP20

**3,160 Kg / 0,3975 m³**
**G9 max 9 x 15W**

**149622** White
**133393** Chrome

3000 K
300 Lm

**209043**




IP20

**1,620 Kg / 0,0897 m³**
**G9 max 5 x 15W**

**149615** White

3000 K
300 Lm

**209043**





149622 133393

# Nodi


Chrome or satin brass metal frame. White acid-etched blown or transparent or chrome glass diffusers.



P. 167



P. 416





IP20

**3,200 Kg / 0,1012 m³**
**E14 max 5 x 40W**

**073712** White
**241050** Satin Brass

3000 K
430 Lm

**101200**




IP20

**3,200 Kg / 0,1012 m³**
**E14 max 5 x 40W**

**200484** Chrome


3000 K
430 Lm

**101200**

# Nodi Crystal

Chrome metal frame. Diffusers composed of chrome metal rings with crystal octagons set inside.

Halogen bulbs G9 28W 2700 K included.





IP20

**5,000 Kg / 0,2422 m³**
**G9 max 15 x 40W**

**093512** Chrome

3000 K
300 Lm

**209043**




IP20

**3,400 Kg / 0,1012 m³**
**G9 max 9 x 40W**

**093505** Chrome

3000 K
300 Lm

**209043**







# Triumph


Metal base, arms and bulb socket cover with matt black or antiqued brass finishes.



242378



160313




IP20

3,270 Kg / 0,0454 m³
E27 max 8 x 60W

242378 Black
160313 Brass

2200 K
300 Lm

151687



P. 078




P. 418

# Plumber

Frame composed of metal hydraulic fittings. Finished with matt black varnish.



P. 418





IP20

5,570 Kg / 0,1076 m³
E27 max 8 x 42W

136714 Black

2200 K
300 Lm

151687




IP20

4,180 Kg / 0,0504 m³
E27 max 5 x 42W

136707 Black

2200 K
300 Lm

151687

# Dea

Chrome metal semi-sphere frame and bulb socket cover. Replaceable LED bulbs.

LED Bulbs LED E27 2W Globo D125 trasparente 3000 K included.
Cod. **184470**






IP20

**3,300 Kg / 0,0777 m³**
**E27 max 10 x 20W**

**074740** Chrome

**3000 K**
**860 Lm**

**101347**

# Pauline

Chrome metal frame. Clear blown hand-shaped and chrome glass decorative elements.

LED Bulbs LED G9 3,2W 3000 K included.
Cod. **209043**






IP20

**3,500 Kg / 0,0380 m³**
**G9 max 5 x 40W**

**111117** Smoky Grey

**3000 K**
**300 Lm**

**209043**




P. 086





# Spark

Matt black varnished metal frame and plated bulb holders.




IP20

**2,730 Kg / 0,0864 m³**
**E27 max 20 x 25W**

**238333** Black

**3000 K**
**860 Lm**

**101323**



P. 085




# Multiflex

Metal structure finished with matt paint. Flexible metal arms covered with rubber.



P. 171





IP20

**4,330 Kg / 0,0353 m³**
**E14 max 8 x 40W**

**159010** Color

3000 K
360 Lm

**101217**





IP20

**2,490 Kg / 0,0180 m³**
**E14 max 6 x 40W**

**028699** Clear

3000 K
360 Lm

**101217**




IP20

**1,379 Kg / 0,0115 m³**
**E14 max 3 x 40W**

**028682** Clear

3000 K
360 Lm

**101217**




P. 397



# Octopus

Metal base with matt finish. Flexible arms covered with white or multicolor rubber. Blown and sandblasted clear glass diffusers.

Halogen bulbs G9 28W 2700 K included.




IP20

**3,000 Kg / 0,0390 m³**
**G9 max 6 x 28W**


**174921** White
**174976** Color

3000 K
300 Lm

**209043**

# Tender

Chrome metal frame with flexible arms. Blown clear Pyrex glass diffusers with frosted inner part.





# Lingotto

Varnished metal frame: matt black base and matt brass structure. White overlay acid-etched blown glass diffuser.









IP20

**5,580 Kg / 0,0540 m³**
**E14 max 4 x 40W**

**198156** Brass

**3000 K**
**360 Lm**

**101217**





IP20

**3,370 Kg / 0,0451 m³**
**E14 max 2 x 40W**

**198149** Brass

**3000 K**
**360 Lm**

**101217**




IP20

**1,810 Kg / 0,0183 m³**
**E14 max 1 x 40W**

**198132** Brass

**3000 K**
**360 Lm**

**101217**

P. 080 P. 474

# Almond

Metal white matt varnished frame. Blown white acid-etched overlay glass diffusers.




IP20

**26,390 Kg / 0,3100 m³**
**E27 max 9 x 60W**

**159645** White

3000 K
810 Lm

**123899**




IP20

**7,610 Kg / 0,1048 m³**
**E27 max 3 x 60W**

**159638** White

3000 K
810 Lm

**123899**





# Daisy

Metal base with gold leaf finish. White acid-etched blown glass diffusers with stripes in relief.




IP20

**12,000 Kg / 0,1711 m³**
**E27 max 6 x 60W**

**247779** Gold

3000 K
810 Lm

**123899**



# Compo

Chrome or matt white varnished metal frame. Blown glass diffusers available with acid-etched white or with smoky transparent finish.



**125503**



**172828**





IP20

**25,620 Kg / 0,5084 m³**
**E27 max 15 x 60W**

**125565** White

3000 K
860 Lm

**119571**





IP20

**17,200 Kg / 0,3008 m³**
**E27 max 10 x 60W**

**125510** White
**172804** Smoky Grey

3000 K
860 Lm

**119571**




IP20

**9,900 Kg / 0,1918 m³**
**E27 max 6 x 60W**

**125503** White
**172828** Smoky Grey

3000 K
860 Lm

**119571**






# Elegant

Chrome metal frame. Transparent glass rods with star section. Ceiling lamps equipped with cut-crystal balls in the middle.

Halogen bulbs G9 28W 2700 K included.





IP20

**13,940 Kg / 0,1918 m³**
**G9 max 12 x 40W**

**019468** Clear

**3000 K**
**300 Lm**

**209043**




IP20

**8,620 Kg / 0,1136 m³**
**G9 max 8 x 40W**

**019451** Clear

**3000 K**
**300 Lm**

**209043**

# Roma

Chrome metal frame and details. Square-shaped crystal elements on sides and sandblasted bottom glass sheet.

LED Bulbs LED G9 3,2W 3000 K included.
Cod. **209043**



P. 207



P. 436



P. 490




IP20

**9,600 Kg / 0,1220 m³**
**G9 max 12 x 40W**

**087870** Chrome

**3000 K**
**300 Lm**

**209043**




IP20

**6,800 Kg / 0,0905 m³**
**G9 max 9 x 40W**

**087863** Chrome

**3000 K**
**300 Lm**

**209043**





IP20

**4,800 Kg / 0,0588 m³**
**G9 max 6 x 40W**

**000657** Chrome

**3000 K**
**300 Lm**

**209043**




IP20

**2,500 Kg / 0,0390 m³**
**G9 max 4 x 40W**

**093093** Chrome

**3000 K**
**300 Lm**

**209043**





# Pashà

Metal Frame. Diffuser composed of cut crystal pearl strings. Bottom part closed with sandblasted glass disk.



164991



165004



P. 209



P. 437




IP20

13,000 Kg / 0,1809 m³
E14 max 14 x 40W

164991 Chrome
165004 Gold

3000 K
430 Lm

101200





IP20

8,800 Kg / 0,1040 m³
E14 max 10 x 40W

100746 Chrome
100791 Gold

3000 K
430 Lm

101200




IP20

6,200 Kg / 0,0529 m³
E14 max 6 x 40W

100784 Chrome
100807 Gold

3000 K
430 Lm

101200



# King

Diffuser composed of chrome or golden metal rings with octagonal crystals set inside.

LED Bulbs LED G9 3,2W 3000 K included.
Cod. **209043**




073255



073262



P. 201





IP20

6,250 Kg / 0,0946 m³
G9 max 9 x 40W

073255 Chrome
073262 Gold

3000 K
300 Lm

209043





IP20

3,200 Kg / 0,0487 m³
G9 max 5 x 40W

075419 Chrome
073187 Gold

3000 K
300 Lm

209043




IP20

1,750 Kg / 0,0240 m³
G9 max 3 x 40W

075389 Chrome
075402 Gold

3000 K
300 Lm

209043

# Virgin

Chrome metal frame. Range of grinded crystal pearl-shaped and squared beads in different sizes.

Halogen bulbs G9 28W 2700 K included.






IP20

**6,100 Kg / 0,0721 m³**
**G9 max 6 x 40W**

**016122** Chrome

3000 K
300 Lm
**209043**




IP20

**3,700 Kg / 0,0470 m³**
**G9 max 5 x 40W**

**018089** Chrome

3000 K
300 Lm
**209043**

# Orion

Diffuser composed of chrome metal rings with octagonal crystals set inside.

LED Bulbs LED G9 3,2W 3000 K included.
Cod. **209043**






IP20

**9,500 Kg / 0,1879 m³**
**G9 max 12 x 40W**

**059129** Chrome

3000 K
300 Lm
**209043**





IP20

**3,250 Kg / 0,0451 m³**
**G9 max 5 x 40W**

**059143** Chrome

3000 K
300 Lm
**209043**




IP20

**1,950 Kg / 0,0282 m³**
**G9 max 3 x 40W**

**059136** Chrome

3000 K
300 Lm
**209043**



P. 200



# Calypso

Metal frame with chrome finish. Squared cut crystal decorative elements.






IP20

**6,600 Kg / 0,0975 m³**
**E14 max 8 x 40W**

**066424** Chrome

3000 K
430 Lm
**101200**



P. 200



P. 436

# Audi-61

Chrome metal frame. Octagonal crystal chains. Blown glass diffuser.

LED Bulbs LED G9 3,2W 3000 K included.
Cod. **209043**







IP20

**7,410 Kg / 0,1211 m³**
**G9 max 8 x 40W**

**133904** Chrome

3000 K
300 Lm
**209043**




IP20

**4,950 Kg / 0,0806 m³**
**G9 max 6 x 40W**

**133898** Chrome

3000 K
300 Lm
**209043**



P. 182




P. 437



# Quadro

Chrome metal square-shaped base and lamp holders. Cubic body with 2,5 mm thick wide mesh net-like aluminum faces.

Halogen bulbs G9 28W 2700 K included.





IP20

**9,900 Kg / 0,1097 m³**
**G9 max 11 x 40W**

**036045** Aluminum

**3000 K**
**300 Lm**

**209043**





IP20

**13,750 Kg / 0,1309 m³**
**G9 max 12 x 40W**

**031651** Aluminum

**3000 K**
**300 Lm**

**209043**




IP20

**6,840 Kg / 0,0564 m³**
**G9 max 8 x 40W**

**031668** Aluminum

**3000 K**
**300 Lm**


**209043**



# Admiral

Diffuser composed of metal rings welded together and of cut crystal parts set inside.

Halogen bulbs G9 28W 2700 K included.





IP20

**8,490 Kg / 0,1000 m³**
**G9 max 10 x 40W**

**080291** Chrome

**3000 K**
**300 Lm**

**209043**





IP20

**7,050 Kg / 0,0731 m³**
**G9 max 8 x 40W**

**080352** Chrome

**3000 K**
**300 Lm**

**209043**





IP20

**4,580 Kg / 0,0486 m³**
**G9 max 6 x 40W**

**080345** Chrome

**3000 K**
**300 Lm**

**209043**




IP20

**3,000 Kg / 0,0318 m³**
**G9 max 4 x 40W**

**080338** Chrome

**3000 K**
**300 Lm**

**209043**



P. 436





101187 022239




077802 082783

# Neve

Metal frame. Decorative glass balls fixed to nylon strings. Available with chrome frame and clear glass spheres or with matt white frame and white and clear glass spheres.

LED Bulbs LED G9 3,2W 3000 K included. Cod. **209043**





IP20

**11,250 Kg / 0,1524 m³**
**G9 max 15 x 40W**

101194 White
030784 Chrome

3000 K
300 Lm

209043





IP20

**7,420 Kg / 0,0920 m³**
**G9 max 12 x 40W**

101187 White
022239 Chrome

3000 K
300 Lm

209043





IP20

**3,590 Kg / 0,0344 m³**
**G9 max 8 x 40W**

101170 White
022222 Chrome

3000 K
300 Lm

209043




IP20

**1,500 Kg / 0,0149 m³**
**G9 max 5 x 40W**

094687 Chrome

3000 K
300 Lm

209043



# Moonlight

Metal frame available with chrome or gold finish. Pendants with octagons and cut crystals spheres.

Halogen bulbs G9 28W 2700 K included.



P. 438





IP20

**11,800 Kg / 0,1524 m³**
**G9 max 15 x 40W**

077819 Chrome
082790 Gold

3000 K
300 Lm

209043





IP20

**6,000 Kg / 0,0933 m³**
**G9 max 12 x 40W**

077802 Chrome
082783 Gold

3000 K
300 Lm

209043





IP20

**2,900 Kg / 0,0398 m³**
**G9 max 8 x 40W**

077796 Chrome
080932 Gold

3000 K
300 Lm

209043




IP20

**1,500 Kg / 0,0144 m³**
**G9 max 5 x 40W**

094649 Chrome
094663 Gold

3000 K
300 Lm

209043



# Royal

Chrome metal circular frame and bulb socket. Squared, rectangular and octagonal cut crystal pendants and final drops.

LED Bulbs LED G9 3,2W 3000 K included.
Cod. **209043**




IP20

**9,830 Kg / 0,1491 m³**
**G9 max 15 x 40W**

**053011** Chrome

3000 K
300 Lm
**209043**





IP20

**5,900 Kg / 0,0881 m³**
**G9 max 12 x 40W**

**053004** Chrome

3000 K
300 Lm
**209043**




IP20

**2,840 Kg / 0,0379 m³**
**G9 max 8 x 40W**

**052991** Chrome


3000 K
300 Lm
**209043**



# Bijoux

Chrome metal round frame and lamp sockets. Decorative chains with cut crystal octagons and spherical pendants.

LED Bulbs LED G9 3,2W 3000 K included.
Cod. **209043**




IP20

**2,370 Kg / 0,0181 m³**
**G9 max 5 x 40W**

**089485** Chrome

3000 K
300 Lm
**209043**




IP20

**1,810 Kg / 0,0125 m³**
**G9 max 4 x 40W**

**089478** Chrome


3000 K
300 Lm
**209043**



# Magnolia

Metal frame with gold finish. Clear cut crystals decorative elements. The upper part is composed alternatively of clear and smoky elements.

LED Bulbs LED G9 3,2W 3000 K included.
Cod. **209043**




IP20 INCLUSA

**9,780 Kg / 0,0984 m³**
**G9 max 7 x 15W**

**241296** Gold


**3000 K**
**300 Lm**

**209043**



# Dubai

Chrome or golden metal frame. Decorative elements composed of transparent cut crystals pearls, octagons and prisms.





IP20

**14,290 Kg / 0,4438 m³**
**E14 max 24 x 40W**

**243566** Chrome
**243498** Brass

**3000 K**
**430 Lm**

**101224**




IP20

**6,310 Kg / 0,2028 m³**
**E14 max 6 x 40W**

**207186** Chrome
**201016** Brass

**3000 K**
**430 Lm**

**101224**




IP20

**3,010 Kg / 0,0721 m³**
**E14 max 3 x 40W**

**207162** Chrome
**200996** Brass

**3000 K**
**430 Lm**

**101224**



P. 212



P. 439



**207186**



**201016**

# Caesar

Metal frame with gold or chrome finish. Octagonal decorative elements with icicle shaped crystal beads.

Halogen bulbs G9 28W 2700 K included.




IP20 INCLUSA

**5,920 Kg / 0,0975 m³**
**G9 max 6 x 40W**

**093475** Chrome
**114682** Brass

**3000 K**
**300 Lm**

**209043**




IP20 INCLUSA

**3,820 Kg / 0,0632 m³**
**G9 max 5 x 40W**

**103792** Chrome
**114675** Brass

**3000 K**
**300 Lm**

**209043**



P. 213





**093475**




**114682**

# Elisir

Metal frame. Cur crystals prisms decorative elements: transparent for the chrome version, amber for the brass version.

LED Bulbs LED G9 3,2W 3000 K included.
Cod. **209043**






IP20

**5,000 Kg / 0,0232 m³**
**G9 max 6 x 40W**

**200026** Chrome
**200095** Gold

3000 K
300 Lm

**209043**

P. 204




**200026** **200095**

# Martinez

Chromed or golden metal frame. Decorative elements with fob-chains composed of octagons and transparent cut-crystals bars.






IP20

**17,500 Kg / 0,0807 m³**
**E14 max 8 x 40W**

**166285** Chrome
**213569** Gold

3000 K
430 Lm

**101224**

P. 205



**166285** **213569**



# Carlton

Chromed or golden metal frame. Decorative elements with fob-chains composed of octagons and transparent cut-crystals bars.



**168937**



**213507**





IP20

**13,840 Kg / 0,1563 m³**
**E14 max 12 x 40W**

**168937** Chrome
**213507** Brass

3000 K
430 Lm

**101224**




IP20

**10,200 Kg / 0,1066 m³**
**E14 max 8 x 40W**

**168920** Chrome

3000 K
430 Lm

**101224**



P. 206



P. 439






# Rain

Chrome metal frame. Pendants composed of multi-shaped colored cut crystal beads and final drops.



P. 202 P. 438 P. 490 P. 533





IP20

3,820 Kg / 0,0225 m³
E14 max 5 x 40W

008455 Chrome

3000 K
430 Lm

101224




IP20

1,800 Kg / 0,0094 m³
E14 max 3 x 40W

008370 Chrome

3000 K
430 Lm

101224

# Phoenix

Chrome metal frame. Fabric coated shade with metal frame. Decorative elements composed of cut crystal octagons.



099118



101156



P. 185




IP20

6,800 Kg / 0,1074 m³
E27 max 5 x 60W

099118 White
101156 Black


3000 K
810 Lm

123899



# Foglia

Hand-painted black metal body.
Centrifuged glass diffuser
with embossed hand painted
decorations.





IP20

**4,200 Kg / 0,0331 m³**
**E27 max 3 x 60W**

**013817** Antique Wh.

3000 K
430 Lm

**101279**




IP20

**2,440 Kg / 0,0218 m³**
**E27 max 2 x 60W**

**013800** Antique Wh.

3000 K
430 Lm

**101279**

P. 190



# Norma


Metal frame with chrome or antique
brass finish. Diffuser composed
of clear glass sheets with polished
edges.



**094793**



**004426**




IP20

**1,640 Kg / 0,0145 m³**
**E14 max 3 x 40W**

**094793** Chrome
**004426** Ant. Brass

3000 K
430 Lm

**101200**

P. 254



# Indoors

## Wall lamps


new

Oz 356


Cover 358

new

Peggy 359

new

Pouche 359


Vela 360


Commodore 360


Fix 361


Foglio 361


Zed 362


Tea 362


Puzzle 362


Moris 363


Box 363


Posta 364


Clip 365


Cube 366

new

Virtus 366


Click 367


Bright 367

new

Linus 368


Desk 369


Zig Zag 369


Hydro 370


Kool 371


Flash 372


FlashGesso 373


Sky 374


Look 375


Paul 376


Elica 376


Ovalino 377


Lana 377


Soda 378


Tonic 379


Smarties 380


MapaBianco 380


Rubens 381


Triplo 382


Audi-B 382

new

Tornado 383


Ali 384


Denis 384


Tudor 385


Camerino 385


Privè 386


Line 387


Riflesso 387


Alma 388


Bonjour 389

# Indoors

## Wall lamps



Bow 390


MIrror-10 391


Mirror-51 391


Retrò 392


Mirror-20 393


Cico 393


Double 393


Page 401


Probe 402


Read 402


Book 403


Mouse 404


Spot 404


Gim 405


Barber 409


Ciak 410


Bob Mini 410


Winery 411


Radio 412


Edison 413


Minimal 414


Maracas 419


Cantina 420


Sailor 420


Newton 420


Shower 421


Pan 422


Sunrise 423


Luxury 430


Nordik 430


Hotel 431


Sheraton 432


Gea 433


Holiday 434


Effetti 434


Moonlight 438


Giada 438


Rain 438


Carlton 439


Dubai 439


Blanche 440


Pegaso 440


Firenze 444


Giglio 444


Carmen 445


Peter 446


Chalet 447


Harem 448


Hammam 448


Focus 394


Goose 395


Flex 396


Dynamo 396


Tender 397

new


Bean 398


Lite 400


Rudy 405


Oby 406


Lunare 406


Snake 407


Elis 407


Alfa 408


Slem 408


Frida 415


Igor 415


Nodi 416


Kepler 417


Triumph 418


Plumber 418


Equinoxe 419


Tick 424

new


Eclissi 425

new


Set Up 426


Beverly 428


Hilton 429


Woody 429


Dusty 429


Opera 435


Swan 435


Admiral 436


Roma 436


Calypso 436


Audi-61 437


Pashà 437


Corte 441


Colossal 442


Negresco 442


Florian 442


Gioconda 443


Strauss 443


Doge 443


Santa 449


Fiocco 449


Stones 450


Scacchi 450



Carrara 451

# Oz new

Plated or powder coated metal base and frame. Opal rubber diffuser. Available finishes: white, black or brushed brass.

LED source 3000 K, 30.000 h life.




IP20

**1,140 Kg / 0,0248 m³**
**LED 30W / 3000 Lm**

| | | |
|---|---|---|
| 253695 | White | new |
| 269399 | Black | new |
| 269405 | Brass | new |


P. 048 P. 265 P. 454



# Cover

White or black powder painted aluminum body. Opal color plastic diffuser. Light source made of integrated LED with mirrored light emission.


LED LED source 3000 K, 17.500 h life.




IP20

**0,690 Kg / 0,0028 m³**
**LED 11W / 1100 Lm**


**195711** White
**195759** Black




IP20

**0,860 Kg / 0,0028 m³**
**LED 11W / 1100 Lm**

**195735** White
**195773** Black




IP20

**0,390 Kg / 0,0018 m³**
**LED 9,5W / 950 Lm**

**195704** White
**195742** Black




IP20

**0,510 Kg / 0,0018 m³**
**LED 9,5W / 950 Lm**


**195728** White
**195766** Black



# Peggy new

Powder coated metal base and frame with white finish. Satin acrylic diffuser. Indirect light emission.


LED LED source 3000 K, 50.000 h life.




IP20

**0,710 Kg / 0,0068 m³**
**LED 15W / 1980 Lm**

**257242** White new




IP20

**0,520 Kg / 0,0030 m³**
**LED 10,5W / 1240 Lm**


**257235** White new



# Pouche new

Metal frame finished with white powder varnish. Satin clear acrylic diffuser. Indirect light emission.


LED LED source 3000 K, 20.000 h life.




IP20

**1,440 Kg / 0,0067 m³**
**LED 14W / 1300 Lm**

**259352** White new




IP20

**1,120 Kg / 0,0067 m³**
**LED 14W / 1300 Lm**

**259345** White new



# Vela

Matt white varnished metal base.
Light diffuser expander made of
6mm-thick curved aluminum sheet.

LED LED source 3000 K, 15.000 h life.




IP20

**0,450 Kg / 0,0057 m³**
**LED 5W / 420 Lm**


**090337** White



# Fix

Matt white or chrome metal frame.
Light diffuser-expander made
of 6 mm- thick aluminum sheet.
Integrated LED sources.

LED LED source 3000 K, 20.000 h life.




IP20

**0,390 Kg / 0,0050 m³**
**LED 5W / 420 Lm**


**117867** White
**123066** Chrome



# Commodore

Entirely metal body with matt white
finish. Replaceable LED source.

LED Bulbs LED GX53 9,5W 3000 K
included. Cod. **123936**





IP20 INCLUSA

**1,170 Kg / 0,0069 m³**
**GX53 max 2 x 15W**

**125923** White

3000 K
760 Lm
**123936**




IP20 INCLUSA

**0,640 Kg / 0,0034 m³**
**GX53 max 1 x 15W**

**125886** White


3000 K
760 Lm
**123936**



# Foglio

Popup recessed item. Total gypsum
body. Indirect light emission.

Item suitable for painting and
varnishing.




IP20

**4,000 Kg / 0,0292 m³**
**E14 max 1 x 40W**

**150581** White


3000 K
360 Lm
**101217**



# Zed

Metal base with white finish. Light diffuser-expander made of 6 mm-thick aluminum sheet. Integrated LED sources.

LED LED source 3000 K, 20.000 h life.




IP20

**0,460 Kg / 0,0023 m³**
**LED 5W / 390 Lm**

**115153** White



# Tea

Cast aluminum body with matt powder coating. Satin acrylic up-and-down double diffuser.


LED LED source 3000 K, 30.000 h life.




IP20

**0,440 Kg / 0,0029 m³**
**LED 6W / 450 Lm**


**142340** White



# Puzzle

Metal frame with chrome finish. White overlay acid-etched blown glass diffuser.

LED Bulbs LED G9 3,2W 3000 K included.
Cod. **209043**




IP20 INCLUSA

**0,520 Kg / 0,0061 m³**
**G9 max 1 x 40W**

**035185** White

**3000 K / 300 Lm**
**209043**






# Moris

Chrome metal frame. Blown glass diffuser available in white color or clear with chrome finish.

Halogen bulbs G9 28W 2700 K included.




IP20 INCLUSA

**0,520 Kg / 0,0071 m³**
**G9 max 2 x 40W**

**034546** White
**134987** Chrome


**3000 K**
**300 Lm**
**209043**




# Box

Chrome metal frame. Blown acid-etched overlay glass diffuser. White inside and colored outside.

LED Bulbs LED G9 3,2W 3000 K included.
Cod. **209043**




IP20 INCLUSA

**0,660 Kg / 0,0100 m³**
**G9 max 2 x 40W**

**009537** White
**009513** Black

**3000 K**
**300 Lm**
**209043**






051963 009940 051932

# Posta

Metal frame available with brushed aluminum, chrome or white enamel finish. Diffuser composed of three frosted transparent glass elements.




IP20

| 1,560 Kg / 0,0156 m³<br>E14 max 4 x 40W | 1,270 Kg / 0,0136 m³<br>E14 max 3 x 40W | 0,950 Kg / 0,0098 m³<br>E14 max 2 x 40W |
|---|---|---|
| 051987 White<br>009957 Aluminum<br>051956 Chrome | 051970 White<br>009933 Aluminum<br>051949 Chrome | 051963 White<br>009940 Aluminum<br>051932 Chrome |
| 3000 K<br>430 Lm | 3000 K<br>430 Lm | 3000 K<br>430 Lm |
| 101200 | 101200 | 101200 |


# Clip

Metal sheet body with different finishes. Small size models supplied with sandblasted Pyrex glass diffusers.

Halogen bulbs G9 28W 2700 K included in models: **049236**, **091136**, **049229**, **091129** and **170923**.




014166
088273
031361
088266
187365




IP20

1,210 Kg / 0,0161 m³
E27 max 2 x 60W

| |
|---|
| 014166 White<br>088273 Silver<br>031361 Chrome<br>088266 Gold<br>187365 Corten |
| 3000 K<br>430 Lm |
| 101279 |




IP20


0,730 Kg / 0,0035 m³
G9 max 2 x 40W

| |
|---|
| 049236 White<br>091136 Silver<br>049229 Chrome<br>091129 Gold<br>170923 Corten |
| 3000 K<br>300 Lm |
| 209043 |

# Cube

Heat sink body made of aluminum sheet of 6 mm thickness. Powder coated. Integrated LED.


LED LED source 3000 K, 25.000 h life.




IP20

**1,390 Kg / 0,0055 m³**
**LED 12W / 1200 Lm**

**161792** White




IP20

**0,800 Kg / 0,0028 m³**
**LED 6W / 600 Lm**


**161785** White



# Virtus new

Powder coated metal frame. Satin acrylic diffuser. Up, down and frontal diffuse light emission. Color: white.

LED LED source 3000/4000 K, 15.000 h life.




IP20

**0,980 Kg / 0,0035 m³**
**LED 17W / 1200 Lm**

**267760** White 3000K new
**255989** White 4000K new






# Click

Total powder coated aluminum body with white finish. Up-and-down reflector inside.


LED LED source 3000 K, 20.000 h life.




IP20

**0,600 Kg / 0,0040 m³**
**LED 12W / 720 Lm**

**017518** White




IP20

**0,400 Kg / 0,0019 m³**
**LED 6W / 360 Lm**

**051444** White



# Bright

Total aluminium body with white matt varnish finish. Upward and downward-facing light beam.


LED LED source 3000 K, 30.000 h life.




IP20

**1,660 Kg / 0,0101 m³**
**LED 22,5W / 1500 Lm**


**131962** White




IP20

**1,120 Kg / 0,0064 m³**
**LED 17W / 1100 Lm**

**134789** White




IP20

**0,930 Kg / 0,0051 m³**
**LED 12W / 800 Lm**

**134796** White








# Linus new


Linear aluminum lamp with direct and indirect light for wall installation. The lamp is modular and can be used individually or in a continuous line. White or black finish available. Integrated LED, starting binning ≤ 3-Step MacAdam; available with 3000 K and 4000 K color temperature; CRI ≥ 80; protection IP20, insutlation class I. Dimmable power supply 1-10V integrated as standard.

LED LED source 3000/4000 K, 50.000 h life.



P. 071




IP20

**1,250 Kg / 0,0112 m³**
**LED 34W / 3850 Lm**

| | | | |
|---|---|---|---|
| 233840 | White | 3000K | |
| 268095 | White | 4000K new | |
| 242019 | Black | 3000K | |
| 268071 | Black | 4000K new | |

**Connector**
**Not included**
**Optional**

233666



# Desk

Powder coated aluminium body with white or black finish. Satin acrylic diffusers. Upward and downward light emission.

LED LED source 3000 K, 30.000 h life.




IP20

**0,640 Kg / 0,0045 m³**
**LED 12,5W / 740 Lm**

| | |
|---|---|
| 138251 | White |
| 173252 | Black |





P. 070

# Zig Zag

Heat-sink body totally made of aluminum sheet of 6 mm thickness. White or black powder paint finish. Integrated LED source.

LED LED source 3000 K, 15.000 h life.




IP20

**0,590 Kg / 0,0029 m³**
**LED 22W / 2100 Lm**

| | |
|---|---|
| 179308 | White |
| 179322 | Black |

IP20

**0,450 Kg / 0,0020 m³**
**LED 12W / 1150 Lm**


| | |
|---|---|
| 179292 | White |
| 179315 | Black |







138251 173252





179292 179315



# Hydro

Pure concrete body. Holed metal sheet protection screen. Upward and downward light emission.

LED Bulbs LED R7s 10W 118 mm 3000 K included. Cod. **189093**




IP20

**0,510 Kg / 0,0035 m³**
**R7s max 1 x 15W**

**139746** Concrete

**3000 K**
**1200 Lm**

**189093**

# Kool

Pure concrete body. Hidden metal fastening support. Upward and downward light emission.



P. 307





IP20

**1,260 Kg / 0,0060 m³**
**GU10 max 2 x 15W**

**141275** Concrete

**3000 K**
**400 Lm**

**108292**




IP20

**0,700 Kg / 0,0036 m³**
**G9 max 1 x 15W**

**141268** Concrete

**3000 K**
**300 Lm**

**209043**





214689 214696

# Flash

Metal frame with chrome finish, corten effect or matt varnished. Upward and downward light emission.


Halogen bulbs G9 28W 2700 K included.

095264

007380

169118







IP20

0,360 Kg / 0,0012 m³
G9 max 2 x 40W

095288 White
007397 Chrome

3000 K
300 Lm

209043




IP20

0,200 Kg / 0,0005 m³
G9 max 1 x 40W

095264 White
007380 Chrome
169118 Corten


3000 K
300 Lm

209043

# Flash Gesso

Enameled metal base. Total gypsum body. Double light emission: upward and downward.

Item suitable for painting and varnishing.





IP20

0,710 Kg / 0,0049 m³
G9 max 1 x 40W

214689 White

3000 K
300 Lm

209043





IP20

0,770 Kg / 0,0024 m³
G9 max 1 x 40W

214672 White

3000 K
300 Lm

209043




IP20

0,950 Kg / 0,0034 m³
G9 max 1 x 40W

214696 White

3000 K
300 Lm

209043




# Sky

Metal base and diffuser: plated, matt varnished or decorated with gold or silver leaf.

Halogen bulbs GU10 28W 2700 K included.



126883 136905 136882 126890 136899 170602




IP20

0,940 Kg / 0,0049 m³
GU10 max 2 x 28W

126883 White
136905 Chrome
136882 Silver
126890 Black
136899 Gold
170602 Corten

3000 K
400 Lm
108292



P. 064 P. 303 P. 619

# Look

Metal body with copper, chrome, antique brass, matt white or black finish.

LED Bulbs LED GU10 5W 3000 K included.
Cod. 108292



096018 094182 095998 164823 164847




IP20

0,500 Kg / 0,0028 m³
GU10 max 2 x 28W

096018 White
094182 Chrome
095998 Black
164847 Copper
164823 Ant. Brass

3000 K
400 Lm
108292




P. 060 P. 302 P. 619

# Paul

Metal base with matt varnish finish. Blown acid-etched and overlay glass diffuser. Available with white or black finish.

LED Bulbs LED G9 3,2W 3000 K included.
Cod. **209043**






IP20

**0,560 Kg / 0,0064 m³**
**G9 max 2 x 40W**

**060620** White
**231105** Black

3000 K
300 Lm
**209043**




IP20

**0,540 Kg / 0,0056 m³**
**G9 max 2 x 40W**

**231129** White
**231143** Black

3000 K
300 Lm
**209043**



**231129**



**231143**

# Elica

Metal frame with satin nickel finish. Blown overlay and acid-etched glass diffuser.

LED Bulbs LED G9 3,2W 3000 K included.
Cod. **209043**






IP20

**0,980 Kg / 0,0217 m³**
**G9 max 2 x 40W**

**017617** White


3000 K
300 Lm
**209043**



# Ovalino

Diffuser composed of circular elements created from curved and acid-etched glass sheet.






IP20

**1,800 Kg / 0,0563 m³**
**E27 max 2 x 60W**

**038025** White

3000 K
360 Lm
**101286**



P. 168



P. 293

# Lana

Transparent glass diffuser with silkscreen decorations inside and sandblasted outside. Chrome metal glass holders.






IP20

**0,470 Kg / 0,0094 m³**
**E27 max 1 x 60W**

**068121** White

3000 K
360 Lm
**101286**



P. 140




P. 298



# Soda

White chalk body. White enamel coated frame. Frosted clear glass bottom diffuser. Up-and-down light emission.

Item suitable for painting and varnishing.




IP20

**2,630 Kg / 0,0154 m³**
**E14 max 2 x 40W**

**105727** White

3000 K
360 Lm
**101217**

IP20

**1,100 Kg / 0,0068 m³**
**E14 max 1 x 40W**

**105710** White


3000 K
360 Lm
**101217**



# Tonic

White chalk body. White enamel coated frame. Frosted glass bottom diffuser. Up-and-down light emission.

Item suitable for painting and varnishing.




IP20

**3,250 Kg / 0,0150 m³**
**E14 max 1 x 40W**

**105734** White


3000 K
360 Lm
**101217**

# Smarties

Metal base. White acid-etched blown glass diffuser with fastening system without screws.

LED Bulbs LED G9 3,2W 3000 K included.
Cod. **209043**






IP20

**0,440 Kg / 0,0079 m³**
**G9 max 1 x 15W**

**014814** White

3000 K
300 Lm

**209043**




P. 142 P. 288 P. 464

# Mapa Bianco

White varnished metal frame. White spherical shape acid-etched blown glass diffuser.

LED Bulbs LED G9 3,2W 3000 K included in model **059808**. Cod. **209043**







IP20

**1,660 Kg / 0,0647 m³**
**E27 max 1 x 60W**

**059822** White

3000 K
430 Lm

**101279**





IP20

**0,900 Kg / 0,0259 m³**
**E27 max 1 x 60W**

**059815** White

3000 K
430 Lm

**101279**




IP20

**0,380 Kg / 0,0115 m³**
**G9 max 1 x 15W**

**059808** White

3000 K
300 Lm

**209043**



P. 152 P. 293 P. 467






# Rubens

Metal frame and central glass holder with matt white finish. Clear glass diffuser with tiles.


LED LED source 3000 K, 20.000 h life.




IP20

**2,680 Kg / 0,0339 m³**
**LED 24W / 1920 Lm**

**178783** White




IP20

**1,210 Kg / 0,0154 m³**
**LED 10W / 800 Lm**

**178776** White

# Triplo

Triple glass diffuser. One transparent and plate on the base and two frosted and bent on the upper part. Chrome metal glass holders.




IP20

**2,170 Kg / 0,0283 m³**
**E27 max 2 x 60W**

**026480** White

3000 K
360 Lm

**101286**




IP20

**1,260 Kg / 0,0141 m³**
**E27 max 1 x 60W**

**026473** White


3000 K
360 Lm

**101286**

# Audi-B

Chrome metal frame. Diffuser made of 10 mm thick transparent glass sheet. Up-and-down light emission.

LED Bulbs LED R7s 6W 78 mm
3000 K included. Code **189109**




IP20

**1,610 Kg / 0,0105 m³**
**R7s max 1 x 100W**

**017082** Clear


3000 K
850 Lm

**189109**










# Tornado new

Matt varnished metal base and frame. Metal decorative element with golden leaf finish. Indirect light emission.


LED LED source 3000 K, 17.500 h life.




IP20

**6,880 Kg / 0,0878 m³**
**LED 35W / 3250 Lm**

**259628** White new





IP20

**3,880 Kg / 0,0467 m³**
**LED 27W / 2600 Lm**

**259611** White new

# Ali

White acid-etched glass diffuser composed of one frontal and two side elements. Chrome glass holders.




IP20

**1,410 Kg / 0,0204 m³**
**E27 max 2 x 60W**

**026558** White

3000 K
360 Lm


**101286**

P. 282



# Tudor

Chrome metal base. Diffuser composed of cut clear glass sheet and half tube of Pyrex glass, sandblasted in the middle.




IP20

**1,900 Kg / 0,0214 m³**
**E14 max 4 x 40W**

**051864** Clear

3000 K
360 Lm

**101217**

IP20

**1,130 Kg / 0,0117 m³**
**E14 max 2 x 40W**

**051857** Clear

3000 K
360 Lm

**101217**

IP20

**0,700 Kg / 0,0077 m³**
**E14 max 1 x 40W**

**051840** Clear

3000 K
360 Lm

**101217**



# Denis

Triple glass diffuser composed of two transparent acid-etched side glass sheets and one clear glass with white silkscreen decoration in the middle.

**LED** Bulbs LED R7s 10W 118 mm
3000 K included. Code **189093**




IP20 IP20

**1,070 Kg / 0,0169 m³**
**R7s max 1 x 100W**

**005454** White

3000 K
1200 Lm

**189093**

**0,820 Kg / 0,0132 m³**
**R7s max 1 x 100W**

**005294** White

3000 K
1200 Lm


**189093**





# Camerino

Aluminum base. White blown acid-etched glass diffuser closed on both sides with transparent acrylic ends.




IP20

**1,170 Kg / 0,0157 m³**
**E14 max 4 x 40W**

**027104** White

3000 K
360 Lm

**101217**

IP20

**0,960 Kg / 0,0123 m³**
**E14 max 3 x 40W**

**027098** White

3000 K
360 Lm

**101217**


IP20

**0,780 Kg / 0,0097 m³**
**E14 max 2 x 40W**

**027081** White

3000 K
360 Lm

**101217**






# Privè

Totally metal body with different finishes. The absence of diffuser allows putting on a wide range of E14 bulbs.




IP20

**0,790 Kg / 0,0046 m³**
**LED 8,4W / 740 Lm**

**159522** White
**045634** Chrome

**3000 K**
**360 Lm**
**101217**

IP20

**1,100 Kg / 0,0095 m³**
**E14 max 6 x 40W**

**159423** White
**045627** Chrome
**159508** Black
**179681** Brass
**187570** Corten

**3000 K**
**360 Lm**
**101217**




# Line

Metal frame with chrome finish. Square-section acrylic LED bar diffuser.

LED LED source 3000 K, 20.000 h life.

ON OFF Lamp with integrated switch.




IP20

**0,790 Kg / 0,0046 m³**
**LED 8,4W / 740 Lm**

**031491** Chrome

IP20

**0,540 Kg / 0,0028 m³**
**LED 4,8W / 420 Lm**


**031484** Chrome

# Riflesso

Metal structure with chrome or matt white coating. Transparent satin acrylic diffuser.

LED LED source 3000 K, 30.000 h life.

IP44 Protection degree IP44.




IP44

**0,750 Kg / 0,0192 m³**
**LED 14W / 1350 Lm**

**142289** White
**142265** Chrome

IP44

**0,600 Kg / 0,0143 m³**
**LED 11W / 900 Lm**

**142296** White
**142272** Chrome





**142296** **142272**





# Alma

Metal body with satin brass or chrome finish or white powder coated. Unmovable plastic diffuser in opal color.

LED LED source 3000 K, 20.000 h life.




224985



224930




224954




IP20

0,660 Kg / 0,0264 m³
LED 20W / 1620 Lm

225029 White
224992 Chrome
225005 Satin Brass




IP20

0,650 Kg / 0,0162 m³
LED 12W / 1020 Lm

224985 White
224930 Chrome
224954 Satin Brass

# Bonjour

Metal or white frame. Adjustable diffuser with plastic screen. Integrated LED source.


LED LED source 3000 K, 20.000 h life.



199870




199894




IP20

0,530 Kg / 0,0407 m³
LED 12W / 900 Lm

199931 White
199917 Chrome




IP20

0,480 Kg / 0,0265 m³
LED 8W / 650 Lm

199894 White
199870 Chrome






005386 05379 121154 121338

# Bow

Metal frame available with antique brass, chrome, nickel or satin brass finish. Reclining LED diffuser. Switch button on the base.

LED LED source 3000 K, 20.000 h life.


ON OFF Lamp with integrated switch.




IP20

0,860 Kg / 0,0328 m³
LED 7,98W / 600 Lm


007021 Chrome
007069 Nickel
121130 Satin Brass
121147 Ant. Brass




IP20

0,790 Kg / 0,0207 m³
LED 4,62W / 350 Lm

007045 Chrome
007038 Nickel
121178 Satin Brass
121161 Ant. Brass




IP20

0,640 Kg / 0,0117 m³
LED 2,52W / 200 Lm

005386 Chrome
005379 Nickel
121154 Satin Brass
121338 Ant. Brass



# Mirror-10

Metal frame with antique brass, chrome or satin nickel finish. Adjustable diffuser.

LED Bulbs LED G9 3,2W 3000 K included.
Cod. **209043**




IP20

1,090 Kg / 0,0181 m³
G9 max 4 x 40W

017303 Chrome
017297 Nickel
017310 Ant. Brass

3000 K
300 Lm

209043

# Mirror-51

Chrome metal frame. Base with black decorative detail. Freely adjustable diffuser.

LED LED source 3000 K, 15.000 h life.





IP20

0,720 Kg / 0,0081 m³
LED 12W / 1200 Lm

143859 Chrome



017303 017297 017310






# Retrò

Totally metal base, arm and diffuser with brass finish. Adjustable diffuser.




IP20

**0,790 Kg / 0,0152 m³**
**E14 max 2 x 28W**

**144917** Ant. Brass

**3000 K**
**430 Lm**
**101224**





**017334** **031507** **017327**






# Mirror-20

Metal frame with antique brass, chrome or brass finish. Freely adjustable diffuser.

LED Bulbs LED G9 3,2W 3000 K included.
Cod. **209043**




IP20

**0,550 Kg / 0,0077 m³**
**G9 max 2 x 40W**


**017334** Chrome
**031507** Brass
**017327** Ant. Brass

**3000 K / 300 Lm**
**209043**

# Cico

Metal frame with chrome finish. Independent and adjustable diffusers.

LED Bulbs LED G9 3,2W 3000 K included.
Cod. **209043**




IP20

**0,530 Kg / 0,0036 m³**
**G9 max 2 x 40W**


**014432** Chrome

**3000 K / 300 Lm**
**209043**

# Double

Chrome metal frame. Tubular clear Pyrex glass diffusers, frosted in the middle and closed on both ends.

LED Bulbs LED G9 3,2W 3000 K included.
Cod. **209043**




IP20

**0,530 Kg / 0,0042 m³**
**G9 max 2 x 40W**

**008851** Chrome

**3000 K / 300 Lm**
**209043**






# Focus

Metal body with adjustable arm coated with rubber. Finished in white or black matt colour or in grey with chrome details.

LED LED source 3000 K, 30.000 h life.

ON OFF Lamp with integrated switch.




IP20

**0,400 Kg / 0,0025 m³**
**LED 3W / 130 Lm**

**097183** White
**097206** Chrome
**097190** Black




IP20

**0,410 Kg / 0,0020 m³**
**LED 3W / 200 Lm**

**203171** White
**203188** Chrome
**203195** Black


# Goose

Cast aluminum body and diffuser with colored matt powder coating. Flexible arm covered with silicone rubber.

LED LED source 3000 K, 30.000 h life.

ON OFF Lamp with integrated switch.




IP20

**0,430 Kg / 0,0040 m³**
**LED 3W / 200 Lm**


**142708** White
**142692** Black

# Flex

Metal frame with flexible arm available with chrome or nickel finish. Freely adjustable diffuser. Switch button on the base.

LED Bulbs LED GU10 5W 3000 K included.
Cod.**108292**

ON OFF Lamp with integrated switch.




IP20

**0,270 Kg / 0,0014 m³**
**GU10 max 1 x 50W**

**000305** Chrome
**006161** Nickel

**3000 K**
**400 Lm**

**108292**






**000305** **006161**

# Dynamo

Metal base and flexible arm available with chrome, nickel or antique brass finish. Freely adjustable diffuser. Switch bottom on the base.

LED LED source 4000 K, 20.000 h life.

ON OFF Lamp with integrated switch.




IP20

**0,500 Kg / 0,0031 m³**
**LED 3W / 200 Lm**

**031460** Chrome
**031477** Nickel
**121352** Ant. Brass





**031460** **031477** **121352**




# Tender

Chrome metal frame with flexible arms. Blown clear Pyrex glass diffusers with frosted inner part.

ON OFF Lamp with integrated switch.






IP20

**0,440 Kg / 0,0040 m³**
**E14 max 1 x 40W**

**004235** Clear

**3000 K**
**360 Lm**

**101217**

P. 327

# Bean new

Directable plated or powder coated metal base and diffuser. White, black, brass or nichel color with black switch and junction.

LED LED source 3000 K, 20.000 h life.

ON OFF Lamp with integrated switch.

**260600**



**260631**



**260617**



**260624**







IP20

**0,180 Kg / 0,0008 m³**
**LED 3,5W / 220 Lm**

| | | |
|---|---|---|
| 260648 | White | new |
| 260679 | Nickel | new |
| 260655 | Black | new |
| 260662 | Brass | new |




IP20

**0,180 Kg / 0,0005 m³**
**LED 3,5W / 220 Lm**

| | | |
|---|---|---|
| 260600 | White | new |
| 260631 | Nickel | new |
| 260617 | Black | new |
| 260624 | Brass | new |








# Lite

Aluminium base and body with white, black, nickel or brass finish. Adjustable diffuser. Integrated switch. Recessed installation on flush-mounting box type 502, not included.

LED LED source 3000 K, 20.000 h life.

ON OFF Lamp with integrated switch.




IP20

**0,340 Kg / 0,0008 m³**
**LED 3W / 200 Lm**

| | |
|---|---|
| 250106 | White |
| 250137 | Nickel |
| 250113 | Black |
| 250120 | Brass |


# Page

Cast aluminum body with antique brass, chrome or nickel finish or white or black matt powder coating. Adjustable diffuser with lens and jointed chrome metal piece.

LED LED source 3000 K, 30.000 h life.

ON OFF Lamp with integrated switch.





IP20

**0,280 Kg / 0,0030 m³**
**LED 3W / 210 Lm**

| | |
|---|---|
| 142586 | White |
| 233659 | Chrome |
| 233673 | Nickel |
| 142579 | Black |
| 233680 | Ant. Brass |




IP20

**0,420 Kg / 0,0023 m³**
**LED 3W / 210 Lm**

| | |
|---|---|
| 142258 | White |
| 233703 | Chrome |
| 233857 | Nickel |
| 142241 | Black |
| 233864 | Ant. Brass |

# Probe

White or black powder coated aluminum body. Double diffuser: upper diffuser made of acrylic, lower diffuser with flexible arm.

LED — LED source 3000 K, 20.000 h life.

ON OFF — Lamp with integrated switch.

USB — Lamp with integrated USB socket.




IP20

**0,870 Kg / 0,0020 m³**
**LED 9W / 700 Lm**

**243160** White
**237930** Black







# Read

Metal powder coated frame with white or black finish. Adjustable diffuser with integrated LED source. USB socket.

LED — LED source 3000 K, 15.000 h life.

ON OFF — Lamp with integrated switch.

USB — Lamp with integrated USB socket.




IP20

**1,060 Kg / 0,0049 m³**
**LED 3W / 200 Lm**

**176536** White
**176550** Black




# Book

Powder painted metal frame. Satin glass diffuser. Flexible arm coated with rubber with LED source. Double switch. USB socket.

LED — LED source 3000 K, 15.000 h life.

ON OFF — Lamp with integrated switch.

USB — Lamp with integrated USB socket.







IP20

**1,570 Kg / 0,0125 m³**
**G9 max 1 x 28W +**
**LED 3W / 200 Lm**

**174792** White
**174808** Black

3000 K
300 Lm

**209043**




IP20

**1,570 Kg / 0,0125 m³**
**G9 max 1 x 28W +**
**LED 3W / 200 Lm**


**174822** White
**174846** Black

3000 K
300 Lm

**209043**

# Mouse

Metal base, frame and diffuser finished with matt varnish and chrome details. Adjustable diffusers. Available finishes: white or black.





IP20

**0,910 Kg / 0,0067 m³**
**GU10 max 2 x 50W**

**073545** White
**156705** Black

3000 K
400 Lm

**108292**




IP20

**0,450 Kg / 0,0034 m³**
**GU10 max 1 x 50W**


**073521** White
**073569** Black

3000 K
400 Lm

**108292**

P. 312

P. 616



**073521**



**073569**



# Spot

Metal base, frame and diffusers finished with matt varnish and chrome details. Adjustable diffusers. Available finishes: white or black.




IP20

**0,610 Kg / 0,0060 m³**
**GU10 max 2 x 50W**

**156736** White
**156743** Black

3000 K
400 Lm

**108292**




IP20

**0,410 Kg / 0,0037 m³**
**GU10 max 1 x 50W**


**156729** White
**115481** Black

3000 K
400 Lm

**108292**

P. 312

P. 616



**156729**



**115481**






# Gim

Powder painted aluminum frame. Rotating diffuser with satin acrylic screen. Integrated switch. Integrated LED source.

LED — LED source 3000 K, 15.000 h life.

ON OFF — Lamp with integrated switch.




IP20

**0,450 Kg / 0,0034 m³**
**LED 6W / 530 Lm**

**167152** White
**167121** Black



**167152**



**167121**



# Rudy

White or black powder coated die-cast aluminum frame. Adjustable diffusers: they can be rotated and reclined.

LED — Bulbs LED GU10 5W 3000 K included.
Cod. **108292**




IP20

**0,570 Kg / 0,0046 m³**
**GU10 max 2 x 35W**

**229041** White
**229034** Black

3000 K
400 Lm

**108292**




IP20

**0,270 Kg / 0,0017 m³**
**GU10 max 1 x 35W**

**229027** White
**229010** Black

3000 K
400 Lm

**108292**

P. 313



**229041**



**229034**

# Oby

Matt white varnished metal frame with chromed junctions. Adjustable body with white plastic diffuser.

LED LED source 3000 K, 20.000 h life.







IP20

**0,620 Kg / 0,0030 m³**
**LED 12W / 1100 Lm**

**196695** White




IP20

**0,310 Kg / 0,0020 m³**
**LED 6W / 550 Lm**

**196688** White



P. 313

# Lunare

Totally metal base and body with white finish. External cable coated with metal spiral. Adjustable diffusers.

LED Bulbs LED GU10 5W 3000 K included.
Cod. **108292**







IP20

**0,880 Kg / 0,0071 m³**
**GU10 max 3 x 28W**

**077901** White

3000 K
400 Lm

**108292**




IP20

**0,650 Kg / 0,0049 m³**
**GU10 max 2 x 28W**

**077895** White

3000 K
400 Lm

**108292**




IP20

**0,250 Kg / 0,0020 m³**
**GU10 max 1 x 28W**

**077888** White

3000 K
400 Lm

**108292**




P. 616



# Snake

Chrome metal frame. Adjustable body. White acid-etched blown glass diffuser.







IP20

**0,980 Kg / 0,0096 m³**
**E14 max 3 x 40W**

**002774** Chrome

3000 K
360 Lm

**101217**




IP20

**0,680 Kg / 0,0064 m³**
**E14 max 2 x 40W**

**002767** Chrome

3000 K
360 Lm

**101217**




IP20

**0,380 Kg / 0,0029 m³**
**E14 max 1 x 40W**

**002705** Chrome

3000 K
360 Lm

**101217**




P. 319

# Elis

Chrome metal frame. Adjustable reflecting body. Sandblasted in the middle clear Pyrex glass diffuser.







IP20

**0,920 Kg / 0,0064 m³**
**E14 max 3 x 40W**

**031095** Chrome

3000 K
360 Lm

**101217**




IP20

**0,650 Kg / 0,0049 m³**
**E14 max 2 x 40W**

**031088** Chrome

3000 K
360 Lm

**101217**




IP20

**0,350 Kg / 0,0024 m³**
**E14 max 1 x 40W**

**031071** Chrome

3000 K
360 Lm

**101217**

# Alfa

Metal structure with chrome, antique brass, satin white or satin nickel finish. Reflecting body is adjustable by rotation of the stem and inclination of the turning point.

LED Bulbs LED GU10 5W 3000 K included.
Cod. **180292**






IP20

**0,390 Kg / 0,0031 m³**
**GU10 max 2 x 50W**

**122717** White
**089577** Chrome
**009483** Nickel

3000 K
400 Lm

**108292**




IP20

**0,170 Kg / 0,0010 m³**
**GU10 max 1 x 50W**

**099057** White
**089560** Chrome
**009377** Nickel
**119786** Ant. Brass

3000 K
400 Lm

**108292**



P. 316




**099057** **089560** **009377** **119786**

# Slem

Metal structure with white, chrome or satin nickel finish. Adjustable body: rotational and axially movable stem valve.

LED Bulbs LED GU10 5W 3000 K included.
Cod. **180292**






IP20

**0,400 Kg / 0,0025 m³**
**GU10 max 2 x 50W**

**142081** White
**142050** Chrome
**018836** Nickel

3000 K
400 Lm

**108292**





IP20

**0,200 Kg / 0,0010 m³**
**GU10 max 1 x 50W**

**099064** White
**122984** Chrome
**018829** Nickel

3000 K
400 Lm

**108292**



P. 317



**099064** **122984** **018829**



# Barber

Total metal base, junction and bulb socket cover. Adjustable body. Available versions: antique brass or nickel.


LED Bulbs LED GU10 5W 3000 K included.
Cod. **108292**



**159997**



**160016**




IP20

**0,230 Kg / 0,0025 m³**
**GU10 max 1 x 28W**

**160016** Nickel
**159997** Ant. Brass

3000 K
400 Lm

**108292**

# Ciak

Metal frame with matt black finish. Diffuser is adjustable by means of little wings which regulate the light spread.

LED Bulbs LED GU10 5W 3000 K included.
Cod. **108292**






IP20

**0,300 Kg / 0,0022 m³**
**GU10 max 1 x 50W**

**095653** Black

3000 K
400 Lm

**108292**

P. 315

# Bob Mini

Metal frame decorated with a rusty effect. Adjustable diffusers with fabric cable joints and black metal cage.






IP20

**0,630 Kg / 0,0060 m³**
**GU10 max 2 x 25W**

**156408** Corten

3000 K
400 Lm

**108292**




IP20

**0,290 Kg / 0,0025 m³**
**GU10 max 1 x 25W**

**156392** Corten

3000 K
400 Lm

**108292**





# Winery

Totally white or black enamelled ceramic body with integrated bulb socket. AP model with downward orientation.




**180298**



**180304**

P. 311




IP20

**0,250 Kg / 0,0004 m³**
**E27 max 1 x 60W**

**180298** White
**180304** Black

3000 K
860 Lm

**101323**




# Radio

Metal ceiling rose and frame. Adjustable diffuser. Electrical cable coated with fabric. Available with chrome or matt white or black varnish finish.

LED Bulbs LED E27 8W Globo D125 trasparente 3000 K included. Cod. **101347**




IP20

**0,450 Kg / 0,0119 m³**
**E27 max 1 x 60W**

**119465** White
**119427** Chrome
**119502** Black

3000 K
860 Lm

**101347**



P. 504





# Edison

Chrome metal frame with white or black matt enamel finish. Electrical cable coated with fabric. Adjustable diffuser.







IP20

**0,410 Kg / 0,0134 m³**
**E27 max 1 x 60W**

**138374** White
**148908** Black

3000 K
860 Lm

**101347**



P. 098



# Frida

Metal ceiling cup and bulb socket cover with antique brass or copper finish. Power cable coated with black fabric.






IP20

**0,430 Kg / 0,0092 m³**
**E27 max 1 x 60W**

**163338** Copper
**163321** Ant. Brass



**2200 K**
**300 Lm**

**151717**



P. 096

**163338**



**163321**



# Igor

Metal body with matt white or black enamel finish. Shade made of clear glass slabs.






IP20

**1,590 Kg / 0,0136 m³**
**E27 max 1 x 60W**

**149684** White
**092836** Black



**2200 K**
**300 Lm**

**151694**



P. 081

**149684**



**092836**



# Minimal

Metal frame with chrome or colored varnish finish. Power cable with fabric coating.

**LED** Bulbs LED E27 8W Globo D125 trasparente 3000 K included. Cod. **101347**

**045207**




**045191**



**045214**






IP20 INCLUSA

**0,720 Kg / 0,0164 m³**
**E27 max 1 x 60W**

**045191** White
**045207** Chrome
**045214** Black



**3000 K**
**860 Lm**

**101347**



P. 100



P. 502





# Nodi

Chrome metal frame. Rotating junction elements for a personalized arrangement. White acid-etched blown or transparent or chrome glass diffusers.


LED Bulbs LED G4 2W 3000 K included.
Cod. **222257**



**022277**



**200477**




IP20

**1,400 Kg / 0,0245 m³**
**G4 max 5 x 2W**

**022277** White
**200477** Chrome

3000 K
170 Lm

**222257**



P. 167




P. 416

# Kepler

Matt black varnished metal frame. Amber transparent blown glass diffusers.






IP20

**0,900 Kg / 0,0428 m³**
**E27 max 3 x 60W**

**187006** Black

3000 K
430 Lm

**101279**




P. 084

# Triumph

Totally metal frame with black or antiqued brass finish. AP models with power cable coated with fabric with switch and plug included.

ON OFF Lamp with integrated switch.







IP20

0,710 Kg / 0,0067 m³
E27 max 2 x 60W

242385 Black
160245 Brass

2200 K
300 Lm

151687




IP20

0,490 Kg / 0,0083 m³
E27 max 1 x 60W

242392 Black
160214 Brass

2200 K
300 Lm

151687



242392 160214



P. 078




P. 322

# Plumber

Matt black frame composed of metal hydraulic fittings.







IP20

2,200 Kg / 0,0154 m³
E27 max 3 x 42W

142517 Black

2200 K
300 Lm

151687




IP20

1,420 Kg / 0,0121 m³
E27 max 2 x 42W

136691 Black

2200 K
300 Lm

151687



P. 323




# Equinoxe

Metal frame and electrified arms with chrome or antiqued brass finish. Transparent blown glass diffusers.

LED Bulbs LED G4 2W 3000 K included.
Cod. **222257**






IP20

0,990 Kg / 0,0243 m³
G4 max 1 x 2W

200132 Chrome
200149 Brass

3000 K
170 Lm

222257



200132 200149




P. 083

# Maracas

Total metal frame with stain brass finish. Adjustable transparent blown glass diffusers.

LED Bulbs LED G4 2W 3000 K included.
Cod. **222257**







IP20

0,550 Kg / 0,0049 m³
G4 max 2 x 2W

200347 Brass

3000 K
170 Lm

222257




IP20

0,280 Kg / 0,0034 m³
G4 max 1 x 2W

200330 Brass

3000 K
170 Lm

222257




P. 318

# Cantina

Metal frame, diffuser and bulb socket cover, available with antique brass or copper finish. Electrical cable covered with fabric.



IP20




**0,520 Kg / 0,0184 m³**
**E14 max 1 x 40W**

**112695** Copper
**112626** Ant. Brass

3000 K / 430 Lm
**101200**



P. 118



**112695** **112626**

# Sailor

Dome-shaped metal frame with antique brass or copper finish and white enamel inside. Blown glass diffuser with rustic effect.



IP20




**1,250 Kg / 0,0250 m³**
**E27 max 1 x 60W**

**025292** Copper
**025261** Ant. Brass

3000 K / 860 Lm
**119571**



P. 117



**025292** **025261**

# Newton

Chrome metal frame and diffuser. Available with satin nickel, antique brass or matt black varnish finish. Adjustable arm. Adjustable diffuser with white enamel coating inside.



IP20




**0,600 Kg / 0,0093 m³**
**E27 max 1 x 60W**

**016399** Nickel
**027852** Black
**027876** Ant. Brass

3000 K / 810 Lm
**123899**



P. 506



**016399** **027852** **027876**





# Shower

Black matt varnished metal frame. Articulated chrome element. Adjustable diffuser. Power cable coated with fabric with switch and plug included.

ON OFF Lamp with integrated switch.




IP20

**0,760 Kg / 0,0391 m³**
**E27 max 1 x 60W**

**179643** Black

3000 K
810 Lm
**123899**




# Pan

Diffuser composed of plated metal decorative tubes of different measures. Upward and downward light emission.



P. 077




IP20

**6,340 Kg / 0,0461 m³**
**E14 max 2 x 40W**

**208794** Gold

**3000 K**
**430 Lm**

**101200**






# Sunrise

Totally metal frame and decorative elements. Satin dark gold varnish finish.

LED Bulbs LED G9 3,2W 3000 K included.
Cod. **209043**




IP20 INCLUSA

**1,290 Kg / 0,0362 m³**
**G9 max 4 x 40W**

**133300** Black Gold

**3000 K**
**300 Lm**

**209043**




IP20 INCLUSA

**0,850 Kg / 0,0224 m³**
**G9 max 3 x 40W**

**133270** Black Gold

**3000 K**
**300 Lm**

**209043**






# Tick

Powder coated metal body with gold or silver leaf finish. The diffuser can be reclined up to 90°.

LED LED source 3000 K, 30.000 h life.




IP20

**0,440 Kg / 0,0029 m³**
**LED 6W / 500 Lm**


**238975** White
**238951** Silver
**238944** Gold

# Eclissi new

Metal frame with powder coated and golden leaf finish. By changing the position of the upper diffuser, the refraction of the light can be whiter or more golden.

LED LED source 3000 K, 17.500 h life.





IP20

**5,600 Kg / 0,0615 m³**
**LED 28W / 2630 Lm**

**259062** Gold new




IP20

**1,400 Kg / 0,0131 m³**
**LED 11W / 940 Lm**

**259048** White new

# Set up new

Powder coated or plated metal frames. Two-light wall lamp with flexible rubber-coated arm, independent switches and USB socket. Lampshades in fireproof PVC covered with fabric. Frame colors: white, black, satin nickel or brushed brass with black details. Lampshade colors: beige, white or black.




LED LED source 3000 K in model **259819**, **259826**, **259833** and **259857**, 20.000 h life.

ON OFF Lamp with integrated switch in models: **259819**, **259826**, **259833** and **259857**.

USB Lamp with integrated USB socket in models: **259819**, **259826**, **259833** and **259857**.



**259765** **259796** **259772** **259802** **260068** **260075** **260082**





IP20

**0,900 Kg / 0,0063 m³**
**E27 max 1 x 60W + LED 3W / 220 Lm**

**259819** White
**259833** Nickel
**259826** Black
**259857** Brass

**3000 K**
**810 Lm**

**123899**




IP20

**0,370 Kg / 0,0032 m³**
**E27 max 1 x 60W**

new **259765** White
new **259796** Nickel
new **259772** Black
new **259802** Brass


**3000 K**
**810 Lm**

**123899**




**0,023 Kg / 0,0238 m³**

new **260433** White
new **270005** Black
new **260440** Beige




**0,012 Kg / 0,0180 m³**

new **260327** White
new **269986** Black
new **260334** Beige




**0,013 Kg / 0,0180 m³**

new **260068** White
new **260075** Black
new **260082** Beige




**0,011 Kg / 0,0180 m³**

new **260341** White new
new **270036** Black new
new **260358** Beige new



P. 196 P. 484 P. 522



# Hilton

Chrome metal frame. PVC foil shade covered in white fabric. Close on the top with acid-etched glass.

LED Bulbs LED G9 3,2W 3000 K included.
Cod. **209043**






IP20

**0,700 Kg / 0,0105 m³**
**G9 max 1 x 40W**

**075471** White

**3000 K / 300 Lm**
**209043**




P. 193 P. 477 P. 527

# Woody

Chrome metal frame. PVC or fabric shade closed at the bottom with acid-etched glass.

LED Bulbs LED G9 3,2W 3000 K included.
Cod. **209043**






IP20

**0,460 Kg / 0,0100 m³**
**G9 max 1 x 40W**

**143156** White
**087665** Wood

**3000 K / 300 Lm**
**209043**



**143156**



**087665**



P. 192 P. 294 P. 526

# Beverly

Metal frame with brushed gold-like or chrome finish. Adjustable jointed arm. PVC foil shade covered with fabric.



**126784**



**140247**




IP20

**0,460 Kg / 0,0227 m³**
**E14 max 1 x 40W**

**126784** Chrome
**140247** Satin Brass

**3000 K**
**360 Lm**
**101217**




P. 532

# Dusty

Chrome metal frame. Diffuser made of fireproof tangled paper twine.

LED Bulbs LED G9 3,2W 3000 K included.
Cod. **209043**






IP20

**0,470 Kg / 0,0064 m³**
**G9 max 1 x 40W**

**082493** White

**3000 K / 300 Lm**
**209043**



P. 190


# Luxury

Brass or chrome finished metal frame. Matt black base. PVC shade with sides covered with fabric.





201054 201092




IP20

1,220 Kg / 0,0371 m³
E27 max 1 x 60W

201054 Chrome
201092 Brass

3000 K
860 Lm

119571



P. 473



P. 525


# Nordik

Matt black varnished metal frame. Golden PVC foil shade covered with black fabric.

LED LED source 3000 K, 15.000 h life.

ON OFF Lamp with integrated switch.






IP20

0,630 Kg / 0,0156 m³
E14 max 1 x 40W +
LED 1W / 45 Lm

158242 Black

3000 K
430 Lm

101200



P. 187



P. 473



P. 524





215693 035949 215709 035956 103204


# Hotel

Fabric shade. Satin glass diffuser. AP2 version with external adjustable led and independent switch.

LED LED source 3000 K in model **215693**, **035949**, **103204**, **215709** and **035956**, 15.000 h life.

ON OFF Lamp with integrated switch in models: **215693**, **035949**, **103204**, **215709** and **035956**.







IP20

1,410 Kg / 0,0166 m³
E27 max 1 x 60W +
LED 1W / 70 Lm

215693 Total White
035949 White
215709 Total Black
035956 Black
103204 Canvas

3000 K
810 Lm

123899




IP20

1,230 Kg / 0,0166 m³
E27 max 1 x 60W

152851 White

3000 K
810 Lm

123899



# Sheraton

Chrome metal frame. PVC foil shades covered with fabric. Wall lamps with independent lights controlled by a single switch.

LED LED source 3000 K, 15.000 h life.


ON OFF Lamp with integrated switch.



074917



074900




IP20

0,770 Kg / 0,0145 m³
E14 max 1 x 40W +
LED 1W / 45 Lm

074900 White
074917 Brown

3000 K
360 Lm

101217



P. 527

# Gea

White or black powder coated aluminum body. Adjustable diffuser with integrated led. PVC shade coated with fabric. USB socket. Independent switches.

LED LED source 3000 K, 20.000 h life.

ON OFF Lamp with integrated switch.

USB Lamp with integrated USB socket.



239576



239613



239590



239606





IP20

0,500 Kg / 0,0022 m³
E27 max 1 x 60W +
LED 3W / 200 Lm

239521 White
239545 Black

3000 K
810 Lm

123899




0,140 Kg / 0,0180 m³


239576 White
239613 Grey
239590 Black
239606 Canvas

# Holiday

Metal frame with matt varnish base and chrome structure. PVC foil shade coated with fabric. One single switch to control independently both lighting sources.

LED LED source 3000 K, 15.000 h life.

ON OFF Lamp with integrated switch.




IP20

**0,640 Kg / 0,0111 m³**
**E14 max 1 x 40W +**
**LED 1W / 70 Lm**

**124162** White
**124179** Black

**3000 K**
**360 Lm**
**101217**



**124162**



**124179**



# Opera

Chrome frame. PVC foil shade covered with metallic filaments. Cut crystal pendants.

LED LED source 3000 K, 15.000 h life.

ON OFF Lamp with integrated switch.






IP20

**1,550 Kg / 0,0220 m³**
**E14 max 2 x 40W +**
**LED 1W / 45 Lm**

**068268** White

**3000 K**
**360 Lm**
**101217**


P. 198


P. 491


P. 533

# Effetti

Matt white varnished metal structure. Ribbon shade. Wall lamps equipped with independent light sources.

LED LED source 3000 K, 15.000 h life.

ON OFF Lamp with integrated switch.




IP20

**0,710 Kg / 0,0175 m³**
**E14 max 1 x 40W +**
**LED 1W / 70 Lm**

**132976** White


**3000 K**
**360 Lm**
**101217**



# Swan

Chrome metal frame. Hand-shaped blown glass body. Cut crystal decorative elements. Pleated organza shade.






IP20

**2,468 Kg / 0,0517 m³**
**E14 max 2 x 40W**

**035864** White

**3000 K**
**360 Lm**
**101217**


P. 199


# Admiral

Diffuser composed of metal rings welded together and of cut crystal parts set inside.

LED Bulbs LED G9 3,2W 3000 K included.
Cod. **209043**



IP20 INCLUSA




**1,080 Kg / 0,0065 m³**
**G9 max 1 x 40W**

**080284 Chrome**

**3000 K / 300 Lm**
**209043**



P. 339


# Roma

Chrome metal frame and details. Square-shaped crystal elements on sides and sandblasted bottom glass sheet.

LED Bulbs LED G9 3,2W 3000 K included.
Cod. **209043**



IP20 INCLUSA




**1,200 Kg / 0,0147 m³**
**G9 max 2 x 40W**

**093086 Chrome**

**3000 K / 300 Lm**
**209043**





P. 207 P. 333 P. 490


# Calypso

Metal frame with chrome finish. Squared cut crystal decorative elements.

LED Bulbs LED G9 3,2W 3000 K included.
Cod. **209043**



IP20 INCLUSA




**1,420 Kg / 0,0125 m³**
**G9 max 2 x 40W**

**044163 Chrome**

**3000 K / 300 Lm**
**209043**





P. 200 P. 337



# Audi-61

Chrome metal frame. Octagonal crystal chains. Blown glass diffuser.

LED Bulbs LED G9 3,2W 3000 K included.
Cod. **209043**




IP20 INCLUSA

**3,370 Kg / 0,0431 m³**
**G9 max 4 x 40W**

**133911 Chrome**

**3000 K**
**300 Lm**
**209043**





P. 182 P. 337

# Pashà

Metal Frame. Diffuser composed of cut crystal pearl strings. Bottom part closed with sandblasted glass disk.

LED Bulbs LED G9 3,2W 3000 K included.
Cod. **209043**




IP20 INCLUSA

**1,110 Kg / 0,0076 m³**
**G9 max 3 x 40W**


**082264 Chrome**
**082288 Gold**

**3000 K**
**300 Lm**
**209043**




P. 209 P. 334







**082264**




**082288**

# Moonlight

Metal frame available with chrome or gold finish. Pendants with octagons and cut crystals spheres.

Halogen bulbs G9 28W 2700 K included.

IP20




**0,800 Kg / 0,0041 m³**
**G9 max 3 x 40W**

**077833** Chrome
**082813** Gold

**3000 K / 300 Lm**
**209043**



P. 341



**077833** **082813**



# Giada

Chrome metal frame. Cut crystal pendants with octagonal elements and final icicles.

LED Bulbs LED G9 3,2W 3000 K included. Cod. **209043**

IP20




**0,890 Kg / 0,0032 m³**
**G9 max 2 x 40W**

**098784** Clear

**3000 K / 300 Lm**
**209043**




P. 203

# Rain

Chrome metal frame. Pendants composed of multi-shaped colored cut crystal beads and final drops.

IP20




**0,750 Kg / 0,0040 m³**
**E14 max 2 x 40W**

**008325** Chrome

**3000 K / 430 Lm**
**101224**





P. 202



P. 348



P. 490




P. 533



# Carlton

Chromed or golden metal frame. Decorative elements with fob-chains composed of octagons and transparent cut-crystals bars.




IP20

**2,570 Kg / 0,0154 m³**
**E14 max 3 x 40W**

**168913** Chrome
**213491** Gold

**3000 K**
**430 Lm**

**101224**



P. 206



P. 347






**168913**



**213491**

# Dubai

Chrome or golden metal frame. Decorative elements composed of transparent cut crystals pearls, octagons and prisms.




IP20

**1,190 Kg / 0,0259 m³**
**E14 max 2 x 40W**

**207155** Chrome
**201023** Brass

**3000 K**
**430 Lm**

**101224**



P. 212



P. 345





**207155**




**201023**

# Blanche

Metal frame finished with satin white or black varnish. PVC foil shades coated with white or black fabric.






IP20

**1,480 Kg / 0,0383 m³**
**E14 max 2 x 40W**

**035598** White
**111889** Black



**035598**



**111889**

**3000 K**
**360 Lm**




**101231**

P. 218

# Pegaso

Chromed or satin brass metal frame. Cut crystal main body, candle cups and pendants. Organza fabric shades.






IP20

**1,600 Kg / 0,0302 m³**
**E14 max 2 x 40W**

**059211** White
**197708** Satin Brass

**3000 K**
**360 Lm**

**101231**



P. 216



P. 495



P. 531



**059211**



**197708**





# Corte


Totally handcrafted metal frame. Hand painted finish with antiqued effect. Available versions: white or rusty effect.



**028460**



**057200**




IP20

**1,060 Kg / 0,0329 m³**
**E14 max 2 x 40W**

**028460** Antique White
**057200** Rust

**3000 K**
**430 Lm**

**101224**




P. 246

# Colossal

Chrome metal frame and details. Blown clear glass arms with smoky grey or ivory white inner side.

IP20

1,870 Kg / 0,0159 m³
E14 max 2 x 40W




114200 Clear
081533 Ivory
081496 Grey

3000 K / 430 Lm
101224




P. 220



114200 081533 081496

# Gioconda

Casted metal body with gold or antique silver finish. Octagonal and round cut crystal pendants.




IP20

1,310 Kg / 0,0111 m³
E14 max 2 x 40W

044910 Silver
060491 Gold

3000 K / 430 Lm
101224





044910



060491



P. 230

# Negresco

Metal frame with chrome or golden finish. Golden version with blown and gilded inside glass arms. Main structure composed of cut crystal blocks. Clear glass and cut crystal decorative elements.

IP20

2,320 Kg / 0,0324 m³
E14 max 2 x 40W




141046 Clear
087757 Gold

3000 K / 430 Lm
101248



P. 222





141046 087757





P. 234

# Strauss

Metal frame and details with rose gold finish. Blown clear glass arms. Amber crystal decorative elements.




IP20

2,080 Kg / 0,0431 m³
E14 max 2 x 40W

140599 Gold


3000 K / 430 Lm
101248

# Florian

Metal frame with decorative glass elements. Pendants composed of cut crystal octagons and final drops. Available versions: clear glass with golden or silvery metal.

IP20

1,430 Kg / 0,0189 m³
E14 max 2 x 40W




035642 Chrome
035659 Gold

3000 K / 430 Lm
101224



P. 228



035642 035659





044392




113654



P. 237

# Doge

Hand-shaped blown clear or white glass chandelier. Chrome metal frame and details.




IP20

1,260 Kg / 0,0568 m³
E14 max 2 x 40W


044392 Clear
113654 White

3000 K / 430 Lm
101224

# Firenze

Resin body with hand modelled metal arms. Hand decorated with gold-leaf and antiqued effect.






IP20

**2,050 Kg / 0,0405 m³**
**E14 max 2 x 40W**



**012902** Antique White
**020846** Gold



**012902** **020846**



**3000 K**
**430 Lm**
**101248**



P. 243



P. 489




P. 532

# Giglio

Metal frame and bearing structure. Handcrafted resin body modeled with artisan technique which reproduces horns and carved wood. Antiqued effect obtained by golden leaf.






IP20

**2,400 Kg / 0,0268 m³**
**E14 max 2 x 40W**

**075280** Gold



**3000 K**
**430 Lm**
**101248**




P. 242



# Carmen

Resin frame modeled with artisan techniques. Hand decorated frame and stylized antique with gold leaf and silver varnish.




IP20

**1,800 Kg / 0,0318 m³**
**E14 max 2 x 40W**

**093703** Silver




**3000 K**
**430 Lm**
**101248**



# Peter

Handcrafted resin body; a faithful copy of carved wood. PVC foil shade covered with canvas.




IP20

**4,160 Kg / 0,0371 m³**
**E14 max 2 x 40W**

**075211** Canvas

**3000 K**
**430 Lm**

**101200**





# Chalet


Metal frame and bearing structure. Handcrafted and hand painted resin decorative elements. An accurate reproduction of horns and carved wood.



P. 250



P. 488




IP20

**1,770 Kg / 0,0759 m³**
**E14 max 2 x 40W**

**115511** Beige

**3000 K**
**430 Lm**

**101224**

# Harem

Antique brass metal frame with decorations in relief and embedded crystals. Lightly amber blown glass diffusers. Tassel pendants.






IP20

**0,900 Kg / 0,0273 m³**
**E27 max 1 x 60W**

**115962** Ant. Brass

3000 K
860 Lm

**119571**

P. 248

# Hammam

Metal frame with silver finish. Transparent blown glass diffusers. Tassel pendants.






IP20

**0,750 Kg / 0,0338 m³**
**E14 max 1 x 40W**

**139593** Silver

3000 K
430 Lm

**101200**


P. 249



# Santa

Hand-crafted and blown clear glass chandelier. Chrome metal details. Gold model available with grit on the glass.







IP20

**2,900 Kg / 0,0380 m³**
**E14 max 1 x 40W**

**087368** Clear
**087375** Gold

3000 K
430 Lm

**101224**




IP20

**1,200 Kg / 0,0184 m³**
**E14 max 1 x 40W**

**013060** Clear
**013046** Gold

3000 K
430 Lm

**101224**



**087368**




**087375**

# Fiocco

Plate-worked clear glass diffuser with glass grit. Amber decoration in the middle. Satin brass glass holders.







IP20

**1,800 Kg / 0,0265 m³**
**E27 max 1 x 60W**

**014630** White

3000 K
430 Lm

**101279**




IP20

**1,080 Kg / 0,0112 m³**
**E14 max 1 x 40W**

**014623** White


3000 K
430 Lm

**101200**

# Stones

Matt white enamel coated metal frame. Diffuser entirely composed of natural alabaster pieces. Open on the top and on the bottom.






IP20

**4,110 Kg / 0,0207 m³**
**E27 max 2 x 60W**

**015132** Alabaster

3000 K
360 Lm

**101286**




IP20

**2,660 Kg / 0,0141 m³**
**E27 max 1 x 60W**

**015125** Alabaster

3000 K
360 Lm

**101286**

# Scacchi

Matt white enamel coated frame. Diffuser entirely composed of natural alabaster pieces open on the top and on the bottom.




IP20

**3,010 Kg / 0,0167 m³**
**E27 max 2 x 60W**

**015118** Alabaster

3000 K
360 Lm

**101286**




IP20

**1-,950 Kg / 0,0111 m³**
**E27 max 1 x 60W**

**015101** Alabaster

3000 K
360 Lm

**101286**







# Carrara

Alabaster top and bottom open diffuser.

**LED** Bulbs LED G9 3,2W 3000 K included.
Cod. **209043**




IP20 INCLUSA

**1,500 Kg / 0,0081 m³**
**G9 max 2 x 40W**

**018775** Alabaster

3000 K
300 Lm

**209043**




IP20 INCLUSA

**1,200 Kg / 0,0049 m³**
**G9 max 1 x 40W**

**000619** Alabaster

3000 K
300 Lm

**209043**

# Indoors

## Table lamps




new
Oz 454
Truman 462
Mapa Bianco 467
Luxury 473
Eternity 481
Firenze 489
Queen 494

Cerchio 455 | Gru 456 | new Yoko 457 | Futura 458 | Kelly 460 | Sally 461 | Wally 461
Lawyer 463 | Smarties 464 | Candy 464 | Mapa Max 465 | Mapa Fade 465 | Carta 466 | Mapa Riga 466
new Birillo 468 | Emiro 469 | Prato 470 | Cupcake 470 | Edo 471 | Microphone 472 | Nordik 473
new Lingotto 474 | Mermaid 475 | Eminent 476 | Hilton 477 | Regol 478 | London 479 | Alfiere 480
Dolomiti 482 | Boulder 482 | Kali 483 | new Set Up 484 | Driftwood 486 | Snell 487 | Chalet 488
Kronplatz 489 | Roma 490 | Rain 490 | Opera 491 | Kate 492 | Magic 493 | Duchessa 493
Le Roy 494 | Paris 495 | Pegaso 495






# Oz new

Plated or powder coated metal base and frame. PVC wires. Opal rubber diffuser. Available finishes: white, black or brushed brass.

LED LED source 3000 K, 30.000 h life.

ON OFF Lamp with integrated switch.




IP20

**0,890 Kg / 0,0096 m³**
**LED 23W / 2000 Lm**

| | | |
|---|---|---|
| **269474** | **White** | new |
| **269481** | **Black** | new |
| **269498** | **Brass** | new |



P. 048 P. 265 P. 356

# Cerchio

White or matt black painted metal body. Plastic diffuser in opal color. PVC cable with integrated switch and power supply.


LED LED source 3000 K, 20.000 h life.

ON OFF Lamp with integrated switch.










IP20

**0,910 Kg / 0,0145 m³**
**LED 12W / 800 Lm**

| | | |
|---|---|---|
| **224633** | **White** | |
| **224640** | **Black** | |






# Gru

Total metal structure. Pole finished in chrome. Base and diffuser with matt white or black enamel. Swivel and adjustable in height diffuser.

LED source 3000 K, 15.000 h life.

Lamp with integrated switch.




IP20

**2,220 Kg / 0,0084 m³**
**LED 6,3W / 400 Lm**

**147642** White
**147659** Black

# Yoko new

Matt varnished metal base and frame. Opal polycarbonate diffuser. PVC electrical cable with socket-power supply. Colors: white or black.

LED source 3000 K, 17.500 h life.


Lamp with integrated switch.

P. 067



P. 500




IP20

**0,860 Kg / 0,247 m³**
**LED 5W / 430 Lm**

**258881** White new
**258911** Black new



# Futura

Articulated aluminum and plastic arm with PVC exposed wire. Adjustable LED diffuser and integrated switcher. Plug with power supply.

LED LED source 4000 K, 25.000 h life.

ON OFF Lamp with integrated switch.


Lamp with dimmer.

Lamp with touch dimmer.










IP20

**1,830 Kg / 0,0069 m³**
**LED 10W / 750 Lm**

**204895** Aluminum
**204888** Black



P. 509




# Kelly

Metal technical lamp with white or matt black finish. Jointed and spring balanced arm. Adjustable diffuser.

ON OFF Lamp with integrated switch.






IP20

1,510 Kg / 0,0065 m³
E27 max 1 x 42W

108117 White
108094 Black

3000 K
360 Lm

101286



# Sally

Metal technical lamp with matt black finish. Articulated and spring balanced arm. Adjustable diffuser.

ON OFF Lamp with integrated switch.




IP20

2,600 Kg / 0,0132 m³
E27 max 1 x 42W

061160 Black

3000 K
810 Lm

123899






# Wally

Metal technical lamp with matt black finish. Articulated and spring balanced arm. Adjustable diffuser.

ON OFF Lamp with integrated switch.




IP20

2,450 Kg / 0,0111 m³
E27 max 1 x 42W

061191 Black

3000 K
360 Lm

101286








# Truman

Matt white, grey or black painted metal structure and diffuser. Adjustable jointed arm with antique brass metal joints. Diffuser white enamelled on the inner side. Cable is covered with vintage fabric in white or black colour.

ON OFF Lamp with integrated switch.






IP20

2,380 Kg / 0,0283 m³
E27 max 1 x 60W

145198 White
145204 Grey
145211 Black

3000 K
430 Lm

101279

# Lawyer

Metal frame available with brass, chrome or antique brass finish. Blown overlay glass diffuser.

ON OFF Lamp with integrated switch.







IP20

1,850 Kg / 0,0373 m³
E27 max 1 x 60W

045047 Chrome
013657 Brass
045030 Ant. Brass

3000 K
860 Lm

119571



# Smarties

Metal base. White acid-etched blown glass diffuser. Electrical cable with plug and switch.

LED Bulbs LED G9 3,2W 3000 K included.
Cod. **209043**

ON OFF Lamp with integrated switch.




IP20

**0,470 Kg / 0,0079 m³**
**G9 max 1 x 40W**

**032078** White

3000 K
300 Lm
**209043**



P. 142



P. 288



P. 380




# Candy

Metal frame with satin nickel finish. White acid-etched blown glass diffuser.

LED Bulbs LED G9 3,2W 3000 K included.
Cod. **209043**

ON OFF Lamp with integrated switch.




IP20

**1,200 Kg / 0,0287 m³**
**G9 max 1 x 40W**

**086804** White

3000 K
300 Lm
**209043**



P. 145



P. 293






# Mapa Max

Chrome metal frame. Clear blown glass diffuser with decorative aluminium thread inside.

ON OFF Lamp with integrated switch.




IP20

**0,970 Kg / 0,0287 m³**
**E27 max 1 x 60W**

**045139** Chrome

3000 K
860 Lm
**119571**




P. 149



# Mapa Fade

Chrome metal frame. Sphere shape diffuser made of clear chrome blown glass with downward nuance.

ON OFF Lamp with integrated switch.




IP20

**1,050 Kg / 0,0214 m³**
**E27 max 1 x 60W**

**186863** FadeChrome

3000 K
860 Lm
**119571**



P. 151





# Carta

Matt white painted metal frame. Polycarbonate diffuser with paper effect covering. PVC cable with integrated switch.

ON OFF Lamp with integrated switch.



# Mapa Riga

White metal frame. White spherical shape blown glass diffuser with painted decoration.

ON OFF Lamp with integrated switch.






IP20

**1,500 Kg / 0,0392 m³**
**E27 max 1 x 25W**

**226057** White

3000 K
810 Lm

**123899**




IP20

**0,510 Kg / 0,0156 m³**
**E27 max 1 x 25W**

**248417** White

3000 K
810 Lm

**123899**

P. 157




IP20

**1,050 Kg / 0,0214 m³**
**E27 max 1 x 60W**

**161433** White

3000 K
860 Lm

**119571**

P. 155






# Mapa Bianco

White metal frame. White acid-etched blown glass diffuser with spherical shape.

ON OFF Lamp with integrated switch.

P. 152 P. 293 P. 380





IP20

**3,520 Kg / 0,1354 m³**
**E27 max 1 x 60W**

**000206** White

3000 K
860 Lm

**119571**





IP20

**1,880 Kg / 0,0515 m³**
**E27 max 1 x 60W**

**009131** White

3000 K
860 Lm

**119571**




IP20

**1,050 Kg / 0,0214 m³**
**E27 max 1 x 60W**

**009155** White

3000 K
860 Lm

**119571**





# Birillo

Table or floor lamp with chrome metal base and white blown and acid-etched or smoky grey glass diffuser.

ON OFF Lamp with integrated switch.



000251



116570




IP20

2,310 Kg / 0,0454 m³
E27 max 1 x 60W

000251 White
116587 Smok.Grey

3000 K
860 Lm

119571




IP20

1,240 Kg / 0,0248 m³
E27 max 1 x 60W

000268 White
116570 Smok.Grey

3000 K
860 Lm

119571

# Emiro new

Matt varnished metal base. Double blown glass diffuser: clear opaline the external one, white acid-etched the inner one. White PVC electrical cable with switch.

LED LED source 3000 K, 17.500 h life.


ON OFF Lamp with integrated switch.




IP20

4,900 Kg / 0,1129 m³
LED 12W / 1000 Lm

261034 Clear




IP20

1,930 Kg / 0,0225 m³
LED 12W / 1000 Lm


269818 Clear



# Prato

White blown overlay acid-etched glass diffuser. Electrical cable with plug and switch.

ON OFF Lamp with integrated switch.




# Cupcake

White or pink enamelled resin base. White acid-etched blown glass diffuser. Power cable with switch.

LED Bulbs LED GX53 9,5W 3000 K included in models: **248479** and **248486**. Code **123936**

ON OFF Lamp with integrated switch.



# Edo

Chrome metal frame inside. White acid-etched overlay blown glass diffuser.

ON OFF Lamp with integrated switch.





IP20

**1,380 Kg / 0,0219 m³**
**E27 max 1 x 60W**

**074702** White

3000 K
360 Lm

**101286**




IP20

**0,650 Kg / 0,0099 m³**
**E14 max 1 x 40W**

**074726** White

3000 K
360 Lm

**101217**




IP20

**4,290 Kg / 0,0695 m³**
**E27 max 1 x 60W**

**194417** White
**194448** Pink

3000 K
810 Lm

**123899**





IP20

**1,120 Kg / 0,0270 m³**
**GX53 max 1 x 15W**

**248479** White
**248486** Pink

3000 K
760 Lm

**123936**




IP20

**1,150 Kg / 0,0172 m³**
**E27 max 1 x 60W**

**044590** White

3000 K
810 Lm

**123899**




IP20

**0,730 Kg / 0,0082 m³**
**E27 max 1 x 60W**

**044606** White

3000 K
360 Lm

**101286**



# Microphone

White or black powder coated or plated brass metal base and frame. Power cable coated with fabric with integrated switch.

LED Bulbs LED E27 8W Globo D95 3000 K included. Cod. **101323**

ON OFF Lamp with integrated switch.



**232508** **232485** **232546**




IP20

0,490 Kg / 0,0042 m³
E27 max 1 x 60W

**232508** White
**232485** Black
**232546** Brass

3000 K
860 Lm

**101323**




P. 503



# Nordik

Matt black varnished metal frame. Golden PVC foil shade covered with black fabric.

ON OFF Lamp with integrated switch.




IP20

1,220 Kg / 0,0504 m³
E27 max 1 x 60W

**161686** Black

3000 K
860 Lm

**119571**




P. 187 P. 430 P. 524



# Luxury

Brass or chrome finished metal frame. Matt black base. PVC shade with sides covered with fabric.

ON OFF Lamp with integrated switch.




IP20

2,890 Kg / 0,0333 m³
E27 max 1 x 60W

**201078** Chrome
**201115** Brass

3000 K
860 Lm

**119571**



**201078**



**201115**





P. 430 P. 525





# Lingotto new

Matt varnished metal base and frame. Black PVC electrical cable with switch. White acid-etched blown glass diffuser. Black and metallic gold color.

LED Bulbs LED G9 3,2W 3000 K included in **259222** model. Cod. **209043**


ON OFF Lamp with integrated switch.



P. 080



P. 328




IP20

**1,320 Kg / 0,0199 m³**
**E14 max 1 x 40W**

**251127** Brass new

3000 K
360 Lm

**101217**




IP20

**0,750 Kg / 0,0084 m³**
**G9 max 1 x 28W**

**259222** Brass new


3000 K
300 Lm

**209043**

# Mermaid

Totally metal frame with antiqued white finish. Clear glass diffusers.

ON OFF Lamp with integrated switch.




IP20

**2,670 Kg / 0,0601 m³**
**E27 max 1 x 60W**

**166766** Antique White

3000 K
860 Lm

**119571**




IP20

**1,630 Kg / 0,0350 m³**
**E27 max 1 x 60W**

**166742** Antique White

3000 K
860 Lm

**119571**





# Eminent

White or black powder coated metal frame. Pole made of natural wood. PVC shade coated with fabric. Power cable coated with fabric with switch.


ON OFF Lamp with integrated switch.



207568



238388




IP20

1,970 Kg / 0,0275 m³
E27 max 1 x 60W

207568 White
238388 Black

3000 K
720 Lm

123899



P. 516

# Hilton

Chrome metal frame. PVC foil shade covered in fabric. Transparent, sandblasted upper glass diffuser.

LED Bulbs LED G9 3,2W 3000 K included in **075525** model. Cod. **209043**

ON OFF Lamp with integrated switch.



P. 193



P. 429



P. 527





IP20

2,180 Kg / 0,0431 m³
E14 max 2 x 40W

075532 White

3000 K
360 Lm

101217




IP20 VOLTAGE

0,830 Kg / 0,0109 m³
G9 max 1 x 40W

075525 White

3000 K
300 Lm

209043





# Regol


Articulated metal frame. Multi-level adjustable diffuser. Available with satin nickel finish and white fabric shade or with chrome finish and PVC chrome shade.

ON OFF Lamp with integrated switch.










IP20

2,880 Kg / 0,0398 m³
E27 max 1 x 60W

014616 White
019772 Chrome

3000 K
860 Lm

119571



P. 520

# London

Metal frame with chrome finish or with matt white or black varnish. PVC foil shade coated with fabric. The chrome model has chrome semi-transparent PVC foil shade.


ON OFF Lamp with integrated switch.











IP20

1,910 Kg / 0,0645 m³
E27 max 1 x 60W

110448 White
032375 Chrome
110455 Black

3000 K
860 Lm

119571




IP20

1,270 Kg / 0,0253 m³
E27 max 1 x 60W

110530 White
032368 Chrome
110554 Black

3000 K
860 Lm

119571



P. 186




P. 521

# Alfiere

Chrome metal base. Chrome semi-transparent fireproof PVC foil shade.

ON OFF Lamp with integrated switch.






IP20

**1,230 Kg / 0,0276 m³**
**E27 max 1 x 60W**

**032436** Chrome

3000 K
860 Lm

**119571**




IP20

**0,920 Kg / 0,0139 m³**
**E27 max 1 x 60W**

**032467** Chrome

3000 K
860 Lm

**119571**



# Eternity

Casted metal frame with chrome finish. Pleated organza lampshade with glossy effect.

ON OFF Lamp with integrated switch.





IP20

**1,720 Kg / 0,0378 m³**
**E27 max 1 x 60W**

**036007** Silver

3000 K
810 Lm

**123899**




IP20

**0,770 Kg / 0,0128 m³**
**E14 max 1 x 40W**

**035987** Silver

3000 K
360 Lm

**101217**



# Dolomiti

Body composed of enameled ceramic elements. Metal details with satin nickel finishing. PVC foil shade covered with beige linen-like fabric.

ON OFF Lamp with integrated switch.



# Boulder

Hand crafted concrete base. PVC shade covered with fabric. Power cable coated with fabric with switch.

ON OFF Lamp with integrated switch.



# Kalì

Ceramic body with decorations in relief. PVC shade coated with fabric. PVC cable with integrated switch.

ON OFF Lamp with integrated switch.




IP20

**4,620 Kg / 0,1108 m³**
**E27 max 1 x 60W**

**034942** Stone

**3000 K**
**810 Lm**

**123899**




IP20

**2,300 Kg / 0,0643 m³**
**E27 max 1 x 60W**

**034935** Stone

**3000 K**
**810 Lm**

**123899**




IP20

**4,790 Kg / 0,0833 m³**
**E27 max 1 x 60W**

**238128** Concrete

**3000 K**
**860 Lm**

**119571**




IP20

**0,660 Kg / 0,0092 m³**
**E14 max 1 x 40W**

**245331** White

**3000 K**
**360 Lm**

**101217**




IP20

**0,620 Kg / 0,0036 m³**
**E14 max 1 x 40W**

**245348** White

**3000 K**
**360 Lm**

**101217**




IP20

**0,660 Kg / 0,0055 m³**
**E14 max 1 x 40W**

**245393** White

**3000 K**
**360 Lm**

**101217**



P. 196 P. 426 P. 522

# Set up new

Powder coated or plated metal frames. Lampshades in fireproof PVC covered with fabric. Frame colors: white, black, satin nickel or brushed brass. Lampshade colors: beige, white or black.

ON OFF Lamp with integrated switch.





259918 259949 259925 259956 260068 260075 260082




IP20

1,130 Kg / 0,0055 m³
E27 max 1 x 60W

259918 White
259949 Nickel
259925 Black
259956 Gold

3000 K
810 Lm

123899





IP20

0,680 Kg / 0,0061 m³
E27 max 1 x 60W

new 259864 White
new 259895 Nickel
new 259871 Black
new 259901 Gold


3000 K
810 Lm

123899




0,023 Kg / 0,0238 m³

new 260433 White
new 270005 Black
new 260440 Beige
new




0,012 Kg / 0,0180 m³

new 260327 White
new 269986 Black
new 260334 Beige




0,013 Kg / 0,0180 m³

new 260068 White
new 260075 Black
new 260082 Beige




0,011 Kg / 0,0180 m³

new 260341 White new
new 270036 Black new
new 260358 Beige new





# Driftwood

Metal frame. Natural wood decorative arms. PVC foil diffusers coated with canvas fabric.


ON OFF Lamp with integrated switch.



P. 251



P. 517




IP20

**2,450 Kg / 0,0709 m³**
**E27 max 1 x 60W**

**129570** Wood

**2200 K**
**300 Lm**


**151687**

# Snell

Natural wood base. Body composed of real branches. PVC foil shade coated with fabric.

ON OFF Lamp with integrated switch.







IP20

**1,400 Kg / 0,0733 m³**
**E27 max 1 x 60W**

**201399** White

**3000 K**
**810 Lm**

**123899**




IP20

**1,290 Kg / 0,0389 m³**
**E27 max 1 x 60W**

**201382** White

**3000 K**
**810 Lm**

**123899**




# Chalet

Metal frame and bearing structure. Handcrafted and hand painted resin decorative elements. An accurate reproduction of horns and carved wood.

ON OFF Lamp with integrated switch.



P. 250



P. 447




IP20

**3,500 Kg / 0,1650 m³**
**E27 max 1 x 60W**

**128207** Beige

3000 K
860 Lm

**119571**






# Firenze

Resin body with hand modelled metal arms. Hand decorated with gold-leaf and antiqued effect.

ON OFF Lamp with integrated switch.




IP20

**1,220 Kg / 0,0216 m³**
**E14 max 1 x 40W**

**012889** Antique White
**020853** Gold

3000 K
430 Lm

**101200**



**012889**



**020853**



P. 243



P. 444



P. 532




# Kronplatz

Chrome metal frame. Fireproof PVC foil shade covered with canvas.

LED Bulbs LED G9 3,2W 3000 K included.
Cod. **209043**

ON OFF Lamp with integrated switch.




IP20

**0,830 Kg / 0,0135 m³**
**G9 max 1 x 40W**

**110875** Canvas

3000 K
300 Lm

**209043**



P. 525



# Roma

Chrome metal frame and details. Square-shaped crystal elements on sides and sandblasted bottom glass sheet.

LED Bulbs LED G9 3,2W 3000 K included.
Cod. **209043**

ON OFF Lamp with integrated switch.




IP20

**1,930 Kg / 0,0182 m³**
**G9 max 1 x 40W**

**114620** Chrome

3000 K
300 Lm
**209043**



P. 207 P. 333 P. 436



# Rain

Chrome metal frame. Pendants composed of multi-shaped colored cut crystal beads and final drops.

ON OFF Lamp with integrated switch.




IP20

**2,030 Kg / 0,0249 m³**
**E14 max 2 x 40W**

**008356** Chrome

3000 K
430 Lm
**101224**



P. 202 P. 348 P. 438 P. 533



# Opera

Chrome frame. PVC foil shade covered with metallic filaments. Cut crystal pendants.

ON OFF Lamp with integrated switch.



P. 198 P. 435 P. 533




IP20

**1,750 Kg / 0,0392 m³**
**E27 max 1 x 60W**

**068305** White

3000 K
810 Lm
**123899**



# Kate

Body with clear cut crystals elements. Shades made of double layer pleated fabric.

ON OFF Lamp with integrated switch.



122878



122885




IP20

**2,990 Kg / 0,0605 m³**
**E27 max 1 x 60W**

**122878** White

3000 K
810 Lm

**123899**




IP20

**2,810 Kg / 0,0605 m³**
**E27 max 1 x 60W**

**122885** White

3000 K
810 Lm


**123899**



# Magic

Frame composed of cut crystal elements and metal details with chrome finish. White pleated fabric shade.

ON OFF Lamp with integrated switch.




IP20

**1,380 Kg / 0,0453 m³**
**E27 max 1 x 60W**

**014920** White

3000 K
810 Lm

**123899**



# Duchessa

Chrome metal base and details. Blown and hand finished glass elements. Pleated organza shade.

ON OFF Lamp with integrated switch.




IP20

**3,000 Kg / 0,0652 m³**
**E27 max 1 x 60W**

**044491** Clear

3000 K
810 Lm

**123899**




IP20

**1,900 Kg / 0,0610 m³**
**E27 max 1 x 60W**

**051406** Clear

3000 K
810 Lm

**123899**

# Queen

Gilded metal frame with cut crystal base and decorative elements. PVC foil shade covered with quilted decoration and gold glitters.

ON OFF Lamp with integrated switch.






IP20

**2,300 Kg / 0,0886 m³**
**E27 max 1 x 60W**

**077758** Gold

3000 K
860 Lm

**119571**




IP20

**1,360 Kg / 0,0460 m³**
**E27 max 1 x 60W**

**077741** Gold

3000 K
860 Lm

**119571**




IP20

**0,900 Kg / 0,0137 m³**
**E27 max 1 x 60W**

**077734** Gold

3000 K
860 Lm

**119571**



P. 530

# Paris

Satin nickel frame. Cut crystal candle cups. PVC foil shade covered with silvered threads.

ON OFF Lamp with integrated switch.







IP20

**1,900 Kg / 0,0613 m³**
**E27 max 1 x 60W**

**014975** Silver

3000 K
860 Lm

**119571**




IP20

**0,860 Kg / 0,0143 m³**
**E14 max 1 x 40W**

**015965** Silver

3000 K
430 Lm

**101200**

# Le Roy

Chrome metal frame and base with cut crystal decorative elements. PVC foil shade covered with fabric with quilted decoration and silver brilliants.

ON OFF Lamp with integrated switch.







IP20

**2,300 Kg / 0,0919 m³**
**E27 max 1 x 60W**

**073408** Chrome

3000 K
860 Lm

**119571**





IP20

**1,360 Kg / 0,0456 m³**
**E27 max 1 x 60W**

**073422** Chrome

3000 K
860 Lm

**119571**




IP20

**0,900 Kg / 0,0234 m³**
**E27 max 1 x 60W**

**073439** Chrome

3000 K
860 Lm

**119571**



P. 530

# Pegaso

Chromed or satin brass metal frame. Cut crystal main body, candle cups and pendants. Organza fabric shades.

ON OFF Lamp with integrated switch.







IP20

**2,000 Kg / 0,0705 m³**
**E27 max 1 x 60W**

**059259** White

3000 K
810 Lm

**123899**




IP20

**1,450 Kg / 0,0117 m³**
**E14 max 1 x 40W**

**059266** White
**197753** Satin Brass

3000 K
360 Lm

**101217**



P. 216



P. 440



P. 531



**059266**



**199753**

# Indoors

## Floor lamps





Yoko

Pag 500



# Indoors

## Floor lamps

new



Yoko 500 | Minimal 502 | Microphone 503 | Radio 504



Stand Up 505 | Maurien 505 | Newton 506 | Elvis 507 | Polly 508 | Futura 509 | Stage 510



Kraken 511 | Dorsale 512 | Daddy 514



Pagoda 515 | Eminent 516 | Driftwood 517 | York 518 | Klimt 519 | Regol 520

new



London 521 | Set Up 522 | Cylinder 524 | Nordik 524



Luxury 525 | Kronplatz 525 | Colonna 526 | Woody 526 | Hilton 527 | Sheraton 527 | Forcola 528



Dorothy 529 | Queen 530 | Le Roy 530 | Pegaso 531



Provence 531 | Firenze 532 | Beverly 532 | Rain 533 | Opera 533




# Yoko new

Matt varnished metal base and frame. Opal polycarbonate diffuser. PVC electrical cable with socket-power supply. Colors: white or black.


LED LED source 3000 K, 17.500 h life.

ON OFF Lamp with integrated switch.



258874

258904




IP20

**1,650 Kg / 0,1101 m³**
**LED 17W / 1500 Lm**

**258874** White new
**258904** Black new

P. 067 P. 457





# Minimal

Metal frame with black lacquered finish. Power cable with fabric coating.

LED Bulbs LED E27 8W Globo D125 trasparente 3000 K included.
Cod. **101347**


ON OFF Lamp with integrated switch.



P. 100



P. 414




IP20 EXCLUDING

**5,840 Kg / 0,0806 m³**
**E27 max 1 x 60W**

**163369** Black

3000 K
860 Lm

**101347**

# Microphone


White or black powder coated or plated brass metal base and frame. Power cable coated with fabric with integrated switch.

LED Bulbs LED E27 8W Globo D125 trasparente 3000 K included.
Cod. **101347**

ON OFF Lamp with integrated switch.



P. 472







IP20 EXCLUDING

**2,320 Kg / 0,0425 m³**
**E27 max 1 x 60W**

**232362** White
**232331** Black
**232409** Brass

3000 K
860 Lm

**101347**



# Radio


Metal ceiling rose and frame. Adjustable diffuser. Electrical cable coated with fabric. Available with chrome or matt white varnish finish.

LED Bulbs LED E27 8W Globo D125 trasparente 3000 K included. Cod. **101347**

ON OFF Lamp with integrated switch.

P. 412




IP20 INCLUSA

**6,270 Kg / 0,0428 m³**
**E27 max 2 x 60W**

**119458** White
**119410** Chrome

3000 K
860 Lm

**101347**



# Stand Up

Metal frame with chrome finish. Pyrex glass diffuser, frosted in the middle.

LED Bulbs LED R7s 10W 118 mm 3000 K included. Code **189093**

ON OFF Lamp with integrated switch.




IP20 INCLUSA

**4,130 Kg / 0,0233 m³**
**R7s max 1 x 150W**

**027289** White

3000 K
1200 Lm

**189093**



# Maurien

Total powder coated metal frame. Diffusers can be directed and adjusted in height.

ON OFF Lamp with integrated switch.




IP20

**7,650 Kg / 0,0824 m³**
**E27 max 3 x 42W**

**199528** White

3000 K
860 Lm

**119571**


# Newton

Chrome metal frame and diffuser. Available with satin nickel or matt black varnish finish. Adjustable arm. Adjustable diffuser with white enamel coating inside.

ON OFF Lamp with integrated switch.

P. 420




IP20

5,270 Kg / 0,0323 m³
E27 max 1 x 60W

015286 Nickel
003528 Black

3000 K
720 Lm


123899

# Elvis

Chrome metal frame. Adjustable colored metal diffuser with chrome details outside, enameled white inside.

ON OFF Lamp with integrated switch.




IP20

3,600 Kg / 0,0277 m³
E27 max 2 x 60W

042794 Silver
001197 Black

3000 K
860 Lm


119571

# Polly

Metal frame and diffusers with chrome or white or black enamelled finish. Chrome metal details and joints. Adjustable diffusers.

ON OFF Lamp with integrated switch.




IP20

**3,500 Kg / 0,0207 m³**
**E27 max 2 x 60W**

**061122** Chrome
**061115** Aluminum
**061139** Black

**3000 K**
**860 Lm**
**119571**

# Futura

Articulated aluminum and plastic arm with PVC exposed wire. Adjustable LED diffuser and integrated switcher. Plug with power supply.


LED LED source 4000 K, 25.000 h life.

Lamp with dimmer.

Lamp with touch dimmer.

P. 458




IP20

**4,440 Kg / 0,0095 m³**
**LED 10W / 750 Lm**

**204956** Aluminum
**204949** Black



# Stage

Metal structure with matt black paint finish. Tripod with telescopic bar adjustable in height. Adjustable diffuser with gold leaf decoration inside.

ON OFF Lamp with integrated switch.




IP20

**5,540 Kg / 0,1163 m³**
**E27 max 1 x 60W**

**132778** Gold

3000 K
860 Lm

**119571**





# Kraken

Matt black enamel coated wooden tripod. Chrome metal details and body. Clear glass diffuser with inner wings which regulate the light spread.

ON OFF Lamp with integrated switch.




IP20

**8,030 Kg / 0,0917 m³**
**E27 max 1 x 60W**

**105659** Chrome

3000 K
860 Lm

**101323**

# Dorsale

Metal frame with chrome or white or black matt varnish finish. The arm is composed of three elements with square section. PVC foil shade, available in chrome or coated with white or black fabric.


ON OFF Lamp with integrated switch.














IP20

12,430 Kg / 0,1565 m³
E27 max 1 x 60W

012605 White
005126 Chrome
014371 Black

3000 K
860 Lm
101347

IP20

12,430 Kg / 0,1565 m³
E27 max 1 x 60W

095127 Total White
091983 Total Black


3000 K
860 Lm
101347

# Daddy

Metal frame. Available in black and matt white color with fabric coated shade.

ON OFF Lamp with integrated switch.




IP20

**7,250 Kg / 0,1287 m³**
**E27 max 1 x 60W**

**110356** White
**110363** Black

**3000 K**
**860 Lm**
**101347**




# Pagoda

Metal frame and base finished with satin enamel. Shade coated with fabric with the possibility to regulate the incline.

ON OFF Lamp with integrated switch.




IP20

**11,620 Kg / 0,1755 m³**
**E27 max 1 x 60W**

**051741** White
**062273** Silver
**051765** Black

**3000 K**
**860 Lm**
**101347**






# Eminent

White or black powder coated metal frame. Pole made of natural wood. PVC shade coated with fabric. Power cable coated with fabric with switch.

ON OFF Lamp with integrated switch.




IP20

10,610 Kg / 0,1120 m³
E27 max 1 x 60W

207582 White
207599 Black

3000 K
720 Lm

101354


P. 476

# Driftwood

Metal frame. Natural wood decorative arms. PVC foil diffusers coated with canvas fabric.

ON OFF Lamp with integrated switch.






IP20

5,830 Kg / 0,3487 m³
E27 max 1 x 60W

148939 Wood

2200 K
300 Lm

151687




IP20

24,000 Kg / 0,1753 m³
E27 max 2 x 60W

180946 Wood

2200 K
300 Lm

151687

P. 251 P. 486

# York

Natural wooden tripod stand with metal details. PVC foil shade coated with fabric. Power cable coated with fabric. Available also with white or black shades and frame.

ON OFF Lamp with integrated switch.







IP20

2,810 Kg / 0,0947 m³
E27 max 1 x 60W

121406 White
121437 Black
089805 Wood

3000 K
860 Lm

101347



# Klimt

Natural wood tripod. PVC foil shade covered with fabric, chrome metal support.

ON OFF Lamp with integrated switch.




IP20

3,870 Kg / 0,1284 m³
E27 max 1 x 60W

137827 Wood

3000 K
860 Lm

101347



# Regol

Articulated metal frame. Multi-level adjustable diffuser. Available with satin nickel finish and white fabric shade.

ON OFF Lamp with integrated switch.




IP20

**5,420 Kg / 0,0702 m³**
**E27 max 1 x 60W**

**014609** White

3000 K
860 Lm

**101347**



P. 478





# London

Metal frame with chrome finish or with matt white or black varnish. PVC foil shade coated with fabric. The chrome model has chrome semi-transparent PVC foil shade.

ON OFF Lamp with integrated switch.



**110233** **032382** **110240**




IP20

**7,120 Kg / 0,1879 m³**
**E27 max 1 x 60W**

**110233** White
**032382** Chrome
**110240** Black

3000 K
860 Lm

**101347**



P. 186



P. 479



# Set up new


Powder coated or plated metal frames. Lampshades in fireproof PVC covered with fabric. Frame colors: white, black, satin nickel or brushed brass. Lampshade colors: beige, white or black.

ON OFF Lamp with integrated switch.





259963 259994 259970 260006 260136 260235 260242




IP20

| 259963 White new | 260457 White new | 260136 White new |
|---|---|---|
| 259994 Nickel new | 270012 Black new | 260235 Black new |
| 259970 Black new | 260464 Beige new | 260242 Beige new |
| 260006 Brass new | | |
| 2,640 Kg / 0,0251 m³ | 0,047 Kg / 0,0768 m³ | 0,046 Kg / 0,0709 m³ |
| E27 max 1 x 60W | | |

3000 K
810 Lm

123899


P. 196 P. 426 P. 484



# Cylinder

Matt white varnished metal base. White blown overlay and acid-etched glass diffuser.

ON OFF Lamp with integrated switch.




IP20

**10,010 Kg / 0,1145 m³**
**E27 max 2 x 60W**

**111452** White

3000 K
810 Lm

**123899**




P. 188



# Nordik

Matt black varnished metal frame. Golden PVC foil shade covered with black fabric.

ON OFF Lamp with integrated switch.




IP20

**3,620 Kg / 0,0897 m³**
**E27 max 1 x 60W**

**161716** Black

3000 K
860 Lm

**101347**



P. 187



P. 430



P. 473






# Luxury

Brass or chrome finished metal frame. Matt black base. PVC shade with sides covered with fabric.

ON OFF Lamp with integrated switch.




IP20

**7,440 Kg / 0,2321 m³**
**E27 max 1 x 60W**

**201085** Chrome
**201122** Brass

3000 K
860 Lm

**101347**



**201085**



**201122**



P. 430




P. 473



# Kronplatz

Chrome metal frame. Fireproof PVC foil shade covered with canvas.

ON OFF Lamp with integrated switch.




IP20

**5,590 Kg / 0,1303 m³**
**E27 max 1 x 60W**

**110882** Canvas

3000 K
860 Lm

**101323**



P. 489




# Colonna

Matt white or black varnished metal frame. Acrylic diffuser. Power cable coated with fabric. The lamp fits replaceable LED bulbs.

LED Bulbs LED GX53 9,5W 3000 K included. Cod. **123936**

ON OFF Lamp with integrated switch.




IP20

**7,740 Kg / 0,0710 m³**
**GX53 max 4 x 15W**



**177199**




**177205**

**177199** White
**177205** Black

3000 K
760 Lm


**123936**



# Woody

Chrome metal frame. Diffuser coated with white fabric, closed on the bottom by a clear acid-etched glass.

ON OFF Lamp with integrated switch.




IP20

**4,800 Kg / 0,0749 m³**
**E14 max 2 x 40W**

**143163** White

3000 K
360 Lm

**101217**




P. 192



P. 294




P. 429



# Hilton

Chrome metal frame. PVC foil shade covered in fabric. Transparent, sandblasted bottom glass diffuser.

ON OFF Lamp with integrated switch.




IP20

**6,600 Kg / 0,0739 m³**
**E14 max 2 x 40W**

**075488** White

3000 K
360 Lm

**101217**



P. 193



P. 429




P. 477



# Sheraton

Metal frame with chrome finish. Fireproof PVC foil shade coated with fabric.

ON OFF Lamp with integrated switch.




IP20

**4,980 Kg / 0,0376 m³**
**E27 max 1 x 60W**

**074931** White

3000 K
720 Lm

**101354**



P. 432



# Forcola

Chrome metal frame and details. Hand crafted blown clear glass reflecting body. PVC foil diffuser covered with fabric.

ON OFF Lamp with integrated switch.




IP20

**8,480 Kg / 0,2518 m³**
**E27 max 1 x 60W**

**142616** White

**3000 K**
**720 Lm**
**101354**



# Dorothy

Chrome metal base and main structure. Blown and hand finished glass decorative elements. PVC foil shade, covered with fabric.

ON OFF Lamp with integrated switch.




IP20

**5,040 Kg / 0,1879 m³**
**E27 max 1 x 60W**

**035369** Clear

**3000 K**
**720 Lm**
**101354**



# Queen

Gilded metal frame with cut crystal base and decorative elements. PVC foil shade covered with quilted decoration and gold glitters.

ON OFF Lamp with integrated switch.




IP20

**4,900 Kg / 0,0979 m³**
**E27 max 1 x 60W**

**077765** Gold

3000 K
860 Lm

**101347**




P. 494



# Le Roy

Chrome metal frame and base with cut crystal decorative elements. PVC foil shade covered with fabric with quilted decoration and silver brilliants.

ON OFF Lamp with integrated switch.




IP20

**4,900 Kg / 0,0934 m³**
**E27 max 1 x 60W**

**073392** Chrome

3000 K
860 Lm

**101347**




P. 494



# Pegaso

Chrome metal frame. Cut crystal main body, candle cups and pendants. Organza fabric shades.

ON OFF Lamp with integrated switch.




IP20

**5,450 Kg / 0,0985 m³**
**E27 max 1 x 60W**

**059228** White

3000 K
720 Lm

**101354**



P. 216



P. 440



P. 495



# Provence

Hand turned wooden frame and metal arms. Matt varnish finish. PVC foil shades coated with large weave fabric.

ON OFF Lamp with integrated switch.




IP20

**4,900 Kg / 0,0989 m³**
**E27 max 1 x 60W**

**022987** Antique White

3000 K
860 Lm

**101347**




P. 219



# Firenze

Resin body with hand modelled metal arms. Hand decorated with gold-leaf and antiqued effect.

ON OFF Lamp with integrated switch.




IP20

**5,600 Kg / 0,1089 m³**
**E27 max 1 x 60W**



**002880**



**020877**

**002880** Antique White
**020877** Gold

3000 K
860 Lm

**101347**

P. 243



P. 444




P. 489

# Beverly

Metal frame with brushed gold-like or chrome finish. Adjustable jointed arm. PVC foil shade covered with fabric.

ON OFF Lamp with integrated switch.




IP20

**4,760 Kg / 0,0660 m³**
**E27 max 1 x 60W**



**126807**



**140315**

**126807** Chrome
**140315** Satin Brass

3000 K
720 Lm

**101354**

P. 428








# Rain

Chrome metal frame. Pendants composed of multi-shaped colored cut crystal beads and final drops.

ON OFF Lamp with integrated switch.




IP20

**5,300 Kg / 0,0450 m³**
**E14 max 2 x 40W**

**080277** Chrome

3000 K
430 Lm

**101224**

P. 202



P. 348



P. 438




P. 490

# Opera

Chrome frame. PVC foil shade covered with metallic filaments. Cut crystal pendants.

ON OFF Lamp with integrated switch.




IP20

**5,720 Kg / 0,0770 m³**
**E27 max 1 x 60W**

**068275** White

3000 K
720 Lm

**101354**

P. 198



P. 435



P. 491



# Indoors

## Systems



Arca Track 538 Arca Accent 540 Arca Wide 542 Arca Pendant 544

new new new new new new



Ego Single 552 Ego Double 554 Ego Accent 556 Ego Wide 558 Ego Pendant 560 Ego Wallwasher 560



Fluo Accent 570 Fluo Wide 572 Fluo Biemission 574

new



Tesi 578

new new new new new



Vision Trimless 582 Vision Trim 584 Slot Recessed 588 Slot Surface 590 Slot Angular 592

# Arca

Extruded aluminum linear system compatible with a wide range of lighting fittings with mechanical fixing. The system is anodized and varnished. It is available in black color and for different kind of installations: ceiling, suspension, or flush in plasterboard ceilings. Modules can be assembled according to the desired arrangement. The body section for the ceiling and suspension versions is 42 mm wide and 85 mm high, while the body for recessed version is 86 mm wide and 90 mm high. Both models are available in two lengths: 1000 mm and 3000 mm. Possibility of assembly with different source modules: the WIDE diffusing module, the ACCENT module with UGR control lower than 13, the TRACK or PENDANT modules for SPOT illumination with different emission angles. The CORNER module for angle composition. Integrated LEDs, possibility of color temperature of 3000 K or 4000 K; starting binning ≤3-Step MacAdam; IP20 protection; insulation class III; LED useful life 50.000 h L70B50. The 48Vdc power supply gives great versatility and safety, with reversible settlement that can be modified if necessary. The system is suitable for environments where professional lighting with minimal design is required, such as OFFICES and SHOPS.


**PRO** High-tech product with high quality materials, intended for professional use.

**UGR** Product with UGR <13, <16 (Accent, Pendant).

| | |
|---|---|
| **Source** | LED COB / SMD |
| **Driver included** | No |
| **Drivers available** | On/Off |
| **MacAdam** | SDCM 3 |
| **CCT** | 3000K / 4000K |
| **CRI** | ≥80 |
| **UGR** | <13, <16 (Accent, Pendant) |
| **LED life** | 50.000h |
| **Insulation class** | III |
| **IP** | 20 |
| **Material** | Aluminum |
| **Warranty** | 5 years |

# Arca Track








90° 355°

0,200 Kg/0,0015 m³


## LED SMD CREE

| Power | Beam | Flux | CCT | Finish | | Code |
|---|---|---|---|---|---|---|
| 5,5 W | 34° | 440 Lm | 3000 K | Black | | 222974 |
| | | 460 Lm | 4000 K | Black | | 223056 |



| | Included | Required | Beam | Code |
|---|---|---|---|---|
| LENS | No | No | 20° | 223087 |








90° 355°


0,460 Kg/0,0030 m³

## LED COB CITIZEN

| Power | Beam | Flux | CCT | Finish | | Code |
|---|---|---|---|---|---|---|
| 14 W | 36° | 1400 Lm | 3000 K | Black | | 222967 |
| | | 1500 Lm | 4000 K | Black | | 223049 |




| | Included | Required | Beam | Code |
|---|---|---|---|---|
| LENS | No | No | 18° | 223094 |




| m | lx | øm |
|---|---|---|
| 1 | 553 | 0,58 |
| 2 | 138 | 1,16 |
| 3 | 61 | 1,75 |
| 4 | 35 | 2,33 |
| 5 | 22 | 2,91 |

**CRI≥80 5,5W 34° 440Lm 3000K**




| m | lx | øm |
|---|---|---|
| 1 | 2336 | 0,60 |
| 2 | 584 | 1,21 |
| 3 | 259 | 1,81 |
| 4 | 146 | 2,42 |
| 5 | 93 | 3,02 |

**CRI≥80 14W 36° 1400Lm 3000K**










# Arca Accent







LED SMD OSRAM CRI≥90- UGR <13

| Power | Beam | Flux | CCT | Finish | | Code |
|---|---|---|---|---|---|---|
| 15 W | 35° | 1700 Lm | 3000 K | Black | | 222929 |
| | | 1850 Lm | 4000 K | Black | | 223001 |

0,440 Kg/0,0026 m³







LED SMD OSRAM CRI≥90- UGR <13


| Power | Beam | Flux | CCT | Finish | | Code |
|---|---|---|---|---|---|---|
| 29 W | 35° | 3200 Lm | 3000 K | Black | | 222936 |
| | | 3400 Lm | 4000 K | Black | | 223018 |

0,700 Kg/0,0087 m³




| m | lx | øm |
|---|---|---|
| 1 | 2707 | 0,56 |
| 2 | 676 | 1,13 |
| 3 | 300 | 2,26 |
| 4 | 169 | 2,83 |
| 5 | 108 | 3,39 |


**CRI≥90 15W 35° 1700Lm 3000K**




| m | lx | øm |
|---|---|---|
| 1 | 4826 | 0,60 |
| 2 | 1207 | 1,21 |
| 3 | 536 | 1,81 |
| 4 | 301 | 2,42 |
| 5 | 193 | 3,02 |

**CRI≥90 29W 35° 3200Lm 3000K**










**Arca Accent 300 mm**




**Arca Accent 600 mm**



# Arca Wide







0,410 Kg/0,0025 m³

LED SMD SAMSUNG

| Power | Beam | Flux | CCT | Finish | | Code |
|---|---|---|---|---|---|---|
| 13 W | 98° | 1950 Lm | 3000 K | Black | | 222943 |
| | | 2100 Lm | 4000 K | Black | | 223025 |







0,700 Kg/0,0087 m³


LED SMD SAMSUNG

| Power | Beam | Flux | CCT | Finish | | Code |
|---|---|---|---|---|---|---|
| 25 W | 98° | 4000 Lm | 3000 K | Black | | 222950 |
| | | 4300 Lm | 4000 K | Black | | 223032 |




| m | lx | øm |
|---|---|---|
| 1 | 203 | 2,16 |
| 2 | 50 | 4,33 |
| 3 | 22 | 6,50 |
| 4 | 12 | 8,66 |
| 5 | 8 | 10,83 |

**CRI≥80 13W 98° 1950Lm 3000K**




| m | lx | øm |
|---|---|---|
| 1 | 440 | 2,14 |
| 2 | 110 | 4,28 |
| 3 | 48 | 6,42 |
| 4 | 27 | 8,56 |
| 5 | 17 | 10,70 |

**CRI≥80 25W 98° 4000Lm 3000K**









**Arca Wide 300 mm**




**Arca Wide 600 mm**



# Arca Pendant






0,740 Kg/0,0056 m³

LED COB CITIZEN UGR <13


| Power | Beam | Flux | CCT | Finish | | Code |
|---|---|---|---|---|---|---|
| 15 W | 34° | 1450 Lm | 3000 K | Black | | 222981 |
| | | 1500 Lm | 4000 K | Black | | 223063 |

Cables length 350 mm



| | Included | Required | Beam | Code |
|---|---|---|---|---|
| LENS | No | No | 18° | 223285 |






1,080 Kg/0,0056 m³


LED COB CITIZEN UGR <16

| Power | Beam | Flux | CCT | Finish | | Code |
|---|---|---|---|---|---|---|
| 21 W | 30° | 2650 Lm | 3000 K | Black | | 222998 |
| | | 2800 Lm | 4000 K | Black | | 223070 |

Cables length 350 mm




| | Included | Required | Beam | Code |
|---|---|---|---|---|
| LENS | No | No | 15° | 223292 |




| m | lx | øm |
|---|---|---|
| 1 | 2410 | 0,59 |
| 2 | 602 | 1,19 |
| 3 | 268 | 1,78 |
| 4 | 151 | 2,38 |
| 5 | 96 | 2,98 |

CRI≥80 15W 34° 1450Lm 3000K




| m | lx | øm |
|---|---|---|
| 1 | 4788 | 0,51 |
| 2 | 1197 | 1,03 |
| 3 | 532 | 1,55 |
| 4 | 299 | 2,06 |
| 5 | 191 | 2,58 |

CRI≥80 21W 30° 2650Lm 3000K











# Arca - Pendant










TRACK Maximum length per power source: 25 meters

| Length | Weight | Volume | Finish | | Code |
|---|---|---|---|---|---|
| 1000 mm | 1,34 Kg | 0,0273 m³ | Black | | 222745 |
| 3000 mm | 4,02 Kg | 0,0600 m³ | Black | | 222752 |

LINEAR CONNECTOR Not included/Optional







| Included | Required | Code |
|---|---|---|
| No | No - 1 Kit x connection | 254944 |

BLINDED CORNER RIGHT - LEFT Not included/Optional







| | Weight | Volume | Finish | | Code |
|---|---|---|---|---|---|
| | 0,65 Kg | 0,0090 m³ | Black | | 243641 |




| | Included | Required | N° Cables | Cables Length | Code |
|---|---|---|---|---|---|
| SUSPENSION KIT | No | Yes - 1 Kit x 1000 mm | 1 | 2000 mm | 276366 |
| ELECTRIFIED END CAP | No | Yes - 1 Kit x power source max 210 W | | 2150 mm | 223131 |
| END CAP | No | Yes | | | 223148 |



# Arca - Surface










TRACK Maximum length per power source: 25 meters

| Length | Weight | Volume | Finish | | Code |
|---|---|---|---|---|---|
| 1000 mm | 1,34 Kg | 0,0273 m³ | Black | | 222745 |
| 3000 mm | 4,02 Kg | 0,0600 m³ | Black | | 222752 |

LINEAR CONNECTOR Not included/Optional







| Included | Required | Code |
|---|---|---|
| No | No - 1 Kit x connection | 254944 |

BLINDED CORNER RIGHT - LEFT Not included/Optional







| | Weight | Volume | Finish | | Code |
|---|---|---|---|---|---|
| | 0,65 Kg | 0,0090 m³ | Black | | 243641 |

BLINDED CORNER VERTICAL - HORIZONTAL Not included/Optional







| | Weight | Volume | Finish | | Code |
|---|---|---|---|---|---|
| | 0,65 Kg | 0,0090 m³ | Black | | 243658 |




| | Included | Required | N° Cables | Cables Length | Code |
|---|---|---|---|---|---|
| KIT SURFACE | No | Yes - 1 Kit x 1000 mm | | | 222899 |
| ELECTRIFIED END CAP | No | Yes - 1 Kit x power source max 210 W | | 380 mm | 223124 |
| END CAP | No | Yes | | | 223148 |

# Arca - Recessed










TRACK Kit for profile installation and closing cups included
Maximum length per power source: 25 meters

| Length | Weight | Volume | Finish | | Code |
|---|---|---|---|---|---|
| 1000 mm | 2,90 Kg | 0,0269 m³ | Black | | 222769 |
| 3000 mm | 8,70 Kg | 0,0617 m³ | Black | | 222882 |

LINEAR CONNECTOR Not included/Optional







| Included | Required | Code |
|---|---|---|
| No | No - 1 Kit x connection | 254944 |

BLINDED CORNER RIGHT - LEFT Not included/Optional







| Weight | Volume | Finish | | Code |
|---|---|---|---|---|
| 0,98 Kg | 0,0090 m³ | Black | | 243900 |

BLINDED CORNER VERTICAL - HORIZONTAL Not included/Optional







| Weight | Volume | Finish | | Code |
|---|---|---|---|---|
| 0,98 Kg | 0,0090 m³ | Black | | 243917 |



ELECTRIFIED END CAP

| Included | Required | N° Cables | Cables Length | Code |
|---|---|---|---|---|
| No | Yes - 1 Kit x power source max 210 W | | 380 mm | 223124 |







# Arca - Drivers and cover



DRIVER MEANWELL ON/OFF Not included/Required

| Power | Output | Class | Measure | Code |
|---|---|---|---|---|
| 60 W | 48 Vdc | ⏚ | 171x62x37 mm | 223155 |
| 90 W | 48 Vdc | ⏚ | 220x68x37 mm | 223162 |
| 150 W | 48 Vdc | ⏚ | 228x68x37 mm | 223179 |
| 240 W | 48 Vdc | ⏚ | 244x68x39 mm | 224275 |



BLINDED COVER Not included/Optional

| Material | Length | Color | | Code |
|---|---|---|---|---|
| PC | 990 mm | Black | | 222912 |

# Ego new

Linear system composed of extruded aluminum profile and lighting elements with magnetic fixing and mechanical safety lock. The system is powder coated and available in black color for ceiling, suspended or recessed installation. The modules can be assembled according to the desired layout. The profile section is 26 mm wide and 27 mm or 52 mm high. Available in two lengths: 1000 mm and 2000 mm. Possibility of assembly with different source modules: the WIDE diffusing module, the ACCENT module with glare control (UGR < 19), the TRACK SINGLE or DOUBLE module for spot illumination with different angles of emission, and the PENDANT TUBE and WALL WASHER modules for an accented illumination. Integrated LED with color temperature of 3000k and CRI 90; IP20 protection, insulation class III; LED useful life 50.000 h L70B50. The 48 Vdc power supply guarantees great versatility and safety, the compositions are in fact reversible and modifiable if necessary. Suitable for the installation in large environments where great flexibility and color rendering is required, such as MUSEUMS, COMMERCIAL, RESIDENTIAL and RETAIL spaces.


PRO High-tech product with high quality materials, intended for professional use.

UGR Product with UGR <19 (Accent, Pendant).

| | |
|---|---|
| **Source** | LED COB / SMD |
| **Driver included** | No |
| **Drivers available** | On/Off |
| **MacAdam** | SDCM 3 |
| **CCT** | 3000K |
| **CRI** | ≥90 |
| **UGR** | <19 (Accent, Pendant) |
| **LED life** | 50.000h |
| **Insulation class** | III |
| **IP** | 20 |
| **Material** | Aluminum |
| **Warranty** | 5 years |

# Ego Track Single







90° 320°

0,080 Kg/0,0041 m³

LED SMD OSRAM

| Power | Beam | Flux | CCT | Finish | | Code | |
|---|---|---|---|---|---|---|---|
| 3 W | 30° | 230 Lm | 3000 K | Black | | 257617 | new |







90° 320°

0,150 Kg/0,0041 m³

LED COB CITIZEN

| Power | Beam | Flux | CCT | Finish | | Code | |
|---|---|---|---|---|---|---|---|
| 8 W | 30° | 750 Lm | 3000 K | Black | | 257631 | new |






90° 320°

0,190 Kg/0,0041 m³


LED COB CITIZEN

| Power | Beam | Flux | CCT | Finish | | Code | |
|---|---|---|---|---|---|---|---|
| 12 W | 30° | 1000 Lm | 3000 K | Black | | 257655 | new |




FILTER HONEYCOMB

| Model | Included | Required | Code | |
|---|---|---|---|---|
| Ego 3 W | No | No | 260853 | new |
| Ego 8 W | No | No | 260860 | new |
| Ego 12 W | No | No | 260860 | new |





| m | lx | øm |
|---|---|---|
| 1 | 537 | 0,46 |
| 2 | 134 | 0,92 |
| 3 | 60 | 1,40 |
| 4 | 34 | 1,80 |
| 5 | 21 | 2,30 |

**CRI≥90 3W 30° 230Lm 3000K**




| m | lx | øm |
|---|---|---|
| 1 | 2393 | 0,49 |
| 2 | 598 | 0,98 |
| 3 | 266 | 1,50 |
| 4 | 150 | 2,00 |
| 5 | 96 | 2,50 |


**CRI≥90 8W 30° 750Lm 3000K**




| m | lx | øm |
|---|---|---|
| 1 | 2877 | 0,51 |
| 2 | 719 | 1,00 |
| 3 | 320 | 1,50 |
| 4 | 180 | 2,10 |
| 5 | 115 | 2,60 |

**CRI≥90 12W 30° 1000Lm 3000K**










# Ego Track Double







90° 320°

0,120 Kg/0,0041 m³

LED SMD OSRAM

| Power | Beam | Flux | CCT | Finish | | Code | |
|---|---|---|---|---|---|---|---|
| 5 W | 30° | 450 Lm | 3000 K | Black | | 257624 | new |







90° 320°

0,260 Kg/0,0041 m³

LED COB CITIZEN

| Power | Beam | Flux | CCT | Finish | | Code | |
|---|---|---|---|---|---|---|---|
| 16 W | 30° | 1500 Lm | 3000 K | Black | | 257648 | new |







90° 320°

0,340 Kg/0,0041 m³


LED COB CITIZEN

| Power | Beam | Flux | CCT | Finish | | Code | |
|---|---|---|---|---|---|---|---|
| 24 W | 30° | 2200 Lm | 3000 K | Black | | 257662 | new |





| m | lx | øm |
|---|---|---|
| 1 | 508 | 0,46 |
| 2 | 127 | 0,92 |
| 3 | 56 | 1,40 |
| 4 | 32 | 2,80 |
| 5 | 20 | 2,30 |

**CRI≥90 5W 30° 450Lm 3000K**




| m | lx | øm |
|---|---|---|
| 1 | 2451 | 0,49 |
| 2 | 613 | 1,98 |
| 3 | 272 | 1,50 |
| 4 | 153 | 2,00 |
| 5 | 98 | 2,50 |

**CRI≥90 16W 30° 1500Lm 3000K**




| m | lx | øm |
|---|---|---|
| 1 | 3051 | 0,51 |
| 2 | 763 | 1,00 |
| 3 | 339 | 1,50 |
| 4 | 191 | 2,10 |
| 5 | 122 | 2,60 |

**CRI≥90 24W 30° 2200Lm 3000K**

| | Model | Included | Required | Code | |
|---|---|---|---|---|---|
| FILTER HONEYCOMB | Ego 3 W | No | No | 260853 | new |
| | Ego 8 W | No | No | 260860 | new |
| | Ego 12 W | No | No | 260860 | new |










# Ego Accent







0,140 Kg/0,0015 m³

LED SMD OSRAM **UGR <19**

| Power | Beam | Flux | CCT | Finish | | Code | |
|---|---|---|---|---|---|---|---|
| 7 W | 35° | 750 Lm | 3000 K | Black | | 257792 | new |







0,210 Kg/0,0019 m³

LED SMD OSRAM **UGR <19**

| Power | Beam | Flux | CCT | Finish | | Code | |
|---|---|---|---|---|---|---|---|
| 13 W | 35° | 1500 Lm | 3000 K | Black | | 257686 | new |










0,470 Kg/0,0031 m³

LED SMD OSRAM **UGR <19**

| Power | Beam | Flux | CCT | Finish | | Code | |
|---|---|---|---|---|---|---|---|
| 13 W | 35° | 1500 Lm | 3000 K | Black | | 257846 | new |




| m | lx | øm |
|---|---|---|
| 1 | 3121 | 0,61 |
| 2 | 780 | 1,20 |
| 3 | 347 | 1,80 |
| 4 | 195 | 2,40 |
| 5 | 125 | 3,00 |

**CRI≥90 13W 35° 1500Lm 3000K**









**Ego Accent 192 mm**




**Ego Accent 284 mm**



# Ego Wide







0,200 Kg/0,0019 m³

LED SMD SAMSUNG

| Power | Beam | Flux | CCT | Finish | | Code | |
|---|---|---|---|---|---|---|---|
| 7 W | 110° | 600 Lm | 3000 K | Black | | 257709 | new |







0,340 Kg/0,0006 m³

LED SMD SAMSUNG

| Power | Beam | Flux | CCT | Finish | | Code | |
|---|---|---|---|---|---|---|---|
| 13 W | 110° | 1200 Lm | 3000 K | Black | | 257716 | new |







0,620 Kg/0,0013 m³

LED SMD SAMSUNG

| Power | Beam | Flux | CCT | Finish | | Code | |
|---|---|---|---|---|---|---|---|
| 26 W | 110° | 2400 Lm | 3000 K | Black | | 257730 | new |










0,490 Kg/0,0032 m³

LED SMD SAMSUNG

| Power | Beam | Flux | CCT | Finish | | Code | |
|---|---|---|---|---|---|---|---|
| 7 W | 110° | 600 Lm | 3000 K | Black | | 257839 | new |




| m | lx | øm |
|---|---|---|
| 1 | 619 | 2,50 |
| 2 | 155 | 4,90 |
| 3 | 69 | 7,40 |
| 4 | 39 | 9,80 |
| 5 | 25 | 12,00 |

**CRI≥90 26W 110° 2400Lm 3000K**









**Ego Wide 284 mm**



**Ego Wide 560 mm**




**Ego Wide 1120 mm**



# Ego Pendant and Wall Washer







0,540 Kg/0,0038 m³

LED COB CITIZEN **UGR <19**

| Power | Beam | Flux | CCT | Finish | | Code | |
|---|---|---|---|---|---|---|---|
| 12 W | 30° | 1000 Lm | 3000 K | Black | | 257747 | new |









8°

0,320 Kg/0,0026 m³

LED SMD SAMSUNG

| Power | Beam | Flux | CCT | Finish | | Code | |
|---|---|---|---|---|---|---|---|
| 7 W | - | 650 Lm | 3000 K | Black | | 257815 | new |









8°

0,560 Kg/0,0012 m³


LED SMD SAMSUNG

| Power | Beam | Flux | CCT | Finish | | Code | |
|---|---|---|---|---|---|---|---|
| 13 W | - | 1300 Lm | 3000 K | Black | | 257822 | new |




| m | lx | øm |
|---|---|---|
| 1 | 2877 | 0,51 |
| 2 | 719 | 1,00 |
| 3 | 320 | 1,50 |
| 4 | 180 | 2,10 |
| 5 | 115 | 2,60 |

**CRI≥90 12W 30° 1000Lm 3000K**




**CRI≥90 13W 1300Lm 3000K**










# Ego - Pendant Low










TRACK LOW Maximum length per power source: 25 meters

| Length | Weight | Volume | Finish | | Code | |
|---|---|---|---|---|---|---|
| 1000 mm | 0,68 Kg | 0,0013 m³ | Black | | 257877 | new |
| 2000 mm | 1,36 Kg | 0,0026 m³ | Black | | 266121 | new |







CONNECTOR HORIZONTAL LOW Not included/Optional

| | Weight | Volume | Finish | | Code | |
|---|---|---|---|---|---|---|
| | 0,07 Kg | 0,0015 m³ | Black | | 257990 | new |


| | | Included | Required | N° Cables | Cables Length | Code | |
|---|---|---|---|---|---|---|---|
|  | LINEAR CONNECTOR | No | No - 1 Kit x linear connection | | | 257921 | new |
|  | END CAP NO HOLE | No | Yes | | | 267241 | new |
|  | END CAP WITH HOLE | No | Yes | | | 267258 | new |
|  | SUSPENSION KIT | No | Yes - 1 Kit x power source max 210 W | 1 | 2000 mm | 276328 | new |
|  | KIT SINGLE CABLE | No | Yes - 1 kit x 900 mm | 1 | 2000 mm | 259376 | new |



# Ego - Pendant High







TRACK HIGH Maximum length per power source: 25 meters

| Length | Weight | Volume | Finish | | Code | |
|---|---|---|---|---|---|---|
| 1000 mm | 0,80 Kg | 0,0023 m³ | Black | | 258027 | new |
| 2000 mm | 1,60 Kg | 0,0046 m³ | Black | | 266145 | new |







CONNECTOR HORIZONTAL HIGH Not included/Optional

| | Weight | Volume | Finish | | Code | |
|---|---|---|---|---|---|---|
| | 0,10 Kg | 0,0015 m³ | Black | | 258140 | new |

| | | Included | Required | N° Cables | Cables Length | Code | |
|---|---|---|---|---|---|---|---|
|  | LINEAR CONNECTOR | No | No - 1 Kit x linear connection | | | 257921 | new |
|  | END CAP NO HOLE | No | Yes | | | 267227 | new |
|  | END CAP WITH HOLE | No | Yes | | | 267234 | new |
|  | SUSPENSION KIT | No | Yes - 1 Kit x power source max 210 W | 1 | 2000 mm | 276328 | new |
|  | KIT SINGLE CABLE | No | Yes - 1 kit x 900 mm | 1 | 2000 mm | 259376 | new |

# Ego - Surface Low




TRACK LOW No mounting kit required, direct ceiling installation
Maximum length per power source: 25 meters







| Length | Weight | Volume | Finish | | Code | |
|---|---|---|---|---|---|---|
| 1000 mm | 0,68 Kg | 0,0013 m³ | Black | | 257877 | new |
| 2000 mm | 1,36 Kg | 0,0026 m³ | Black | | 266121 | new |

CONNECTOR HORIZONTAL LOW Not included/Optional







| Weight | Volume | Finish | | Code | |
|---|---|---|---|---|---|
| 0,07 Kg | 0,0015 m³ | Black | | 257990 | new |

CONNECTOR VERTICAL LOW Not included/Optional







| Weight | Volume | Finish | | Code | |
|---|---|---|---|---|---|
| 0,07 Kg | 0,0015 m³ | Black | | 258003 | new |

| | Included | Required | Code | |
|---|---|---|---|---|
| LINEAR CONNECTOR | No | No - 1 Kit x linear connection | 257921 | new |
| END CAP NO HOLE | No | Yes | 267241 | new |
| END CAP WITH HOLE | No | Yes | 267258 | new |




# Ego - Surface High




TRACK HIGH No mounting kit required, direct ceiling installation
Maximum length per power source: 25 meters







| Length | Weight | Volume | Finish | | Code | |
|---|---|---|---|---|---|---|
| 1000 mm | 0,80 Kg | 0,0023 m³ | Black | | 258027 | new |
| 2000 mm | 1,60 Kg | 0,0046 m³ | Black | | 266145 | new |

CONNECTOR HORIZONTAL HIGH Not included/Optional







| Weight | Volume | Finish | | Code | |
|---|---|---|---|---|---|
| 0,10 Kg | 0,0015 m³ | Black | | 258140 | new |

CONNECTOR VERTICAL HIGH Not included/Optional








| Weight | Volume | Finish | | Code | |
|---|---|---|---|---|---|
| 0,10 Kg | 0,0015 m³ | Black | | 258157 | new |

| | Included | Required | Code | |
|---|---|---|---|---|
| LINEAR CONNECTOR | No | No - 1 Kit x linear connection | 257921 | new |
| END CAP NO HOLE | No | Yes | 267227 | new |
| END CAP WITH HOLE | No | Yes | 267234 | new |

# Ego - Recessed







TRACK Kit for assembly profile included
Maximum length per power source: 25 meters

| Length | Weight | Volume | Finish | | Code | |
|---|---|---|---|---|---|---|
| 1000 mm | 1,13 Kg | 0,0039 m³ | Black | | 258171 | new |
| 2000 mm | 2,26 Kg | 0,0078 m³ | Black | | 266183 | new |







CONNECTOR HORIZONTAL Not included/Optional

| Weight | Volume | Finish | | Code | |
|---|---|---|---|---|---|
| 0,13 Kg | 0,0015 m³ | Black | | 258232 | new |







CONNECTOR VERTICAL 90° Not included/Optional

| Weight | Volume | Finish | | Code | |
|---|---|---|---|---|---|
| 0,10 Kg | 0,0015 m³ | Black | | 258249 | new |







CONNECTOR VERTICAL 270° Not included/Optional

| Weight | Volume | Finish | | Code | |
|---|---|---|---|---|---|
| 0,14 Kg | 0,0015 m³ | Black | | 259413 | new |

| | Included | Required | Material | Length | Code | |
|---|---|---|---|---|---|---|
|  LINEAR CONNECTOR | No | No - 1 Kit x linear connection | | | 258201 | new |
|  END CAP NOH OLE | No | Yes | | | 267203 | new |
|  END CAP WITH HOLE | No | Yes | | | 267210 | new |
|  BLINDED COVER | No | No | PC | 1000 mm | 258256 | new |










MAIN CONNECTOR

| Included | Required | N° Cables | Cables Length | Code | |
|---|---|---|---|---|---|
| No | Yes - 1 Kit x power source max 210 W | 1 | 2000 mm | 265896 | new |



KIT CONTINUOUS

| Included | Required | Code | |
|---|---|---|---|
| No | No - 1 Kit x connection | 265902 | new |



DRIVER MEANWELL ON/OFF Not included/Required

| Power | Output | Class | Measure | Code |
|---|---|---|---|---|
| 60 W | 48 Vdc | ⏚ | 171x62x37 mm | 223155 |
| 90 W | 48 Vdc | ⏚ | 220x68x37 mm | 223162 |
| 150 W | 48 Vdc | ⏚ | 228x68x37 mm | 223179 |
| 240 W | 48 Vdc | ⏚ | 244x68x39 mm | 224275 |

# Fluo new

Linear system of lamps with extruded aluminum, 50 mm wide and 80 mm high body. Modules available in two lengths: 1200 mm and 1800 mm, which can be assembled according to the desired arrangement. The system is available in three different arrangements: the WIDE diffusing module, the BI-EMISSION module with component for indirect lighting and the ACCENT module with glare control (UGR < 13); integrated LEDs, color temperature options of 3000K or 4000K, starting binning ≤3 -Step MacAdam, IP20 protection, insulation class I; LED useful life 30.000 h L70B50. The system is available in anodized aluminum, white and black colors and it is possible to install it in different ways: single or continuous line for ceiling installation; suspended or flush-mounted in plasterboard ceilings. Included driver, integrated in the lighting fitting, available in 1-10V, DALI and Push dimmable versions. Suitable for locations where professional lighting with minimal design is required, such as OFFICES and SHOPS.

**PRO** High-tech product with high quality materials, intended for professional use.

**UGR** Product with UGR <13 (Accent).

| | |
|---|---|
| **Source** | LED COB / SMD |
| **Driver included** | On/Off |
| **Drivers available** | 1-10V / DALI |
| **MacAdam** | SDCM 3 |
| **Optics** | Accent / Wide / Bi-Emission |
| **CCT** | 3000 K / 4000 K |
| **CRI** | ≥83 |
| **UGR** | <13 (Accent) |
| **LED life** | 30.000 h |
| **Insulation class** | I |
| **IP** | 20 |
| **Material** | Aluminum |
| **Warranty** | 5 years |

# Fluo Accent






2,760 Kg/0,0183 m³

**Cable lenght 1800 mm**

LED COB CREE Driver TRIDONIC ON/OFF included - UGR <13

| Power | Beam | Flux | CCT | Finish | | Code |
|---|---|---|---|---|---|---|
| 30 W | 30° | 3000 Lm | 3000 K | Aluminu. | | 192635 |
| | | | | White | | 192611 |
| | | | | Black | | 192581 |
| | | 3300 Lm | 4000 K | Aluminu. | | 192574 |
| | | | | White | | 192543 |
| | | | | Black | | 192529 |

DIMMABLE DRIVER* Not included/Optional

| | Power | Output | Measure | Code |
|---|---|---|---|---|
| 1-10V | 39 W | 700 mA | 280 x 30 x 21 mm | 216416 |
| DALI/Push | 38 W | 700 mA | 280 x 30 x 21 mm | 216270 |






3,860 Kg/0,0269 m³

**Cable lenght 1800 mm**


LED COB CREE Driver TRIDONIC ON/OFF included - UGR <13

| Power | Beam | Flux | CCT | Finish | | Code |
|---|---|---|---|---|---|---|
| 30 W | 30° | 3000 Lm | 3000 K | Aluminu. | | 192512 |
| | | | | White | | 192499 |
| | | | | Black | | 192475 |
| | | 3300 Lm | 4000 K | Aluminu. | | 192451 |
| | | | | White | | 192444 |
| | | | | Black | | 192420 |

DIMMABLE DRIVER* Not included/Optional

| | Power | Output | Measure | Code |
|---|---|---|---|---|
| 1-10V | 39 W | 700 mA | 280 x 30 x 21 mm | 216416 |
| DALI/Push | 38 W | 700 mA | 280 x 30 x 21 mm | 216270 |

MOUNTING KIT **Not included/Required - Page 577**




| m | lx | øm |
|---|---|---|
| 1 | 8264 | 0,48 |
| 2 | 2066 | 0,96 |
| 3 | 918 | 1,45 |
| 4 | 516 | 1,93 |
| 5 | 330 | 2,42 |

**CRI≥83 30W 30° 3000Lm 3000K**

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply. The linear connection is available only for the on-off versions of the products.











**Fluo Accent 1200**




**Fluo Accent 1800**




The single final cup is 2.5 mm width.

# Fluo Wide






2,890 Kg/0,0183 m³

**Cable lenght 1800 mm**

LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

| Power | Beam | Flux | CCT | Finish | | Code |
|---|---|---|---|---|---|---|
| 27 W | 105° | 3450 Lm | 3000 K | Aluminu. | | 191447 |
| | | | | White | | 192437 |
| | | | | Black | | 191997 |
| | | 3650 Lm | 4000 K | Aluminu. | | 192468 |
| | | | | White | | 192482 |
| | | | | Black | | 192505 |

DIMMABLE DRIVER* Not included/Optional

| | Power | Output | Measure | Code |
|---|---|---|---|---|
| 1-10V | 28 W | 500 mA | 280 x 30 x 21 mm | 216423 |
| DALI/Push | 27 W | 500 mA | 280 x 30 x 21 mm | 216287 |






4,420 Kg/0,0269 m³

**Cable lenght 1800 mm**


LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

| Power | Beam | Flux | CCT | Finish | | Code |
|---|---|---|---|---|---|---|
| 36 W | 105° | 4750 Lm | 3000 K | Aluminu. | | 192536 |
| | | | | White | | 192550 |
| | | | | Black | | 192567 |
| | | 5050 Lm | 4000 K | Aluminu. | | 192598 |
| | | | | White | | 192604 |
| | | | | Black | | 192628 |

DIMMABLE DRIVER* Not included/Optional

| | Power | Output | Measure | Code |
|---|---|---|---|---|
| 1-10V | 39 W | 700 mA | 280 x 30 x 21 mm | 216416 |
| DALI/Push | 38 W | 700 mA | 280 x 30 x 21 mm | 216270 |

MOUNTING KIT **Not included/Required - Page 577**




| m | lx | øm |
|---|---|---|
| 1 | 1042 | 2,50 |
| 2 | 260 | 5,00 |
| 3 | 115 | 7,50 |
| 4 | 65 | 10,00 |
| 5 | 41 | 12,50 |

**CRI≥83 27W 105° 3450Lm 3000K**


* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply. The linear connection is available only for the on-off versions of the products.








**Fluo Wide 1200**





**Fluo Wide 1800**




The single final cup is 2.5 mm width.

# Fluo Bi-Emission*




2,890 Kg/0,0183 m³

**Cable lenght 1800 mm**

LED SMD SAMSUNG

**Up-light included -** Driver TRIDONIC ON/OFF included

| Power | Beam | Flux | CCT | Finish | | Code |
|---|---|---|---|---|---|---|
| 27 W | 105° | 3450 Lm | 3000 K | Aluminu. | | 192659 |
| | | | | White | | 192666 |
| | | | | Black | | 192710 |
| | | 3650 Lm | 4000 K | Aluminu. | | 192734 |
| | | | | White | | 192741 |
| | | | | Black | | 192758 |

UP-LIGHT INFO


| Power | Beam | Flux | CCT |
|---|---|---|---|
| 13 W | 105° | 2200 Lm | 3000 K |
| | | 2350 Lm | 4000 K |

KIT DIMMABLE DRIVER*

| | Included | Code |
|---|---|---|
| 1-10V | No | 270692 |
| DALI/Push | No | 270876 |

LED SMD SAMSUNG

**Up-light included -** Driver TRIDONIC ON/OFF included




4,420 Kg/0,0269 m³

**Cable lenght 1800 mm**


| Power | Beam | Flux | CCT | Finish | | Code |
|---|---|---|---|---|---|---|
| 36 W | 105° | 4750 Lm | 3000 K | Aluminu. | | 192727 |
| | | | | White | | 192703 |
| | | | | Black | | 192697 |
| | | 5050 Lm | 4000 K | Aluminu. | | 192680 |
| | | | | White | | 192673 |
| | | | | Black | | 192642 |

UP-LIGHT INFO

| Power | Beam | Flux | CCT |
|---|---|---|---|
| 18 W | 105° | 2950 Lm | 3000 K |
| | | 3100 Lm | 4000 K |

KIT DIMMABLE DRIVER*

| | Included | Code |
|---|---|---|
| 1-10V | No | 270883 |
| DALI/Push | No | 270937 |




| m | lx | øm |
|---|---|---|
| 1 | 512 | 2,10 |
| 2 | 128 | 4,21 |
| 3 | 56 | 6,32 |
| 4 | 32 | 8,43 |
| 5 | 20 | 10,54 |

**CRI≥83 27+13W 105°+105° 3450+2200Lm 3000K**

MOUNTING KIT **Not included/Required - Page 577**


* Separate switching on of direct and indirect output (available only for on-off versions). Control of the direct and indirect output in synchrony (versions with 1-10V and Push dimming). The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply. The linear connection is available only for the on-off versions of the products.








**Fluo Bi-Emission 1200**





**Fluo Bi-Emission 1800**





The single final cup is 2.5 mm width.

# Fluo - Assembly plans


FLUO PENDANT




FLUO SURFACE




FLUO RECESSED





# Fluo - Mounting kit

| | Included | Required | N° Cables | Cables Length | Finish | Code |
|---|---|---|---|---|---|---|
| KIT PENDANT | No | Yes - 1 Kit x power source | 1 | 2000 mm | White | 277929 |
| | | | | | Black | 277912 |
| | | | 1 | 5000 mm | White | 276342 |
| | | | | | Black | 276335 |
| KIT SINGLE CABLE | No | Yes - 1 Kit x 600 mm | 1 | 2000 mm | | 220826 |
| | | | 1 | 5000 mm | | 243665 |
| KIT RECESSED | No | Yes - 1 Kit x 1200 mm | | | | 191188 |
| KIT SURFACE | No | Yes - 1 Kit x 1200 mm | | | | 191171 |

# Fluo - Optional

CORNER **Not included/Optional - Driver ON/OFF included - Compatible with Wide versions**







0,580 Kg/0,0023 m³

| Power | Beam | Flux | CCT | Finish | Code |
|---|---|---|---|---|---|
| 7,5 W | 105° | 810 Lm | 3000 K | Aluminu. | 191416 |
| | | | | White | 191423 |
| | | | | Black | 191430 |
| | | 850 Lm | 4000 K | Aluminu. | 191980 |
| | | | | White | 191454 |
| | | | | Black | 191461 |

BLINDED CORNER **Not included/Optional - Compatible with Accent versions**






0,610 Kg/0,0023 m³

| Finish | Code |
|---|---|
| Aluminu. | 191478 |
| White | 191485 |
| Black | 191492 |

STRUCTURE CONNECTOR Maximum length per power source: 30 meters



| Included | Required | Code |
|---|---|---|
| No | No - 1 Kit x connection | 191508 |


THICK COVER **Compatible with Wide and Bi-Emission versions**



| Included | Required | Material | Length | Code | |
|---|---|---|---|---|---|
| No | No | PMMA | 1200 mm | 262369 | new |
| | | | 1800 mm | 262376 | new |

# Tesi new

Flexible steel tape for wall-to-wall application, used as a support for the strip led application, it can be a light source for indirect lighting. 5 meters maximum lenght and its minimal section disappears inside the environment. This guarantees a result of extreme formal elegance. Ideal for environments of historical and architectural feature which already have strong personality.




STRIP LED SUPPORT


| Length | Weight | Volume | Finish | | Code |
|---|---|---|---|---|---|
| 5000 mm | 0,35 Kg | 0,0234 m³ | Steel | | 258300 |

new

STRIP LED AND DRIVER **Not included/Required - Page 816**

RECOMMENDED STRIP LED AND DRIVER

STRIP LED **SMD 2835 60 LED/m CRI ≥85**




| Power | IP | Flux | CCT | Length | Code |
|---|---|---|---|---|---|
| 13 W/m | IP20 | 1100 Lm/m | 2700 K | 3000 mm | 253824 |
| | | | | 5000 mm | 183336 |
| | | 1200 Lm/m | 3000 K | 3000 mm | 253831 |
| | | | | 5000 mm | 124032 |
| | | 1270 Lm/m | 4000 K | 3000 mm | 253855 |
| | | | | 5000 mm | 124049 |

DRIVER **ON/OFF**

| Driver | Power | Output | Class | Measure | Code |
|---|---|---|---|---|---|
| On-Off | 30 W | 24 Vdc | | 140 x 45 x 28 mm | 124070 |
| | 60 W | 24 Vdc | | 166 x 50 x 33 mm | 124087 |
| | 100 W | 24 Vdc | | 127 x 97 x 30 mm | 124100 |
| | 150 W | 24 Vdc | | 159 x 97 x 30 mm | 124117 |
| | 200 W | 24 Vdc | | 215 x 115 x 30 mm | 153001 |









# Vision new


Extruded aluminum profile with anodized and powder coated surface, available in black and white finishes, satin PMMA diffuser. Different lenghts bars are available for both the TRIM version, for recessed installation in plasterboard panels or ceilings, and for the TRIMLESS version, for wall and ceiling installation. A kit for suspended installation is available. The linear profiles are available in lengths of 2000 and 3000 mm. They can be assembled according to the desired design and can be sectioned to size. LED strips and drivers must be added to complete the installation: power light sources available with color temperatures of 3000 K and 4000 K, CRI ≥90 and IP20 protection index. Highly flexible system, suitable for general lighting in COMMERCIAL environments and in sales areas in the RETAIL sector.

| | |
|---|---|
| **Model** | Trim / Trimless |
| **Length** | 2000 / 3000 mm |
| **Material** | Aluminum |



# Vision Trimless






PROFILE **Mounting kit included**

| Length | Weight | Volume | Finish | | Code | |
|---|---|---|---|---|---|---|
| 2000 mm | 1,40 Kg | 0,0032 m³ | White | | 270524 | new |
| | 1,40 Kg | 0,0032 m³ | Black | | 270517 | new |
| 3000 mm | 2,10 Kg | 0,0048 m³ | White | | 270548 | new |
| | 2,10 Kg | 0,0048 m³ | Black | | 270531 | new |



SUSPENSION KIT

| Included | Required | N° Cables | Cables Length | Code | |
|---|---|---|---|---|---|
| No | No - 1 Kit x 2000 mm | 2 | 3000 mm | 270449 | new |
| No | No - 1 Kit x 2000 mm | 2 | 5000 mm | 270456 | new |




STRUCTURE CONNECTOR No No 270463 new

STRIP LED AND DRIVER **Not included/Required - Page 816**
**Recommended Strip LED** `max 39 W/m`










# Vision Trim






PROFILE **Mounting kit included**

| Length | Weight | Volume | Finish | | Code | |
|---|---|---|---|---|---|---|
| 2000 mm | 1,26 Kg | 0,0050 m³ | White | | 270487 | new |
| | 1,26 Kg | 0,0050 m³ | Black | | 270470 | new |
| 3000 mm | 1,89 Kg | 0,0075 m³ | White | | 270500 | new |
| | 1,89 Kg | 0,0075 m³ | Black | | 270494 | new |



| | Included | Required | Code | |
|---|---|---|---|---|
| STRUCTURE CONNECTOR | No | No | 271125 | new |

STRIP LED AND DRIVER **Not included/Required - Page 816**
**Recommended Strip LED** `max 39 W/m`











# Slot new


Extruded aluminum body with white powder coated surface and PMMA opal cover. Bars with different optional sections: RECESSED version for plasterboard ceilings and SURFACE version for wall or ceiling installation.
The linear modules are available in different lengths: 1000, 2000 and 3000 mm. They can be assembled according to the desired design and can be sectioned to size. Led and driver to be combined for a correct installation. Light source available with color temperature of 2700K, 3000K, 4000K; CRI ≥80, ≥85 and ≥90; available with IP20 and IP65 protection.

| | |
|---|---|
| **Model** | Recessed / Surface / Angular |
| **Length** | 1000 / 2000 / 3000 mm |
| **Width** | 11 / 20 mm |
| **Material** | Aluminum |



# Slot Recessed







PROFILE 12 mm **Mounting kit included**

| Length | Weight | Volume | Finish | | Code |
|---|---|---|---|---|---|
| 1000 mm | 0,15 Kg | 0,0010 m³ | White | | 124155 |
| 2000 mm | 0,35 Kg | 0,0020 m³ | White | | 203102 |
| 3000 mm | 0,54 Kg | 0,0030 m³ | White | | 204611 |







PROFILE 15 mm **Mounting kit included**

| Length | Weight | Volume | Finish | | Code | |
|---|---|---|---|---|---|---|
| 2000 mm | 0,48 Kg | 0,0020 m³ | White | | 267265 | new |
| | 0,48 Kg | 0,0020 m³ | Black | | 267289 | new |
| 3000 mm | 0,72 Kg | 0,0029 m³ | White | | 267272 | new |
| | 0,72 Kg | 0,0029 m³ | Black | | 267296 | new |







PROFILE 14 mm

| Length | Weight | Volume | Finish | | Code |
|---|---|---|---|---|---|
| 2000 mm | 0,65 Kg | 0,0020 m³ | White | | 223704 |
| 3000 mm | 0,90 Kg | 0,0030 m³ | White | | 223711 |






PROFILE 20 mm

| Length | Weight | Volume | Finish | | Code |
|---|---|---|---|---|---|
| 2000 mm | 0,60 Kg | 0,0020 m³ | White | | 223728 |
| 3000 mm | 0,90 Kg | 0,0030 m³ | White | | 223735 |

KIT PROFLE 14 / 20 mm

| | Included | Required | Code |
|---|---|---|---|
| KIT LINEAR | No | No | 223766 |
| KIT RIGHT-LEFT | No | No | 223759 |
| KIT VERTICAL-HORIZONTAL | No | No | 223742 |

STRIP LED AND DRIVER **Not included/Required - Page 816**

**Recommended Strip LED** `max 12 W/m`











Mounting kit PROFILE 12 mm.



# Slot Surface







PROFILE 15 mm **Mounting kit included**

| Length | Weight | Volume | Finish | Code |
|---|---|---|---|---|
| 1000 mm | 0,15 Kg | 0,0010 m³ | White | 124131 |
| | 0,15 Kg | 0,0010 m³ | Aluminu. | 124124 |
| 2000 mm | 0,20 Kg | 0,0020 m³ | White | 203089 |
| | 0,20 Kg | 0,0020 m³ | Aluminu. | 203072 |
| 3000 mm | 0,34 Kg | 0,0030 m³ | White | 204598 |
| | 0,34 Kg | 0,0030 m³ | Aluminu. | 204581 |







PROFILE 12 mm **Mounting kit included**

| Length | Weight | Volume | Finish | Code | |
|---|---|---|---|---|---|
| 1000 mm | 0,44 Kg | 0,0010 m³ | White | 267326 | new |
| | 0,44 Kg | 0,0010 m³ | Aluminu. | 267302 | new |
| | 0,44 Kg | 0,0010 m³ | Black | 267319 | new |
| 2000 mm | 0,88 Kg | 0,0020 m³ | White | 267357 | new |
| | 0,88 Kg | 0,0020 m³ | Aluminu. | 267333 | new |
| | 0,88 Kg | 0,0020 m³ | Black | 267340 | new |
| 3000 mm | 1,32 Kg | 0,0029 m³ | White | 267388 | new |
| | 1,32 Kg | 0,0029 m³ | Aluminu. | 267364 | new |
| | 1,32 Kg | 0,0029 m³ | Black | 267371 | new |

STRIP LED AND DRIVER **Not included/Required - Page 816**
**Recommended Strip LED** `max 12 W/m`






Mounting kit PROFILE 15 mm.



# Slot Angular







## ROUND 16x16

| Length | Weight | Volume | Finish | | Code | |
|---|---|---|---|---|---|---|
| 1000 mm | 0,15 Kg | 0,0010 m³ | White | | 126548 | |
| | 0,15 Kg | 0,0010 m³ | Aluminu. | | 126531 | |
| 2000 mm | 0,30 Kg | 0,0020 m³ | White | | 203126 | |
| | 0,30 Kg | 0,0020 m³ | Aluminu. | | 203119 | |
| 3000 mm | 0,44 Kg | 0,0030 m³ | White | | 204635 | |
| | 0,44 Kg | 0,0030 m³ | Aluminu. | | 204628 | |







## ROUND 16x18

| Length | Weight | Volume | Finish | | Code | |
|---|---|---|---|---|---|---|
| 2000 mm | 0,30 Kg | 0,0020 m³ | White | | 267401 | new |
| | 0,30 Kg | 0,0020 m³ | Aluminu. | | 267395 | new |
| 3000 mm | 0,45 Kg | 0,0029 m³ | White | | 267425 | new |
| | 0,45 Kg | 0,0029 m³ | Aluminu. | | 267418 | new |







## SQUARE 16x18

| Length | Weight | Volume | Finish | | Code | |
|---|---|---|---|---|---|---|
| 2000 mm | 0,30 Kg | 0,0020 m³ | White | | 267449 | new |
| | 0,30 Kg | 0,0020 m³ | Aluminu. | | 267432 | new |
| 3000 mm | 0,45 Kg | 0,0029 m³ | White | | 267463 | new |
| | 0,45 Kg | 0,0029 m³ | Aluminu. | | 267456 | new |

STRIP LED AND DRIVER **Not included/Required - Page 816**
**Recommended Strip LED** `max 12 W/m`







## ROUND 31x31

| Length | Weight | Volume | Finish | | Code | |
|---|---|---|---|---|---|---|
| 2000 mm | 0,70 Kg | 0,0020 m³ | White | | 267722 | new |
| | 0,70 Kg | 0,0020 m³ | Aluminu. | | 267715 | new |
| 3000 mm | 1,05 Kg | 0,0029 m³ | White | | 267746 | new |
| | 1,05 Kg | 0,0029 m³ | Aluminu. | | 267739 | new |






## SQUARE 31x31

| Length | Weight | Volume | Finish | | Code | |
|---|---|---|---|---|---|---|
| 2000 mm | 0,70 Kg | 0,0020 m³ | White | | 267487 | new |
| | 0,70 Kg | 0,0020 m³ | Aluminu. | | 267470 | new |
| 3000 mm | 1,05 Kg | 0,0029 m³ | White | | 267500 | new |
| | 1,05 Kg | 0,0029 m³ | Aluminu. | | 267494 | new |

STRIP LED AND DRIVER **Not included/Required - Page 816**
**Recommended Strip LED** `max 26 W/m`









Mounting kit PROILE 16x16 mm.



# Indoors

## Spotlights and Tracks





Quick 596


Smile 604

new

Fox 612


Lunare 616


Mouse 616


Spot 616


Glim 618


Glim 618


Look 619


Sky 619


Link 620

# Quick new

Extruded aluminum cylindrical tracklight suitable for installation on three-phase track. White or black powder coating, 355° turning head and 90° adjustable, the power driver is included and located in the cylindrical body of the projector itself. Dimmable 1-10 or DALI version available. Light source with integrated COB LED technology for maximum efficiency, available with a color temperature of 3000K or 4000K; Energy efficient LED with high color rendering, up to CRI ≥ 90; starting binning ≤3-Step MacAdam; symmetrical beam optic with three different emission angles and glare control (UGR <19); assembly and disassembly without tools; IP20 protection; insulation class I; LED useful life 50.000 h L80B50. Ideal for installation in big rooms, where great flexibility and color rendering is required, such as MUSEUM, COMMERCIAL and RETAIL spaces.

**PRO** High-tech product with high quality materials, intended for professional use.

**UGR** Product with UGR <19.


| | |
|---|---|
| **Source** | LED COB |
| **Power** | 15W / 21W / 28W |
| **Driver included** | On/Off / 1-10V / DALI |
| **Drivers available** | No |
| **Track** | Three-phase (standard Eutrac) |
| **MacAdam** | SDCM 3 |
| **CCT** | 3000 K / 4000 K |
| **CRI** | ≥80 / ≥90 |
| **UGR** | <19 |
| **LED life** | 50.000 h |
| **Insulation class** | I |
| **IP** | 20 |
| **Material** | Aluminum |
| **Warranty** | 5 years |



Link - Page 620

# Quick 15W






90° 355°

0,760 Kg/0,0038 m³

LED COB CITIZEN


**CRI ≥80**

| Power | Beam | Driver | Flux | CCT | Finish | | Code |
|---|---|---|---|---|---|---|---|
| 15 W | 30° | On-Off | 1900 Lm | 3000 K | White | | 222509 |
| | | | | | Black | | 222523 |
| | | | 2050 Lm | 4000 K | White | | 222530 |
| | | | | | Black | | 222547 |
| | | 1-10V | 1900 Lm | 3000 K | White | | 249643 |
| | | | | | Black | | 247861 |
| | | DALI | 1900 Lm | 3000 K | White | | 249681 |
| | | | | | Black | | 246437 |

**CRI ≥90**

| Power | Beam | Driver | Flux | CCT | Finish | | Code |
|---|---|---|---|---|---|---|---|
| 15 W | 30° | On-Off | 1650 Lm | 3000 K | White | | 222554 |
| | | | | | Black | | 222561 |
| | | | 1800 Lm | 4000 K | White | | 222578 |
| | | | | | Black | | 222585 |

| | | Included | Required | Beam | Driver | Finish | | Code | |
|---|---|---|---|---|---|---|---|---|---|
| | FILTER HONEYCOMB | No | No | | | Black | | 222608 | |
| | LENS* | No | No | 15° | | Clear | | 222592 | |
| | | No | No | 45° | | Clear | | 253558 | |
| | SINGLE CONNECTION | No | No | | On/Off | White | | 170145 | |
| | | No | No | | | Black | | 170152 | |
| | | No | No | | DALI/1-10V | White | | 247649 | new |
| | | No | No | | | Black | | 247632 | new |




| m | lx | øm |
|---|---|---|
| 1 | 3451 | 0,51 |
| 2 | 862 | 1,02 |
| 3 | 383 | 1,53 |
| 4 | 215 | 2,04 |
| 5 | 138 | 2,55 |

**CRI≥80 15W 30° 1900Lm 3000K**

* The optional lens will be mounted inside the product as replacement for the default one.












# Quick 21W






90° 355°

0,760 Kg/0,0038 m³

LED COB CITIZEN


**CRI ≥80**

| Power | Beam | Driver | Flux | CCT | Finish | | Code |
|---|---|---|---|---|---|---|---|
| 21W | 30° | On-Off | 2650 Lm | 3000 K | White | | 247946 |
| | | | | | Black | | 247939 |
| | | | 2900 Lm | 4000 K | White | | 247960 |
| | | | | | Black | | 247953 |
| | | 1-10V | 2650 Lm | 3000 K | White | | 249650 |
| | | | | | Black | | 247878 |
| | | DALI | 2650 Lm | 3000 K | White | | 249698 |
| | | | | | Black | | 246444 |

**CRI ≥90**

| Power | Beam | Driver | Flux | CCT | Finish | | Code |
|---|---|---|---|---|---|---|---|
| 21W | 30° | On-Off | 2350 Lm | 3000 K | White | | 247977 |
| | | | | | Black | | 225364 |
| | | | 2550 Lm | 4000 K | White | | 247991 |
| | | | | | Black | | 247984 |

| | | Included | Required | Beam | Driver | Finish | | Code | |
|---|---|---|---|---|---|---|---|---|---|
| | FILTER HONEYCOMB | No | No | | | Black | | 222608 | |
| | LENS* | No | No | 15° | | Clear | | 222592 | |
| | | No | No | 45° | | Clear | | 253558 | |
| | SINGLE CONNECTION | No | No | | On/Off | White | | 170145 | |
| | | No | No | | | Black | | 170152 | |
| | | No | No | | DALI/1-10V | White | | 247649 | new |
| | | No | No | | | Black | | 247632 | new |




| m | lx | øm |
|---|---|---|
| 1 | 6576 | 0,57 |
| 2 | 1644 | 1,14 |
| 3 | 731 | 1,71 |
| 4 | 411 | 2,28 |
| 5 | 263 | 2,85 |

**CRI≥80 21W 30° 2650Lm 3000K**

* The optional lens will be mounted inside the product as replacement for the default one.












# Quick 28W






90° 355°

1,200 Kg/0,0063 m³

LED COB CITIZEN


**CRI ≥80**

| Power | Beam | Driver | Flux | CCT | Finish | | Code |
|---|---|---|---|---|---|---|---|
| 28 W | 30° | On-Off | 3850 Lm | 3000 K | White | | 222615 |
| | | | | | Black | | 222622 |
| | | | 4100 Lm | 4000 K | White | | 222639 |
| | | | | | Black | | 222646 |
| | | 1-10V | 3850 Lm | 3000 K | White | | 249674 |
| | | | | | Black | | 247885 |
| | | DALI | 3850 Lm | 3000 K | White | | 249704 |
| | | | | | Black | | 246413 |

**CRI ≥90**

| Power | Beam | Driver | Flux | CCT | Finish | | Code |
|---|---|---|---|---|---|---|---|
| 28 W | 30° | On-Off | 3400 Lm | 3000 K | White | | 222653 |
| | | | | | Black | | 222660 |
| | | | 3600 Lm | 4000 K | White | | 222677 |
| | | | | | Black | | 222684 |

| | | Included | Required | Beam | Driver | Finish | | Code | |
|---|---|---|---|---|---|---|---|---|---|
|  | FILTER HONEYCOMB | No | No | | | Black | | 222714 | |
|  | LENS* | No | No | 18° | | Clear | | 222691 | |
| | | No | No | 45° | | Clear | | 222707 | |
|  | SINGLE CONNECTION | No | No | | On/Off | White | | 170145 | |
| | | No | No | | | Black | | 170152 | |
| | | No | No | | DALI/1-10V | White | | 247649 | new |
| | | No | No | | | Black | | 247632 | new |




| m | lx | øm |
|---|---|---|
| 1 | 8760 | 0,55 |
| 2 | 2190 | 1,11 |
| 3 | 973 | 1,67 |
| 4 | 547 | 2,22 |
| 5 | 350 | 2,78 |

**CRI≥80 28W 30° 3850Lm 3000K**

* The optional lens will be mounted inside the product as replacement for the default one.











# Smile

Cylindrical aluminum projector (extrusion + CNC manufacturing + forging) suitable for installation on three-phase track. White or black powder coating, 350 ° rotating head and 90 ° adjustable, the power driver is included and is located in the cylindrical body of the projector itself; light source with integrated LED COB technology, available with a color temperature of 3000K or 4000K and with color rendering index up to 90; starting binning ≤ 4-Step MacAdam; symmetrical beam optic with three different emission angles and glare control (UGR <19); assembly and disassembly without tools; IP 20 protection; insulation class II; LED useful life 50.000 h L70B50.
Ideal for the installation in big rooms, where great flexibility and color rendering is required, such as MUSEUM, COMMERCIAL and RETAIL spaces.

UGR Product with UGR <19.


| | |
|---|---|
| **Source** | LED COB |
| **Power** | 15W / 20W / 30W |
| **Driver included** | On/Off |
| **Drivers available** | No |
| **Track** | Three-phase (standard Eutrac) |
| **MacAdam** | SDCM ≤4 |
| **CCT** | 3000 K / 4000 K |
| **CRI** | ≥82 / ≥92 |
| **UGR** | <19 |
| **LED life** | 50.000 h |
| **Insulation class** | II |
| **IP** | 20 |
| **Material** | Aluminum |
| **Warranty** | 5 years |



Link - Page 620

# Smile 15W






0,610 Kg/0,0048 m³

LED COB PHILIPS **Driver TRIDONIC ON/OFF included**


**CRI ≥82**

| Power | Beam | Flux | CCT | Finish | | Code |
|---|---|---|---|---|---|---|
| 15 W | 24° | 1600 Lm | 3000 K | White | | 189574 |
| | | | | Black | | 189581 |
| | | 1700 Lm | 4000 K | White | | 189611 |
| | | | | Black | | 189628 |
| | 36° | 1600 Lm | 3000 K | White | | 189758 |
| | | | | Black | | 189765 |
| | | 1700 Lm | 4000 K | White | | 189796 |
| | | | | Black | | 189802 |
| | 50° | 1600 Lm | 3000 K | White | | 189932 |
| | | | | Black | | 189949 |
| | | 1700 Lm | 4000 K | White | | 189956 |
| | | | | Black | | 189963 |

**CRI ≥92**


| Power | Beam | Flux | CCT | Finish | | Code |
|---|---|---|---|---|---|---|
| 15 W | 24° | 1200 Lm | 3000 K | White | | 189598 |
| | | | | Black | | 189604 |
| | 36° | 1200 Lm | 3000 K | White | | 189772 |
| | | | | Black | | 189789 |
| | 50° | 1200 Lm | 3000 K | White | | 189970 |
| | | | | Black | | 189987 |

| | | Included | Required | Driver | Finish | | Code |
|---|---|---|---|---|---|---|---|
| | FILTER HONEYCOMB | No | No | | Black | | 189536 |
| | FILTER ELLIPTICAL | No | No | | Clear | | 189543 |
| | RING | No | No | | White | | 189505 |
| | SINGLE CONNECTION | No | No | On/Off | White | | 170145 |
| | | | | | Black | | 170152 |





| m | lx | øm |
|---|---|---|
| 1 | 4362 | 0,47 |
| 2 | 1090 | 0,94 |
| 3 | 484 | 1,41 |
| 4 | 272 | 1,88 |
| 5 | 174 | 2,35 |

CRI≥82 15W 24° 1600Lm 3000K




| m | lx | øm |
|---|---|---|
| 1 | 2923 | 0,64 |
| 2 | 730 | 1,29 |
| 3 | 324 | 1,94 |
| 4 | 182 | 2,58 |
| 5 | 116 | 3,23 |

CRI≥82 15W 36° 1600Lm 3000K




| m | lx | øm |
|---|---|---|
| 1 | 1611 | 0,89 |
| 2 | 402 | 1,79 |
| 3 | 179 | 2,69 |
| 4 | 100 | 3,59 |
| 5 | 64 | 4,49 |

CRI≥82 15W 50° 1600Lm 3000K














# Smile 20W






0,870 Kg/0,0050 m³

LED COB PHILIPS **Driver TRIDONIC ON/OFF included**


**CRI ≥82**

| Power | Beam | Flux | CCT | Finish | | Code |
|---|---|---|---|---|---|---|
| 20 W | 24° | 2350 Lm | 3000 K | White | | 189635 |
| | | | | Black | | 189642 |
| | | 2500 Lm | 4000 K | White | | 189673 |
| | | | | Black | | 189680 |
| | 36° | 2350 Lm | 3000 K | White | | 189819 |
| | | | | Black | | 189826 |
| | | 2500 Lm | 4000 K | White | | 189857 |
| | | | | Black | | 189864 |
| | 50° | 2350 Lm | 3000 K | White | | 189994 |
| | | | | Black | | 190006 |
| | | 2500 Lm | 4000 K | White | | 190013 |
| | | | | Black | | 190020 |

**CRI ≥92**


| Power | Beam | Flux | CCT | Finish | | Code |
|---|---|---|---|---|---|---|
| 20 W | 24° | 2200 Lm | 3000 K | White | | 189659 |
| | | | | Black | | 189666 |
| | 36° | 2200 Lm | 3000 K | White | | 189833 |
| | | | | Black | | 189840 |
| | 50° | 2200 Lm | 3000 K | White | | 190037 |
| | | | | Black | | 190044 |

| | Included | Required | Driver | Finish | | Code |
|---|---|---|---|---|---|---|
| FILTER HONEYCOMB | No | No | | Black | | 190181 |
| FILTER ELLIPTICAL | No | No | | Clear | | 190259 |
| RING | No | No | | White | | 189529 |
| SINGLE CONNECTION | No | No | On/Off | White | | 170145 |
| | | | | Black | | 170152 |





| m | lx | øm |
|---|---|---|
| 1 | 8787 | 0,42 |
| 2 | 2196 | 0,85 |
| 3 | 976 | 1,28 |
| 4 | 549 | 1,71 |
| 5 | 351 | 2,14 |

CRI≥82 20W 24° 2350Lm 3000K




| m | lx | øm |
|---|---|---|
| 1 | 4526 | 0,64 |
| 2 | 1131 | 1,28 |
| 3 | 502 | 1,92 |
| 4 | 282 | 2,56 |
| 5 | 181 | 3,20 |

CRI≥82 20W 36° 2350Lm 3000K




| m | lx | øm |
|---|---|---|
| 1 | 2657 | 0,93 |
| 2 | 664 | 1,87 |
| 3 | 295 | 2,81 |
| 4 | 166 | 3,75 |
| 5 | 106 | 4,69 |

CRI≥82 20W 50° 2350Lm 3000K












# Smile 30W






0,870 Kg/0,0050 m³

LED COB PHILIPS **Driver TRIDONIC ON/OFF included**


**CRI ≥82**

| Power | Beam | Flux | CCT | Finish | | Code |
|---|---|---|---|---|---|---|
| 30 W | 24° | 3150 Lm | 3000 K | White | | 189697 |
| | | | | Black | | 189703 |
| | | 3400 Lm | 4000 K | White | | 189734 |
| | | | | Black | | 189741 |
| | 36° | 3150 Lm | 3000 K | White | | 189871 |
| | | | | Black | | 189888 |
| | | 3400 Lm | 4000 K | White | | 189895 |
| | | | | Black | | 189901 |
| | 50° | 3150 Lm | 3000 K | White | | 190051 |
| | | | | Black | | 190068 |
| | | 3400 Lm | 4000 K | White | | 190075 |
| | | | | Black | | 190082 |

**CRI ≥92**


| Power | Beam | Flux | CCT | Finish | | Code |
|---|---|---|---|---|---|---|
| 30 W | 24° | 2900 Lm | 3000 K | White | | 189710 |
| | | | | Black | | 189727 |
| | 36° | 2900 Lm | 3000 K | White | | 189918 |
| | | | | Black | | 189925 |
| | 50° | 2900 Lm | 3000 K | White | | 190099 |
| | | | | Black | | 190105 |

| | | Included | Required | Driver | Finish | | Code |
|---|---|---|---|---|---|---|---|
| | FILTER HONEYCOMB | No | No | | Black | | 190181 |
| | FILTER ELLIPTICAL | No | No | | Clear | | 190259 |
| | RING | No | No | | White | | 189529 |
| | SINGLE CONNECTION | No | No | On/Off | White | | 170145 |
| | | | | | Black | | 170152 |





| m | lx | øm |
|---|---|---|
| 1 | 12955 | 0,39 |
| 2 | 3238 | 0,79 |
| 3 | 1439 | 1,19 |
| 4 | 809 | 1,59 |
| 5 | 518 | 1,99 |

**CRI≥82 30W 24° 3150Lm 3000K**




| m | lx | øm |
|---|---|---|
| 1 | 6240 | 0,62 |
| 2 | 1560 | 1,24 |
| 3 | 693 | 1,86 |
| 4 | 390 | 2,48 |
| 5 | 249 | 3,10 |

**CRI≥82 30W 36° 3150Lm 3000K**




| m | lx | øm |
|---|---|---|
| 1 | 3740 | 0,88 |
| 2 | 935 | 1,76 |
| 3 | 415 | 2,65 |
| 4 | 233 | 3,53 |
| 5 | 149 | 4,42 |

**CRI≥82 30W 50° 3150Lm 3000K**





# Fox new

Cylindrical aluminum projector suitable for installation on three-phase track. White or black powder coating, 275 ° rotating head and 90 ° adjustable, the power driver is included and is located in the cylindrical body of the projector itself; light source with integrated LED COB technology, available with a color temperature of 3000K or 4000K and with color rendering index up to ≥ 80; starting binning ≤ 2-Step MacAdam; asymmetric optics with medium aperture beam. Assembly and disassembly without tools. IP 20 protection; insulation class I; LED useful life 30.000 h L70B50. Perfect for lighting the small and medium size environments that require wide flexibility for arrangement, where great flexibility and color rendering is required, such as COMMERCIAL and RETAIL spaces, and an optimal performance-price ratio.


| | |
|---|---|
| **Source** | LED COB |
| **Power** | 8W / 15W / 25W |
| **Driver included** | On/Off |
| **Drivers available** | No |
| **Track** | Three-phase (standar Eutrac) |
| **MacAdam** | SDCM2 |
| **CCT** | 3000 K / 4000 K |
| **CRI** | ≥80 |
| **LED life** | 30.000 h |
| **Insulation class** | I |
| **IP** | 20 |
| **Material** | Aluminum |
| **Warranty** | 5 years |



Link - Page 620

# Fox new







0,300 Kg/0,0013 m³

LED COB BRIDGELUX **Driver ON/OFF included**

| Power | Beam | Flux | CCT | Finish | | Code | |
|---|---|---|---|---|---|---|---|
| 8 W | 41° | 950 Lm | 3000 K | White | | 250410 | |
| | | | | Black | | 250403 | |
| | | 1050 Lm | 4000 K | White | | 271453 | new |
| | | | | Black | | 271446 | new |







0,380 Kg/0,0019 m³

LED COB BRIDGELUX **Driver ON/OFF included**

| Power | Beam | Flux | CCT | Finish | | Code | |
|---|---|---|---|---|---|---|---|
| 15 W | 41° | 1500 Lm | 3000 K | White | | 250434 | |
| | | | | Black | | 250427 | |
| | | 1600 Lm | 4000 K | White | | 267784 | new |
| | | | | Black | | 267777 | new |






0,540 Kg/0,0025 m³


LED COB BRIDGELUX **Driver ON/OFF included**

| Power | Beam | Flux | CCT | Finish | | Code | |
|---|---|---|---|---|---|---|---|
| 25 W | 35° | 2500 Lm | 3000 K | White | | 250458 | |
| | | | | Black | | 250441 | |
| | | 2700 Lm | 4000 K | White | | 267807 | new |
| | | | | Black | | 267791 | new |




SINGLE CONNECTION

| Included | Required | Driver | Finish | | Code |
|---|---|---|---|---|---|
| No | No | On/Off | White | | 170145 |
| | | | Black | | 170152 |





| m | lx | øm |
|---|---|---|
| 1 | 2067 | 0,77 |
| 2 | 517 | 1,54 |
| 3 | 230 | 2,30 |
| 4 | 129 | 3,07 |
| 5 | 83 | 3,84 |

**CRI≥80 8W 41° 950Lm 3000K**




| m | lx | øm |
|---|---|---|
| 1 | 3204 | 0,80 |
| 2 | 801 | 1,60 |
| 3 | 356 | 2,40 |
| 4 | 200 | 3,20 |
| 5 | 128 | 4,00 |

**CRI≥80 15W 41° 1500Lm 3000K**




| m | lx | øm |
|---|---|---|
| 1 | 8140 | 0,61 |
| 2 | 2035 | 1,22 |
| 3 | 904 | 1,82 |
| 4 | 509 | 2,43 |
| 5 | 326 | 3,04 |

**CRI≥80 25W 35° 2500Lm 3000K**












# Spot Track

IP20 ALUMINUM






0,250 Kg/0,0016 m³

GU10 **Not included - Recommended bulb** 108292

| Power | Finish | Code |
|---|---|---|
| max 50W | White | 229706 |
| | Black | 229720 |



P. 312




P. 404

# Mouse Track

IP20 ALUMINUM






0,300 Kg/0,0027 m³

GU10 **Not included - Recommended bulb** 108292

| Power | Finish | Code |
|---|---|---|
| max 50W | White | 229768 |
| | Black | 229782 |



P. 312




P. 404

# Lunare Track

IP20 ALUMINUM






0,260 Kg/0,0060 m³

GU10 **Not included - Recommended bulb** 108292

| Power | Finish | Code |
|---|---|---|
| max 28W | White | 229737 |
| | Black | 229751 |



P. 406



| Included | Required | Driver | Finish | Code |
|---|---|---|---|---|
| No | No | On/Off | White | 170145 |
| | | | Black | 170152 |

SINGLE CONNECTION



Link - Page 620






## Glim Track

IP20 ALUMINUM






0,320 Kg/0,0180 m³


GU10 Bulbs LED GU10 13W 3000 K included. Code **189031**

| Power | Finish | Code |
|---|---|---|
| max 50W | White | **229676** |
| | Black | **229683** |



P. 314






0,290 Kg/0,0016 m³

GU10 Bulbs LED GU10 5W 3000 K included. Code **108292**

| Power | Finish | Code |
|---|---|---|
| max 50W | White | **229652** |
| | Black | **229669** |



SINGLE CONNECTION

| Included | Required | Driver | Finish | Code |
|---|---|---|---|---|
| No | No | On/Off | White | **170145** |
| | | | Black | **170152** |




Link - Page 620



## Sky Track - Look Track

IP20 ALUMINUM






0,900 Kg/0,0047 m³


GU10 Bulbs LED GU10 5W 3000 K included. Code **108292**

| Power | Finish | Code |
|---|---|---|
| max 28W | White | **231723** |
| | Black | **231686** |



P. 064 P. 303 P. 374






0,930 Kg/0,0037 m³

GU10 Bulbs LED GU10 5W 3000 K included. Code **108292**

| Power | Finish | Code |
|---|---|---|
| max 28W | White | **231662** |
| | Black | **231631** |



P. 060 P. 302 P. 375



SINGLE CONNECTION

| Included | Required | Driver | Finish | Code |
|---|---|---|---|---|
| No | No | On/Off | White | **170145** |
| | | | Black | **170152** |




Link - Page 620

# Link


Extruded aluminum body for three-phase electrified tracks; powder coating in white or black, optimized for on-off SMILE tracklights and for on-off and dimmable DALI and 1-10 QUICK tracklights. Available in ceiling-mounted, suspension-mounted or flush-mounted in plasterboard ceilings; suitable for continuous linear system installation, standard modules of 2000 mm or 3000 mm. Modules can be sectioned to size and assembled following the chosen scheme. Ideal for installation in big rooms, where great flexibility is required, such as MUSEUM, COMMERCIAL and RETAIL spaces. 5 years warranty.



# Link Trimless On/Off






TRACK

| Length | Weight | Volume | Finish | | Code |
|---|---|---|---|---|---|
| 1000 mm | 0,94 Kg | 0,0016 m³ | White | | 243269 |
| | | | Black | | 243252 |
| 2000 mm | 1,93 Kg | 0,0032 m³ | White | | 187976 |
| | | | Black | | 187983 |
| 3000 mm | 2,87 Kg | 0,0048 m³ | White | | 187990 |
| | | | Black | | 188003 |

| | Included | Required | N° Cables | Cables Length | Finish | Code |
|---|---|---|---|---|---|---|
| KIT SURFACE | No | Yes - 1 Kit x 1000 mm | | | White | 169972 |
| | | | | | Black | 169989 |
| SUSPENSION KIT | No | Yes - 1 Kit x 1000 mm | 1 | 3000 mm | White | 242705 |
| | | | | | Black | 243283 |
| | | | 1 | 5000 mm | White | 243245 |
| | | | | | Black | 243238 |



MAIN CONNECTOR END

0,060 Kg/0,0002 m³





| | |
|---|---|
| 169583 | L |
| 169576 | L |
| 169590 | R |
| 169606 | R |



MAIN CONNECTOR MIDDLE

0,120 Kg/0,0004 m³





| | |
|---|---|
| 227580 | |
| 227597 | |



MAIN CONNECTOR CORNER

0,110 Kg/0,0005 m³





| | |
|---|---|
| 169705 | L |
| 169712 | L |
| 169736 | R |
| 169729 | R |



ELECTRIFIED CONNECTOR

0,030 Kg/0,0001 m³




| | |
|---|---|
| 169637 | |
| 169644 | |



END CAP

0,010 Kg/0,0001 m³





| | |
|---|---|
| 169613 | |
| 169620 | |



TRACK ADAPTOR


0,080 Kg/0,0002 m³





| | |
|---|---|
| 194257 | |
| 194301 | |



# Link Trimless DALI - 1-10V






TRACK

| Length | Weight | Volume | Finish | | Code |
|---|---|---|---|---|---|
| 1000 mm | 0,94 Kg | 0,0016 m³ | White | | 246468 |
| | | | Black | | 246451 |
| 2000 mm | 1,93 Kg | 0,0032 m³ | White | | 247007 |
| | | | Black | | 246901 |
| 3000 mm | 2,87 Kg | 0,0048 m³ | White | | 247625 |
| | | | Black | | 247618 |

| | Included | Required | N° Cables | Cables Length | Finish | Code |
|---|---|---|---|---|---|---|
| KIT SURFACE | No | Yes - 1 Kit x 1000 mm | | | White | 169972 |
| | | | | | Black | 169989 |
| SUSPENSION KIT | No | Yes - 1 Kit x 1000 mm | 1 | 3000 mm | White | 242705 |
| | | | | | Black | 243283 |
| | | | 1 | 5000 mm | White | 243245 |
| | | | | | Black | 243238 |



MAIN CONNECTOR END

0,079 Kg/0,0002 m³





| | |
|---|---|
| 246529 | L |
| 246512 | L |
| 246543 | R |
| 246536 | R |



MAIN CONNECTOR MIDDLE

0,129 Kg/0,0004 m³





| | |
|---|---|
| 246581 | |
| 246574 | |



MAIN CONNECTOR CORNER

0,130 Kg/0,0006 m³





| | |
|---|---|
| 246604 | L |
| 246598 | L |
| 246628 | R |
| 246611 | R |



ELECTRIFIED CONNECTOR

0,041 Kg/0,0001 m³




| | |
|---|---|
| 246567 | |
| 246550 | |



END CAP

0,010 Kg/0,0001 m³





| | |
|---|---|
| 169613 | |
| 169620 | |




TRACK ADAPTOR

0,063 Kg/0,0003 m³





| | |
|---|---|
| 246505 | |
| 246499 | |

# Link Trim On/Off






TRACK

| Length | Weight | Volume | Finish | | Code |
|---|---|---|---|---|---|
| 2000 mm | 2,11 Kg | 0,0048 m3 | White | | 188010 |
| | | | Black | | 188027 |

| | Included | Required | Code |
|---|---|---|---|
| KIT RECESSED | No | Yes - 1 Kit x 1000 mm | 188195 |






MAIN CONNECTOR END

0,070 Kg/0,0002 m³

188072 L
188089 L
188058 R
188065 R

MAIN CONNECTOR MIDDLE

0,130 Kg/0,0004 m³

227689
227672




MAIN CONNECTOR CORNER

0,120 Kg/0,0006 m³

188119 L
188126 L
188096 R
188102 R




ELECTRIFIED CONNECTOR

0,030 Kg/0,0001 m³

169637
169644




END CAP

0,010 Kg/0,0001 m³

169613
169620





TRACK ADAPTOR

0,080 Kg/0,0002 m³


194257
194301



# Link Trim DALI - 1-10V






TRACK

| Length | Weight | Volume | Finish | | Code |
|---|---|---|---|---|---|
| 2000 mm | 2,11 Kg | 0,0048 m3 | White | | 246895 |
| | | | Black | | 249629 |

| | Included | Required | Code |
|---|---|---|---|
| KIT RECESSED | No | Yes - 1 Kit x 1000 mm | 188195 |






MAIN CONNECTOR END

0,089 Kg/0,0002 m³

256085 L
256078 L
256146 R
256122 R

MAIN CONNECTOR MIDDLE

0,143 Kg/0,0004 m³

256115
256092




MAIN CONNECTOR CORNER

0,140 Kg/0,0006 m³

256030 L
255996 L
256061 R
256047 R




ELECTRIFIED CONNECTOR

0,041 Kg/0,0001 m³

246567
246550




END CAP

0,010 Kg/0,0001 m³

169613
169620




TRACK ADAPTOR

0,063 Kg/0,0003 m³

246505
246499





# Indoors

## Recessed lights


new 
Play 628


Channel 629

new 
Nova 630

new 
Led Panel 632

new 
Lika 634


Dynamic 640

new 
Game 648

new 
Room-33 654


Virus 656

new 
Quark 657

new 
Off 658


Deep 662


Basic 664


Groove 670


Delta 672


Eye 673

new 
Bulbo 674


Zephyr 675


Samba 676


Jazz 678


Swing 678


Lounge 678


Funky 678

new 
Room-65 679


Blues 680

new 
Ska 681


Soul 682


Soul 682


Polka 682


Walky 683


Walky 683


Walky 683






# Play new

IP20 CRI ≥90 50.000 h ALUMINUM






90° 355° 45 mm
0,220 Kg/0,0014 m³


LED COB AND DRIVER Included

| Power | Beam | Flux | CCT | Finish | | Code | |
|---|---|---|---|---|---|---|---|
| 7 W | 17° | 520 Lm | 3000 K | White | | 258270 | new |
| | | | | Black | | 268088 | new |

# Channel

IP20 ALUMINUM







0,490 Kg/0,0037 m³

GU10 Bulbs LED GU10 13W 3000 K included. Code **189031**

| Power | Finish | | Code |
|---|---|---|---|
| max 13W | Black | | 203140 |






0,170 Kg/0,0017 m³


GU10 Bulbs LED GU10 5W 3000 K included. Code **108292**

| Power | Finish | | Code |
|---|---|---|---|
| max 7W | Black | | 203133 |

# Nova new

| | | | |
|---|---|---|---|
| **Source** | LED COB | **LED life** | 30.000 h |
| **Power** | 12W / 30W | **Insulation class** | II |
| **Driver included** | On/Off | **IP** | 20 |
| **Drivers available** | 1-10V / DALI / Push | **Material** | Aluminum |
| **CCT** | 3000 K / 4000 K | **Warranty** | 5 years |
| **CRI** | ≥90 | | |






90° 360° 90 mm
0,550 Kg/0,0016 m³


LED COB PHILIPS Driver ON/OFF included - UGR <19

| Power | Beam | Flux | CCT | Finish | | Code | |
|---|---|---|---|---|---|---|---|
| 12 W | 38° | 1000 Lm | 3000 K | White | | 248165 | |
| | | | | Black | | 248189 | |
| | | | 4000 K | White | | 267937 | new |
| | | | | Black | | 267920 | new |

DIMMABLE DRIVER* Not included/Optional

| | Power | Output | Measure | Code |
|---|---|---|---|---|
| 1-10V | 15 W | 300 mA | 167 x 41 x 31 mm | 243993 |
| DALI | 12 W | 300 mA | 135 x 30 x 20 mm | 243986 |






90° 360° 140 mm
1,160 Kg/0,0039 m³

LED COB PHILIPS Driver ON/OFF included - UGR <22


| Power | Beam | Flux | CCT | Finish | | Code | |
|---|---|---|---|---|---|---|---|
| 30 W | 38° | 3150 Lm | 3000 K | White | | 248172 | |
| | | | | Black | | 248196 | |
| | | | 4000 K | White | | 267951 | new |
| | | | | Black | | 267944 | new |

DIMMABLE DRIVER* Not included/Optional

| | Power | Output | Measure | Code |
|---|---|---|---|---|
| 1-10V / Push | 30 W | 750 mA | 167 x 41 x 32 mm | 248370 |
| DALI/Push | 36 W | 700 mA | 167 x 39 x 30 mm | 248592 |




| | Model | Included | Required | Beam | Code |
|---|---|---|---|---|---|
| LENS | Nova 12W | No | No | 15° | 244013 |
| | Nova 30W | No | No | 15° | 248608 |




| m | lx | øm |
|---|---|---|
| 1 | 1768 | 0,66 |
| 2 | 442 | 1,32 |
| 3 | 196 | 1,97 |
| 4 | 111 | 2,63 |
| 5 | 71 | 3,29 |

CRI≥90 12W 38° 1000Lm 3000K




| m | lx | øm |
|---|---|---|
| 1 | 4671 | 0,64 |
| 2 | 1168 | 1,28 |
| 3 | 519 | 1,93 |
| 4 | 292 | 2,57 |
| 5 | 187 | 3,21 |

CRI≥90 30W 38° 3150Lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.










# Led Panel new

| | | | |
|---|---|---|---|
| **Source** | LED SMD | **UGR** | <19 |
| **Power** | 38,5W | **LED life** | 25.000 h |
| **Driver included** | On/Off | **Insulation class** | II |
| **Drivers available** | 1-10V / DALI / Push | **IP** | 20 |
| **MacAdam** | SDCM ≤4 | **Material** | Aluminum |
| **CCT** | 3000 K / 4000 K | **Warranty** | 5 years |
| **CRI** | ≥80 / ≥90 | | |






2,200 Kg/0,0144 m³
**Purchase Qty. 2 pieces**

LED SMD Driver ON/OFF included

CRI ≥80

| Power | Beam | Flux | CCT | Finish | Code |
|---|---|---|---|---|---|
| 38,5 W | 81° | 3800 Lm | 3000 K | White | 249711 |
| | | 3950 Lm | 4000 K | White | 249728 |

CRI ≥90


| Power | Beam | Flux | CCT | Finish | Code |
|---|---|---|---|---|---|
| 38,5 W | 81° | 3800 Lm | 3000 K | White | 246390 |
| | | 3950 Lm | 4000 K | White | 244181 |

DIMMABLE DRIVER* Not included/Optional

| | Power | Output | Measure | Code |
|---|---|---|---|---|
| 1-10V | 40 W | 1000 mA | 125 x 83 x 26 mm | 247854 |
| DALI/Push | 40 W | 1000 mA | 106 x 69 x 28 mm | 247847 |

| | Included | Required | N° Cables | Cables Length | Code |
|---|---|---|---|---|---|
| KIT PENDANT | No | No | 4 | 1000 mm | 244198 |
| KIT SURFACE | No | No | | | 244204 |
| RECESSED FRAME** | No | No | | | 267692 |

new




| m | lx | øm |
|---|---|---|
| 1 | 1470 | 1,79 |
| 2 | 367 | 3,59 |
| 3 | 163 | 5,38 |
| 4 | 92 | 7,18 |
| 5 | 59 | 8,97 |

**CRI≥80 38,5W 81° 3800Lm 3000K**


* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.

**RECESSED FRAME 607 x 607 mm



Kit Emergency - Page 818











# Lika new


Family of recessed rectangular LED modules in die-cast aluminum, painted black or white with shiny black polycarbonate reflector. Available in the TRIM version, with frame, or TRIMLESS, with totally vanishing recessed edge, for installation on plasterboard ceilings. Modules available with two, five or ten light sources. Specially designed to avoid glare (UGR <19), best for installation in OFFICES and SHOPS or in minimal residential environments. Light source with integreated LED; available with 3000 K and 4000 K color temperature; CRI ≥ 90, protection degree IP20, insulation class II; LED useful life 30.000 h L70B50.

UGR Product with UGR <16.

| | |
|---|---|
| **Source** | LED COB |
| **Power** | 6W / 12,5W / 20W |
| **Driver included** | On/Off |
| **Drivers available** | DALI / Push |
| **CCT** | 3000 K / 4000 K |
| **CRI** | ≥90 |
| **UGR** | <16 |
| **LED life** | 30.000 h |
| **Insulation class** | II |
| **IP** | 20 |
| **Material** | Aluminum |
| **Warranty** | 5 years |

# Lika Trim







68 x 37 mm
0,130 Kg/0,0005 m³

LED COB OSRAM Driver ON/OFF included

| Power | Beam | Flux | CCT | Finish | | Code | |
|---|---|---|---|---|---|---|---|
| 6 W | 29° | 440 Lm | 3000 K | Black | + | 206196 | |
| | | 500 Lm | 4000 K | Black | + | 267869 | new |







140 x 37 mm
0,240 Kg/0,0008 m³

LED COB OSRAM Driver ON/OFF included

| Power | Beam | Flux | CCT | Finish | | Code | |
|---|---|---|---|---|---|---|---|
| 12,5 W | 29° | 1100 Lm | 3000 K | Black | + | 206219 | |
| | | 1250 Lm | 4000 K | Black | + | 267876 | new |







273 x 37 mm
0,480 Kg/0,0016 m³

LED COB OSRAM Driver ON/OFF included

| Power | Beam | Flux | CCT | Finish | | Code | |
|---|---|---|---|---|---|---|---|
| 20 W | 29° | 2200 Lm | 3000 K | Black | + | 206233 | |
| | | 2500 Lm | 4000 K | Black | + | 267883 | new |

DIMMABLE DRIVER* Not included/Optional

| Model | Control | Power | Output | Measure | Code | |
|---|---|---|---|---|---|---|
| Lika 6 W | DALI | 10 W | 700 mA | 135 x 30 x 20 mm | 267982 | new |
| Lika 12,5 W | DALI | 12 W | 700 mA | 135 x 30 x 20 mm | 267999 | new |
| Lika 20 W | DALI/Push | 25 W | 600 mA | 167 x 41 x 32 mm | 268002 | new |




| m | lx | øm |
|---|---|---|
| 1 | 2091 | 0,58 |
| 2 | 523 | 1,16 |
| 3 | 232 | 1,74 |
| 4 | 131 | 2,32 |
| 5 | 70 | 2,90 |

**CRI≥90 12,5W 29° 1100Lm 3000K**

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.














# Lika Trimless







75 x 70 mm
0,220 Kg/0,0006 m³

LED COB OSRAM Driver ON/OFF included

| Power | Beam | Flux | CCT | Finish | | Code | |
|---|---|---|---|---|---|---|---|
| 6 W | 29° | 440 Lm | 3000 K | Black | | 206202 | |
| | | 500 Lm | 4000 K | Black | | 267890 | new |







145 x 70 mm
0,390 Kg/0,0013 m³

LED COB OSRAM Driver ON/OFF included

| Power | Beam | Flux | CCT | Finish | | Code | |
|---|---|---|---|---|---|---|---|
| 12,5 W | 29° | 1100 Lm | 3000 K | Black | | 206226 | |
| | | 1250 Lm | 4000 K | Black | | 267906 | new |







278 x 70 mm
0,720 Kg/0,0023 m³

LED COB OSRAM Driver ON/OFF included

| Power | Beam | Flux | CCT | Finish | | Code | |
|---|---|---|---|---|---|---|---|
| 20 W | 29° | 2200 Lm | 3000 K | Black | | 206240 | |
| | | 2500 Lm | 4000 K | Black | | 267913 | new |

DIMMABLE DRIVER* Not included/Optional

| Model | Control | Power | Output | Measure | Code | |
|---|---|---|---|---|---|---|
| Lika 6 W | DALI | 10 W | 700 mA | 135 x 30 x 20 mm | 267982 | new |
| Lika 12,5 W | DALI | 12 W | 700 mA | 135 x 30 x 20 mm | 267999 | new |
| Lika 20 W | DALI/Push | 25 W | 600 mA | 167 x 41 x 32 mm | 268002 | new |




| m | lx | øm |
|---|---|---|
| 1 | 2786 | 0,58 |
| 2 | 696 | 1,16 |
| 3 | 309 | 1,74 |
| 4 | 174 | 2,32 |
| 5 | 111 | 2,90 |

**CRI≥90 12,5W 29° 1100Lm 3000K**

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.









# Dynamic

Modular system of aluminum recessed elements consisting of source, reflector and seal, with lenses and optional screens; white, chrome, black, gold finish; possible recess of round or square shape, symmetrical or asymmetrical reflector; three different emission angles options. Light source with integrated LED COB technology for maximum efficiency, available with a color temperature of 2700 K, 3000 K or 4000 K; Energy efficient LED with high color rendering; CRI ≥90; starting binning ≤3-Step MacAdam; front protection IP54 (after installation of the product); insulation class II; LED useful life 50.000 h L70B50. Available in both DALI and 1-10V dimmable versions. Thanks to its compact size and great versatility, it is optimal for installation in DOMESTIC, MANAGERIAL and RETAIL indoor locations.

**PRO** High-tech product with high quality materials, intended for professional use.

**UGR** Product with UGR <19.

**IP54** Protection degree IP54.


| | |
|---|---|
| **Source** | LED COB |
| **Power** | 9W / 10W / 15W |
| **Driver included** | On/Off |
| **Drivers available** | 1-10V / DALI / Push |
| **MacAdam** | SDCM 3 |
| **CCT** | 2700 K / 3000 K / 4000 K |
| **CRI** | ≥90 |
| **UGR** | <19 |
| **LED life** | 50.000 h |
| **Insulation class** | II |
| **IP** | 54 |
| **Material** | Aluminum |
| **Warranty** | 5 years |



Kit Emergency - Page 818





| | | Included | Beam | Finish | | Code |
|---|---|---|---|---|---|---|
|  | LENS | No | 20° | Clear | | 211763 |
| | | Yes | 35° | Clear | | 208664 |
| | | No | 55° | Clear | | 211770 |
|  | FILTER HONEYCOMB | No | | Black | | 208671 |
|  | FILTER ELLIPTICAL | No | | Clear | | 208688 |
|  | GU10 ADAPTOR WITH LAMPHOLDER INCLUDED | No | | White | | 208640 |
| | | No | | Black | | 208657 |





| m | lx | øm |
|---|---|---|
| 1 | 1653 | 0,72 |
| 2 | 413 | 1,44 |
| 3 | 184 | 2,16 |
| 4 | 103 | 2,88 |
| 5 | 66 | 3,60 |

CRI≥90 9W 35° 1000Lm 3000K




| m | lx | øm |
|---|---|---|
| 1 | 1643 | 0,66 |
| 2 | 410 | 1,32 |
| 3 | 182 | 1,98 |
| 4 | 102 | 2,64 |
| 5 | 65 | 3,30 |

CRI≥90 10W 35° 1250Lm 3000K





| m | lx | øm |
|---|---|---|
| 1 | 2294 | 0,64 |
| 2 | 573 | 1,29 |
| 3 | 254 | 1,93 |
| 4 | 143 | 2,58 |
| 5 | 91 | 3,23 |

CRI≥90 15W 35° 1600Lm 3000K



# Dynamic - Source






0,180 Kg/0,0030 m³


LED COB CITIZEN **Not included/Required - Driver TRIDONIC ON/OFF included**

| Power | Beam | Flux | CCT | Finish | | Code |
|---|---|---|---|---|---|---|
| 9 W | 35° | 950 Lm | 2700 K | Black | | 252971 |
| | | 1000 Lm | 3000 K | Black | | 252988 |
| | | 1050 Lm | 4000 K | Black | | 252995 |

DIMMABLE DRIVER* Not included/Optional

| | Power | Output | Measure | Code |
|---|---|---|---|---|
| 1-10V | 12 W | 200 mA | 125 x 45 x 27 mm | 253008 |
| DALI | 11 W | 200 mA | 135 x 30 x 20 mm | 253015 |






0,150 Kg/0,0030 m³

LED COB CITIZEN **Not included/Required - Driver TRIDONIC ON/OFF included**

| Power | Beam | Flux | CCT | Finish | | Code |
|---|---|---|---|---|---|---|
| 10 W | 35° | 1150 Lm | 2700 K | Black | | 208541 |
| | | 1250 Lm | 3000 K | Black | | 208558 |
| | | 1300 Lm | 4000 K | Black | | 208565 |

DIMMABLE DRIVER* Not included/Optional

| | Power | Output | Measure | Code |
|---|---|---|---|---|
| 1-10V | 10 W | 250 mA | 135 x 20 x 30 mm | 216317 |
| DALI/Push | 17 W | 250 mA | 130 x 30 x 43 mm | 216027 |






0,200 Kg/0,0030 m³

LED COB CITIZEN **Not included/Required - Driver TRIDONIC ON/OFF included**

| Power | Beam | Flux | CCT | Finish | | Code |
|---|---|---|---|---|---|---|
| 15 W | 35° | 1500 Lm | 2700 K | Black | | 208572 |
| | | 1600 Lm | 3000 K | Black | | 208589 |
| | | 1700 Lm | 4000 K | Black | | 208596 |


DIMMABLE DRIVER* Not included/Optional

| | Power | Output | Measure | Code |
|---|---|---|---|---|
| 1-10V | 20 W | 350 mA | 101 x 29 x 51 mm | 216324 |
| DALI/Push | 17 W | 350 mA | 130 x 30 x 43 mm | 216263 |


* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.

# Dynamic Round









0,020 Kg/0,0002 m³

REFLECTOR Not included/Required

SYMMETRICAL

| Finish | Code |
|---|---|
| White | 211787 |
| Chrome | 221649 |
| Black | 211794 |
| Gold | 211800 |







0,020 Kg/0,0002 m³

ASYMMETRIC - 30°

| Finish | Code |
|---|---|
| White | 211848 |
| Chrome | 221663 |
| Black | 211855 |
| Gold | 211862 |






⌀ 80 mm

0,060 Kg/0,0004 m³

FRAME Not included/Required

| Finish | Code |
|---|---|
| White | 208695 |
| Chrome | 221687 |
| Black | 208701 |
| Gold | 208718 |















# Dynamic Square







0,020 Kg/0,0002 m³

REFLECTOR Not included/Required

SYMMETRICAL

| Finish | Code |
|---|---|
| White | 211817 |
| Chrome | 221656 |
| Black | 211824 |
| Gold | 211831 |







0,020 Kg/0,0002 m³

ASYMMETRIC - 30°

| Finish | Code |
|---|---|
| White | 211879 |
| Chrome | 221670 |
| Black | 211886 |
| Gold | 211893 |






⌀ 90 mm

0,050 Kg/0,0004 m³


FRAME Not included/Required

| Finish | Code |
|---|---|
| White | 208725 |
| Chrome | 221694 |
| Black | 208732 |
| Gold | 208749 |











# Game new

Die-cast aluminum recessed spotlight with round or square seal, suitable for the installation on plasterboard ceilings. Matt chrome finish, matt white RAL 9001, matt black RAL 9011, matt gold RAL 1032. COB-Chip on Board technology for maximum efficiency; available with color temperatures 3000 K or 4000 K; CRI ≥ 85. Assembling and disassembling without utensils; protection IP20; insulation class II; LED useful life 30.000 h L70B50. It can be dimmed with 1-10V and DALI.

UGR Product with UGR <19.


| | |
|---|---|
| **Source** | LED COB |
| **Power** | 11W |
| **Driver included** | On/Off |
| **Drivers available** | 1-10V / DALI |
| **CCT** | 3000 K / 4000 K |
| **CRI** | ≥85 |
| **UGR** | <19 |
| **LED life** | 30.000 h |
| **Insulation class** | II |
| **IP** | 20 |
| **Material** | Aluminum |
| **Warranty** | 5 years |



Kit Emergency - Page 818

# Game Round







⏀ 74 mm
0,280 Kg/0,0011 m³

LED COB CREE Driver ON/OFF included

| Power | Beam | Flux | CCT | Finish | | Code | |
|---|---|---|---|---|---|---|---|
| 11 W | 36° | 850 Lm | 3000 K | Silver | + | 192284 | |
| | | | | White | + | 192291 | |
| | | | | Black | + | 192277 | |
| | | | | Gold | + | 192307 | |
| | | | 4000 K | White | + | 267975 | new |







⏀ 74 mm
0,280 Kg/0,0011 m³

LED COB CREE Driver ON/OFF included

| Power | Beam | Flux | CCT | Finish | | Code | |
|---|---|---|---|---|---|---|---|
| 11 W | 36° | 850 Lm | 3000 K | Silver | + | 192321 | |
| | | | | White | + | 192338 | |
| | | | | Black | + | 192314 | |
| | | | | Gold | + | 192345 | |
| | | | 4000 K | Black | + | 267968 | new |

DIMMABLE DRIVER* Not included/Optional

| | Power | Output | Measure | Code |
|---|---|---|---|---|
| 1-10V | 12 W | 250 mA | 150 x 43 x 29 mm | 217253 |
| DALI | 11 W | 250 mA | 135 x 20 x 30 mm | 202396 |




| m | lx | øm |
|---|---|---|
| 1 | 1545 | 0,69 |
| 2 | 386 | 1,38 |
| 3 | 171 | 2,07 |
| 4 | 96 | 2,77 |
| 5 | 61 | 3,46 |

CRI≥85 11W 36° 850Lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.












# Game Square







75 x 75 mm
0,270 Kg/0,0011 m³

LED COB CREE Driver ON/OFF included

| Power | Beam | Flux | CCT | Finish | | Code |
|---|---|---|---|---|---|---|
| 11 W | 36° | 850 Lm | 3000 K | White | + | 192376 |
| | | | | Black | + | 192352 |







75 x 75 mm
0,270 Kg/0,0011 m³

LED COB CREE Driver ON/OFF included

| Power | Beam | Flux | CCT | Finish | | Code |
|---|---|---|---|---|---|---|
| 11 W | 36° | 850 Lm | 3000 K | White | + | 192406 |
| | | | | Black | + | 192383 |

DIMMABLE DRIVER* Not included/Optional

| | Power | Output | Measure | Code |
|---|---|---|---|---|
| 1-10V | 12 W | 250 mA | 150 x 43 x 29 mm | 217253 |
| DALI | 11 W | 250 mA | 135 x 20 x 30 mm | 202396 |




| m | lx | øm |
|---|---|---|
| 1 | 1545 | 0,69 |
| 2 | 386 | 1,38 |
| 3 | 171 | 2,07 |
| 4 | 96 | 2,77 |
| 5 | 61 | 3,46 |

CRI≥85 11W 36° 850Lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.












# Room-33 new

| | | | |
|---|---|---|---|
| **Source** | LED COB | **UGR** | <13 |
| **Power** | 11W | **LED life** | 50.000 h |
| **Driver included** | On/Off | **Insulation class** | II |
| **Drivers available** | No | **IP** | 44 |
| **MacAdam** | SDCM 3 | **Material** | Aluminum |
| **CCT** | 2700 K | **Warranty** | 5 years |
| **CRI** | ≥80 | | |







30° 75 mm

0,290 Kg/0,0012 m³

LED COB Driver ON/OFF included Included

| Power | Beam | Flux | CCT | Finish | | Code | |
|---|---|---|---|---|---|---|---|
| 11 W | 20° | 930 Lm | 2700 K | White | | 251943 | new |
| | | | | Black | | 251950 | new |







30° 75 mm

0,290 Kg/0,0012 m³

LED COB Driver ON/OFF included Included

| Power | Beam | Flux | CCT | Finish | | Code | |
|---|---|---|---|---|---|---|---|
| 11 W | 20° | 930 Lm | 2700 K | White | | 251967 | new |
| | | | | Black | | 251981 | new |







30° 75 mm

0,290 Kg/0,0012 m³


LED COB Driver ON/OFF included Included

| Power | Beam | Flux | CCT | Finish | | Code | |
|---|---|---|---|---|---|---|---|
| 11 W | 20° | 930 Lm | 2700 K | White | | 251998 | new |
| | | | | Black | | 252018 | new |





| m | lx | øm |
|---|---|---|
| 1 | 2956 | 0,29 |
| 2 | 739 | 0,58 |
| 3 | 328 | 0,86 |
| 4 | 185 | 1,20 |
| 5 | 118 | 1,40 |

**CRI≥80 9W 20° 930Lm 2700K**




| m | lx | øm |
|---|---|---|
| 1 | 3979 | 0,27 |
| 2 | 995 | 0,53 |
| 3 | 442 | 0,80 |
| 4 | 249 | 1,10 |
| 5 | 159 | 1,30 |

**CRI≥80 9W 20° 930Lm 2700K**




| m | lx | øm |
|---|---|---|
| 1 | 4976 | 0,33 |
| 2 | 1244 | 0,67 |
| 3 | 533 | 0,10 |
| 4 | 311 | 1,30 |
| 5 | 199 | 1,70 |

**CRI≥80 9W 20° 930Lm 2700K**
















# Virus

IP20 CRI ≥90 30.000 h ALUMINUM







30 mm
0,070 Kg/0,0003 m³

LED SMD OSRAM AND DRIVER Included

| Power | Beam | Flux | CCT | Finish | | Code |
|---|---|---|---|---|---|---|
| 3 W | 20° | 210 Lm | 3000 K | White | + | 244808 |
| | | | | Gold | + | 244822 |
| | | | | Black | + | 244846 |
| | | | | Gold | + | 244853 |




| m | lx | øm |
|---|---|---|
| 1 | 1374 | 0,30 |
| 2 | 344 | 0,60 |
| 3 | 153 | 0,91 |
| 4 | 86 | 1,20 |
| 5 | 55 | 1,50 |

CRI≥90 3W 20° 210Lm 3000K


244808


244822


244846



244853



# Quark new

IP20 CRI ≥80 50.000 h ALUMINUM







45 mm
0,170 Kg/0,0005 m³

LED COB CITIZEN AND DRIVER Included

| Power | Beam | Flux | CCT | Finish | | Code | |
|---|---|---|---|---|---|---|---|
| 8 W | 30° | 550 Lm | 3000 K | White | | 258478 | new |
| | | | | Black | | 258461 | new |




| m | lx | øm |
|---|---|---|
| 1 | 1446 | 0,54 |
| 2 | 362 | 1,10 |
| 3 | 161 | 1,60 |
| 4 | 90 | 2,20 |
| 5 | 56 | 2,70 |

CRI≥80 8W 30° 550Lm 3000K

# Off new

Unmovable aluminum recessed fitting with round ring in three different dimensions, suitable for plasterboard ceilings installation. Matt black RAL 9005 and matt white ral 9016 finishes, Passively cooled integrated LED ; COB (Chip on Board) technology for maximum efficiency; UGR < 19; starting binning ≤ 3-Step MacAdam; available with 3000 K and 4000 K color temperature; CRI ≥ 90; protection IP54; insulation class II; dimmable options: 1-10V, DALI and Push; LED useful life 50.000 h L80B50. Suited for OFFICES and MANAGERIAL environments and in general where computers are present and there is the necessity to guarantee a great glare control. The high color rendering level makes it ideal even for exhibiting spaces and for the enhancement of the products in a showroom and sales area of the RETAIL sector.

**PRO** High-tech product with high quality materials, intended for professional use.

**UGR** Product with UGR <19.

**IP54** Protection degree IP54.


| | |
|---|---|
| **Source** | LED COB |
| **Power** | 15W / 28W / 42W |
| **Driver included** | On/Off |
| **Drivers available** | 1-10V / DALI / Push |
| **MacAdam** | SDCM 3 |
| **CCT** | 3000 K / 4000 K |
| **CRI** | ≥90 |
| **UGR** | <19 |
| **LED life** | 50.000 h |
| **Insulation class** | II |
| **IP** | 54 |
| **Material** | Aluminum |
| **Warranty** | 5 years |



Kit Emergency - Page 818

# Off new







100 mm
0,460 Kg/0,0021 m³

LED COB CITIZEN **Driver TRIDONIC ON/OFF included**

| Power | Beam | Flux | CCT | Finish | | Code | |
|---|---|---|---|---|---|---|---|
| 15 W | 50° | 1500 Lm | 3000 K | White | | 266497 | new |
| | | | | Black | | 266558 | new |
| | | 1600 Lm | 4000 K | White | | 266503 | new |
| | | | | Black | | 266565 | new |







150 mm
0,990 Kg/0,0045 m³

LED COB CITIZEN **Driver TRIDONIC ON/OFF included**

| Power | Beam | Flux | CCT | Finish | | Code | |
|---|---|---|---|---|---|---|---|
| 28 W | 60° | 3200 Lm | 3000 K | White | | 266510 | new |
| | | | | Black | | 266572 | new |
| | | 3400 Lm | 4000 K | White | | 266527 | new |
| | | | | Black | | 266589 | new |






200 mm
1,850 Kg/0,0094 m³

LED COB CITIZEN **Driver TRIDONIC ON/OFF included**

| Power | Beam | Flux | CCT | Finish | | Code | |
|---|---|---|---|---|---|---|---|
| 42 W | 60° | 4600 Lm | 3000 K | White | | 266534 | new |
| | | | | Black | | 266596 | new |
| | | 4800 Lm | 4000 K | White | | 266541 | new |
| | | | | Black | | 266602 | new |




REFLECTOR

| Model | Included | Required | Code | |
|---|---|---|---|---|
| Off 15W | No | No | 266619 | new |
| Off 28 W | No | No | 266626 | new |
| Off 42 W | No | No | 266633 | new |


DIMMABLE DRIVER* Not included/Optional

| Model | Control | Power | Output | Measure | Code | |
|---|---|---|---|---|---|---|
| Off 15 W | 1-10V/Push | 20 W | 350 mA | 105 x 20 x 50 mm | 266657 | new |
| | DALI | 20 W | 350 mA | 105 x 20 x 50 mm | 266701 | new |
| Off 28 W | 1-10V/Push | 33 W | 700 mA | 100 x 20 x 65 mm | 266671 | new |
| | DALI | 32 W | 700 mA | 100 x 20 x 65 mm | 266725 | new |
| Off 42 W | 1-10V | 42 W | 1050 mA | 120 x 20 x 75 mm | 266688 | new |
| | DALI/Push | 45 W | 1050 mA | 150 x 43 x 30 mm | 266732 | new |





| m | lx | øm |
|---|---|---|
| 1 | 1688 | 0,93 |
| 2 | 422 | 1,90 |
| 3 | 188 | 2,80 |
| 4 | 105 | 3,70 |
| 5 | 68 | 4,60 |

CRI≥90 15W 50° 1100Lm 3000K




| m | lx | øm |
|---|---|---|
| 1 | 2457 | 1,30 |
| 2 | 614 | 2,50 |
| 3 | 273 | 3,80 |
| 4 | 154 | 5,10 |
| 5 | 98 | 6,40 |

CRI≥90 28W 60° 2300Lm 3000K




| m | lx | øm |
|---|---|---|
| 1 | 3496 | 1,20 |
| 2 | 874 | 2,40 |
| 3 | 388 | 3,60 |
| 4 | 218 | 4,80 |
| 5 | 140 | 6,00 |

CRI≥90 42W 60° 4600Lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.














# Deep

| | | | |
|---|---|---|---|
| **Source** | LED SMD | **LED life** | 30.000 h |
| **Power** | 10W / 20W / 30W | **Insulation class** | II |
| **Driver included** | On/Off | **IP** | 20 |
| **Drivers available** | 1-10V / DALI / Push | **Material** | Aluminum |
| **CCT** | 3000 K / 4000 K | **Warranty** | 5 years |
| **CRI** | ≥80 | | |







⌀ 90 mm
0,160 Kg/0,0014 m³

LED SMD Driver ON/OFF included

| Power | Beam | Flux | CCT | Finish | Code |
|---|---|---|---|---|---|
| 10 W | 70° | 1200 Lm | 3000 K | White | 249018 |
| | | | 4000 K | White | 249025 |







⌀ 145 mm
0,360 Kg/0,0037 m³

LED SMD Driver ON/OFF included

| Power | Beam | Flux | CCT | Finish | Code |
|---|---|---|---|---|---|
| 20 W | 77° | 2100 Lm | 3000 K | White | 249032 |
| | | | 4000 K | White | 249049 |







⌀ 200 mm
0,650 Kg/0,0053 m³

LED SMD Driver ON/OFF included

| Power | Beam | Flux | CCT | Finish | Code |
|---|---|---|---|---|---|
| 30 W | 77° | 3200 Lm | 3000 K | White | 248783 |
| | | | 4000 K | White | 248790 |


DIMMABLE DRIVER* Not included/Optional

| Model | Control | Power | Output | Measure | Code |
|---|---|---|---|---|---|
| Deep 10 W | 1-10V | 10 W | 300 mA | 135 x 30 x 20 mm | 248950 |
| | DALI/Push | 12 W | 300 mA | 135 x 30 x 20 mm | 248967 |
| Deep 20 W | 1-10V/Push | 25 W | 500 mA | 167 x 41 x 32 mm | 248974 |
| | DALI | 25 W | 500 mA | 167 x 41 x 32 mm | 248981 |
| Deep 30 W | 1-10V/Push | 30 W | 750 mA | 167 x 41 x 32 mm | 248998 |
| | DALI | 36 W | 700 mA | 167 x 39 x 30 mm | 249001 |





| m | lx | øm |
|---|---|---|
| 1 | 625 | 1,43 |
| 2 | 156 | 2,86 |
| 3 | 69 | 4,30 |
| 4 | 39 | 5,73 |
| 5 | 25 | 7,16 |

CRI≥80 10W 70° 1200Lm 3000K




| m | lx | øm |
|---|---|---|
| 1 | 1056 | 1,60 |
| 2 | 264 | 3,20 |
| 3 | 117 | 4,81 |
| 4 | 66 | 6,41 |
| 5 | 42 | 8,01 |

CRI≥80 20W 77° 2100Lm 3000K




| m | lx | øm |
|---|---|---|
| 1 | 1644 | 1,60 |
| 2 | 411 | 3,20 |
| 3 | 183 | 4,81 |
| 4 | 103 | 6,41 |
| 5 | 66 | 8,01 |

CRI≥80 30W 77° 3200Lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.







# Basic

Die-cast aluminum recessed spotlight with round seal. Suitable for the installation on plasterboard ceiling. Matt white finish; COB Chip on Board and SMD technology; available in different color temperatures 3000k and 4000k and with three different optics; CRI ≥ 80; front protection IP44 (after installation of the product); insulation class II; LED useful life 30.000 h L70B50.

IP44 Protection degree IP44.


| | |
|---|---|
| **Source** | LED COB / SMD |
| **Power** | 10W / 15W / 20W /30W |
| **Driver included** | On/Off |
| **Drivers available** | 1-10V / DALI / Push |
| **MacAdam** | SDCM ≤4 |
| **CCT** | 3000 K / 4000 K |
| **CRI** | ≥80 |
| **LED life** | 30.000 h |
| **Insulation class** | II |
| **IP** | 44 |
| **Material** | Aluminum |
| **Warranty** | 5 years |



Kit Emergency - Page 818

# Basic Accent







⌀ 90 mm
0,400 Kg/0,0017 m³

LED COB PHILIPS **Driver PHILIPS ON/OFF included**

| Power | Beam | Flux | CCT | Finish | Code |
|---|---|---|---|---|---|
| 10 W | 45° | 1000 Lm | 3000 K | White | 193458 |
| | | 1050 Lm | 4000 K | White | 193359 |







⌀ 125 mm
0,660 Kg/0,0027 m³

LED COB PHILIPS **Driver PHILIPS ON/OFF included**

| Power | Beam | Flux | CCT | Finish | Code |
|---|---|---|---|---|---|
| 15 W | 52° | 1550 Lm | 3000 K | White | 193465 |
| | | 1650 Lm | 4000 K | White | 193366 |
| 20 W | | 1900 Lm | 3000 K | White | 193472 |
| | | 2100 Lm | 4000 K | White | 193373 |







⌀ 160 mm
1,250 Kg/0,0056 m³

LED COB PHILIPS **Driver PHILIPS ON/OFF included**

| Power | Beam | Flux | CCT | Finish | Code |
|---|---|---|---|---|---|
| 30 W | 46° | 2900 Lm | 3000 K | White | 193489 |
| | | 3150 Lm | 4000 K | White | 193380 |


DIMMABLE DRIVER* Not included/Optional

| Model | Control | Power | Output | Measure | Code |
|---|---|---|---|---|---|
| Basic 10 W | 1-10V | 12 W | 300 mA | 150 x 43 x 29 mm | 218823 |
| | DALI/Push | 10 W | 300 mA | 130 x 43 x 30 mm | 220772 |
| Basic 15 W | 1-10V | 15 W | 450 mA | 150 x 43 x 29 mm | 218830 |
| | DALI/Push | 17 W | 450 mA | 130 x 43 x 30 mm | 220796 |
| Basic 20 W | 1-10V | 20 W | 700 mA | 150 x 43 x 29 mm | 218847 |
| | DALI/Push | 25 W | 700 mA | 130 x 43 x 30 mm | 220789 |
| Basic 30 W | 1-10V | 31 W | 900 mA | 150 x 43 x 29 mm | 218854 |
| | DALI/Push | 45 W | 900 mA | 150 x 43 x 30 mm | 220802 |





| m | lx | øm |
|---|---|---|
| 1 | 533 | 0,81 |
| 2 | 133 | 1,62 |
| 3 | 59 | 2,44 |
| 4 | 33 | 3,25 |
| 5 | 21 | 4,07 |

CRI≥80 10W 45° 1000Lm 3000K




| m | lx | øm |
|---|---|---|
| 1 | 719 | 0,98 |
| 2 | 179 | 1,96 |
| 3 | 79 | 2,95 |
| 4 | 44 | 3,93 |
| 5 | 28 | 4,92 |

CRI≥80 15W 52° 1550Lm 3000K





| m | lx | øm |
|---|---|---|
| 1 | 1250 | 0,92 |
| 2 | 312 | 1,84 |
| 3 | 138 | 2,76 |
| 4 | 78 | 3,69 |
| 5 | 50 | 4,61 |

CRI≥80 30W 46° 2900Lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.












# Basic Wide







⌀ 90 mm
0,370 Kg/0,0017 m³

LED SMD SAMSUNG **Driver PHILIPS ON/OFF included**

| Power | Beam | Flux | CCT | Finish | Code |
|---|---|---|---|---|---|
| 10 W | 85° | 1000 Lm | 3000 K | White | 193519 |
| | | 1100 Lm | 4000 K | White | 193403 |







⌀ 125 mm
0,630 Kg/0,0027 m³

LED SMD SAMSUNG **Driver PHILIPS ON/OFF included**

| Power | Beam | Flux | CCT | Finish | Code |
|---|---|---|---|---|---|
| 15 W | 87° | 1500 Lm | 3000 K | White | 193526 |
| | | 1650 Lm | 4000 K | White | 193410 |
| 20 W | | 1900 Lm | 3000 K | White | 193533 |
| | | 2100 Lm | 4000 K | White | 193427 |







⌀ 160 mm
1,130 Kg/0,0056 m³

LED SMD SAMSUNG **Driver PHILIPS ON/OFF included**

| Power | Beam | Flux | CCT | Finish | Code |
|---|---|---|---|---|---|
| 30 W | 90° | 2900 Lm | 3000 K | White | 193540 |
| | | 3150 Lm | 4000 K | White | 193434 |


DIMMABLE DRIVER* Not included/Optional

| Model | Control | Power | Output | Measure | Code |
|---|---|---|---|---|---|
| Basic 10 W | 1-10V | 12 W | 300 mA | 150 x 43 x 29 mm | 218823 |
| | DALI/Push | 10 W | 300 mA | 130 x 43 x 30 mm | 220772 |
| Basic 15 W | 1-10V | 15 W | 450 mA | 150 x 43 x 29 mm | 218830 |
| | DALI/Push | 17 W | 450 mA | 130 x 43 x 30 mm | 220796 |
| Basic 20 W | 1-10V | 20 W | 700 mA | 150 x 43 x 29 mm | 218847 |
| | DALI/Push | 25 W | 700 mA | 130 x 43 x 30 mm | 220789 |
| Basic 30 W | 1-10V | 31 W | 900 mA | 150 x 43 x 29 mm | 218854 |
| | DALI/Push | 45 W | 900 mA | 150 x 43 x 30 mm | 220802 |





| m | lx | øm |
|---|---|---|
| 1 | 188 | 1,84 |
| 2 | 47 | 3,69 |
| 3 | 20 | 5,54 |
| 4 | 11 | 7,39 |
| 5 | 7 | 9,24 |

CRI≥80 10W 85° 1000Lm 3000K




| m | lx | øm |
|---|---|---|
| 1 | 318 | 1,72 |
| 2 | 79 | 3,44 |
| 3 | 35 | 5,17 |
| 4 | 19 | 6,89 |
| 5 | 12 | 8,61 |

CRI≥80 15W 87° 1500Lm 3000K




| m | lx | øm |
|---|---|---|
| 1 | 591 | 1,84 |
| 2 | 147 | 3,69 |
| 3 | 65 | 5,53 |
| 4 | 36 | 7,38 |
| 5 | 23 | 9,23 |

CRI≥80 30W 90° 2900Lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.












# Groove

IP20 CRI ≥80 30.000 h ALUMINUM







100 mm
0,220 Kg/0,0012 m³

LED SMD AND DRIVER **Included**

| Power | Beam | Flux | CCT | Finish | Code |
|---|---|---|---|---|---|
| 10 W | 110° | 890 Lm | 3000 K | White | 123974 |
| | | 1000 Lm | 4000 K | White | 147666 |







150 mm
0,410 Kg/0,0023 m³

LED SMD AND DRIVER **Included**

| Power | Beam | Flux | CCT | Finish | Code |
|---|---|---|---|---|---|
| 20 W | 110° | 1550 Lm | 3000 K | White | 123998 |
| | | 1750 Lm | 4000 K | White | 147673 |







205 mm
0,660 Kg/0,0036 m³

LED SMD AND DRIVER **Included**

| Power | Beam | Flux | CCT | Finish | Code |
|---|---|---|---|---|---|
| 30 W | 110° | 2450 Lm | 3000 K | White | 124018 |
| | | 2800 Lm | 4000 K | White | 147680 |







100 x 100 mm
0,270 Kg/0,0012 m³

LED SMD AND DRIVER **Included**

| Power | Beam | Flux | CCT | Finish | Code |
|---|---|---|---|---|---|
| 10 W | 110° | 890 Lm | 3000 K | White | 123981 |







150 x 150 mm
0,540 Kg/0,0023 m³

LED SMD AND DRIVER **Included**

| Power | Beam | Flux | CCT | Finish | Code |
|---|---|---|---|---|---|
| 20 W | 110° | 1550 Lm | 3000 K | White | 124001 |






205 x 205 mm
0,850 Kg/0,0036 m³

LED SMD AND DRIVER **Included**

| Power | Beam | Flux | CCT | Finish | Code |
|---|---|---|---|---|---|
| 30 W | 110° | 2450 Lm | 3000 K | White | 124025 |
















# Delta

IP20 CRI ≥80 20.000 h IRON







70 mm
0,150 Kg/0,0008 m³
**Purchase Qty. 3 pieces**

LED COB AND DRIVER **Included**

| Power | Beam | Flux | CCT | Finish | | Code |
|---|---|---|---|---|---|---|
| 3 W | 60° | 240 Lm | 3000 K | White | | 247823 |
| | | 270 Lm | 4000 K | White | | 062396 |






90 mm
0,300 Kg/0,0013 m³
**Purchase Qty. 3 pieces**

LED COB AND DRIVER **Included**


| Power | Beam | Flux | CCT | Finish | | Code |
|---|---|---|---|---|---|---|
| 5 W | 60° | 400 Lm | 3000 K | White | | 247830 |
| | | 450 Lm | 4000 K | White | | 062402 |



# Eye

IP20 CRI ≥80 30.000 h ALUMINUM






47 mm
0,260 Kg/0,0014 m³

LED COB AND DRIVER **Included**


| Power | Beam | Flux | CCT | Finish | | Code |
|---|---|---|---|---|---|---|
| 2,5 W | 15° | 270 Lm | 3000 K | White | | 186986 |
| | | | | Black | | 186993 |



# Bulbo new

IP20 STEEL






80 mm
0,160 Kg/0,0020 m³


E27 **Not included - Recommended bulb** `101330`

| Power | Finish | Code | |
|---|---|---|---|
| max 60W | White | `242651` | new |

# Zephyr

IP20 GYPSUM







120 x 120 mm
0,880 Kg/0,0032 m³

GU10 **Not included - Recommended bulb** `108292`

| Power | Finish | Code |
|---|---|---|
| max 35W | White | `150284` |






204 x 204 mm
1,350 Kg/0,0075 m³


GU10 **Not included - Recommended bulb** `108292`

| Power | Finish | Code |
|---|---|---|
| max 35W | White | `155722` |

# Samba

IP20 GYPSUM







83 x 83 mm

GU10 **Not included - Recommended bulb** `108292`

| Power | Weight | Volume | Finish | Code |
|---|---|---|---|---|
| max 35W | 0,036 Kg | 0,0016 m³ | White | 230580 |







103 mm

| Power | Weight | Volume | Finish | Code |
|---|---|---|---|---|
| max 35W | 0,230 Kg | 0,0018 m³ | White | 150307 |







133 mm

| Power | Weight | Volume | Finish | Code |
|---|---|---|---|---|
| max 35W | 0,450 Kg | 0,0032 m³ | White | 150130 |







123 mm

| Power | Weight | Volume | Finish | Code |
|---|---|---|---|---|
| max 50W | 0,340 Kg | 0,0019 m³ | White | 139012 |







83 x 83 mm

GU10 **Not included - Recommended bulb** `108292`

| Power | Weight | Volume | Finish | Code |
|---|---|---|---|---|
| max 35W | 0,033 Kg | 0,0016 m³ | White | 229997 |







103 x 103 mm

| Power | Weight | Volume | Finish | Code |
|---|---|---|---|---|
| max 35W | 0,320 Kg | 0,0018 m³ | White | 150291 |







123 x 123 mm

| Power | Weight | Volume | Finish | Code |
|---|---|---|---|---|
| max 35W | 0,600 Kg | 0,0037 m³ | White | 150116 |






110 x 110 mm

| Power | Weight | Volume | Finish | Code |
|---|---|---|---|---|
| max 50W | 0,430 Kg | 0,0023 m³ | White | 139029 |








# Jazz

IP20 ZINC






60 mm
0,105 Kg/0,0009 m³
**Purchase Qty. 3 pieces**


GU10 **Not included - Recommended bulb** `108292`

| Power | Finish | | Code |
|---|---|---|---|
| max 50W | White | | `083117` |
| | Ant. Brass | | `083124` |
| | Chrome | | `083070` |
| | Black | | `243818` |
| | Nickel | | `083087` |

# Swing

IP20 ZINC






70 mm
0,200 Kg/0,0003 m³
**Purchase Qty. 3 pieces**


GU10 **Not included - Recommended bulb** `108292`

| Power | Finish | | Code |
|---|---|---|---|
| max 50W | White | | `083179` |
| | Ant. Brass | | `083186` |
| | Chrome | | `083131` |
| | Black | | `243825` |
| | Nickel | | `083148` |

# Lounge

IP20 ZINC






70 mm
0,160 Kg/0,0011 m³


GU10 **Not included - Recommended bulb** `108292`

| Power | Finish | | Code |
|---|---|---|---|
| max 50W | White | | `138978` |
| | Chrome | | `138985` |
| | Black | | `244600` |
| | Nickel | | `138992` |

# Funky

IP20 IRON






80 x 68 mm
0,300 Kg/0,0006 m³

GU10 **Not included - Recommended bulb** `108292`

| Power | Finish | | Code |
|---|---|---|---|
| max 50W | Aluminum | | `083223` |
| | White | | `083230` |
| | Ant. Brass | | `083247` |
| | Chrome | | `083193` |
| | Black | | `243849` |






# Room-65 new

IP65 CRI ≥80 50.000 h ALUMINUM







68 mm
0,220 Kg/0,0008 m³

LED COB Driver ON/OFF included

| Power | Beam | Flux | CCT | Finish | | Code | |
|---|---|---|---|---|---|---|---|
| 8 W | 38° | 800 Lm | 3000 K | White | | `252025` | new |
| | | | | Black | | `252032` | new |






68 mm
0,240 Kg/0,0008 m³

LED COB Driver ON/OFF included


| Power | Beam | Flux | CCT | Finish | | Code | |
|---|---|---|---|---|---|---|---|
| 8 W | 38° | 800 Lm | 3000 K | White | | `252049` | new |
| | | | | Black | | `252056` | new |



# Blues

IP20 GLASS







60 mm
0,330 Kg/0,0012 m³
**Purchase Qty. 3 pieces**

GU10 **Not included - Recommended bulb 108292**

| Power | Finish | | Code |
|---|---|---|---|
| max 50W | Clear | | 083254 |
| | White | | 113999 |
| | Smoky Grey | | 113982 |






60 mm
0,340 Kg/0,0012 m³
**Purchase Qty. 3 pieces**

GU10 **Not included - Recommended bulb 108292**


| Power | Finish | | Code |
|---|---|---|---|
| max 50W | Clear | | 114019 |



# Ska new

IP20 CRI ≥83 50.000 h PMMA






65 mm
0,300 Kg/0,0008 m³

LED COB CREE Driver ON/OFF included

| Power | Beam | Flux | CCT | Finish | | Code | |
|---|---|---|---|---|---|---|---|
| 10 W | 36° | 1050 Lm | 3000 K | Clear | | 255279 | new |
| | | | | Satin | | 255286 | new |



255279




255286

# Soul

IP20 CRYSTAL







55 mm
0,340 Kg/0,0009 m³

G9 **Not included - Recommended bulb** 209043

| Power | Finish | Code |
|---|---|---|
| max 40W | Clear | 107691 |






55 mm
0,400 Kg/0,0008 m³


G9 **Not included - Recommended bulb** 209043

| Power | Finish | Code |
|---|---|---|
| max 40W | Clear | 107707 |

# Polka

IP20






65 mm
0,200 Kg/0,0025 m³

GU10 **Not included - Recommended bulb** 108292

| Power | Material | Finish | Code |
|---|---|---|---|
| max 50W | Gypsum | White | 115597 |
| | Aluminum | Brass | 115610 |
| | Aluminum | Ant. Brass | 115580 |



115597



115610




115580



# Walky

IP20 CRI ≥90 50.000 h GYPSUM







100 x 100mm
0,580 Kg/0,0009 m³

LED SMD AND DRIVER **Included**

| Power | Flux | CCT | Finish | Code |
|---|---|---|---|---|
| 1W | 60 Lm | 3000 K | White | 249834 |







81 x 166 mm
0,580 Kg/0,0012 m³

LED SMD AND DRIVER **Included**

| Power | Flux | CCT | Finish | Code |
|---|---|---|---|---|
| 1W | 60 Lm | 3000 K | White | 249827 |







142 x 172 mm
0,980 Kg/0,0023 m³

LED SMD AND DRIVER **Included**

| Power | Flux | CCT | Finish | Code |
|---|---|---|---|---|
| 1W | 60 Lm | 3000 K | White | 249810 |

# Outdoors

## Suspensions and ceiling







Sole 686



Luna 687



Clio 688



Clio 688



Clio 688



Clio 688



Clio 688



Clio 688

new



Techo 690



Gun 691

new



Livia 691



Sunglasses 692



Xeno 692



Urano 693



Bubble 694

new



Mib 694




Fiesta 695



# Sole

Plastic opal color diffuser.
Aluminum base for the suspended model. PVC electrical wire.




IP44

**2,970 Kg / 0,1327 m³**
**E27 max 1 x 60W**

**136011** White

**4000 K**
**850 Lm**

**151991**




IP44

**1,690 Kg / 0,0776 m³**
**E27 max 1 x 60W**

**136004** White

**4000 K**
**850 Lm**

**151991**




IP44

**1,360 Kg / 0,0338 m³**
**E27 max 1 x 60W**

**135991** White

**4000 K**
**850 Lm**


**151991**

P. 743

# Luna

Turned die-cast aluminum body with powder coating. Opal color plastic diffuser.

LED Bulbs LED G9 3,2W 4000 K included in **213200** model. Cod. **209036**





IP44

**1,470 Kg / 0,0120 m³**
**E27 max 1 x 42W**

**213194** White

**4000 K**
**850 Lm**

**151991**




IP44

**0,400 Kg / 0,0021 m³**
**G9 max 1 x 5W**

**213200** White

**4000 K**
**320 Lm**

**209036**

P. 744



P. 729 P. 770 P. 770


# Clio

Modular fitting with turned die-cast aluminum frame, finished with anthracite, white, grey and black powder coating. Plastic diffuser with matt white finish.










IP44

**0,200 Kg / 0,0014 m³**
**E27 max 1 x 60W**

148847 White
148854 Grey
148861 Anthracit.
148878 Black

4000 K
600 Lm

151960

IP44

**0,580 Kg / 0,0019 m³**
**E27 max 1 x 60W**

144252 White
144238 Grey
136073 Anthracit.
144245 Black

4000 K
600 Lm

151960

**0,540 Kg / 0,0171 m³**

145068 White

**0,520 Kg / 0,0144 m³**

116716 White

**0,610 Kg / 0,0231 m³**

145020 White



# Techo new

Powder coated die-cast aluminum body. Tempered frosted clear glass diffuser. Available with anthracite, white, coffee or black finish.



251561



251554



251578



251592





IP54

1,700 Kg / 0,0049 m³
GU10 max 1 x 20W

| | | |
|---|---|---|
| 251523 | White | new |
| 251516 | Anthracit. | new |
| 251530 | Black | new |
| 251547 | Coffee | new |

4000 K
1000 Lm

253398




IP54

0,600 Kg / 0,0012 m³
GU10 max 1 x 20W

| | | |
|---|---|---|
| 251561 | White | new |
| 251554 | Anthracit. | new |
| 251578 | Black | new |
| 251592 | Coffee | new |

4000 K
420 Lm

253497



# Gun

Aluminum body with brushed natural finish or with varnish or various finishes. Pyrex glass diffuser.




IP44

0,490 Kg / 0,0030 m³
GU10 max 1 x 28W

| | |
|---|---|
| 122663 | White |
| 092324 | Aluminum |
| 163642 | Grey |
| 236865 | Anthracit. |
| 122687 | Black |
| 163666 | Coffee |

4000 K
420 Lm

253497




P. 713

# Livia new

High-performance resin body and diffuser: resistant to corrosion, UV and to temperatures between -60° and +90°. Available finishes: white or black.

LED Bulbs LED G9/GU10/GX53
3000 K included.




IP55

0,430 Kg / 0,0043 m³
GX53 max 1 x 10W

| | | |
|---|---|---|
| 269771 | White | new |
| 261508 | Black | new |

3000 K
760 Lm

123936




IP55

0,350 Kg / 0,0027 m³
GU10 max 1 x 6W

| | | |
|---|---|---|
| 269757 | White | new |
| 269764 | Black | new |

3000 K
400 Lm

108292




IP55

0,550 Kg / 0,0005 m³
G9 max 1 x 1,7W

| | | |
|---|---|---|
| 261522 | White | new |
| 269740 | Black | new |

3000 K
170 Lm

270104



122663 092324 163642 236865 122687 163666





261522




269740

# Sunglasses

Anthracite or white powder painted aluminum body. Reclinable diffusers with clear glass screens.

LED source 4000 K, 25.000 h life.




IP44

**1,040 Kg / 0,0040 m³**
**LED 14W / 920 Lm**


**161853** White
**161846** Anthracit.



**161853** **161846**

# Xeno

Aluminum base with matt powder coating. Tempered clear glass adjustable diffusers. Available finishes: white, grey or black.




IP44

**0,830 Kg / 0,0044 m³**
**GU10 max 2 x 28W**


**129495** White
**129518** Grey
**129501** Black

4000 K
420 Lm

**253497**



P. 703





**129495** **129518** **129501**



# Urano


Powder painted turned aluminum body with anthracite or white matt finish. Satin and clear acrylic diffuser.



**168050**



**168135**





IP44

**1,200 Kg / 0,0029 m³**
**GX53 max 1 x 15W**

**168050** White
**168135** Anthracit.

4000 K
800 Lm

**154008**




IP44

**0,630 Kg / 0,0016 m³**
**GX53 max 1 x 15W**


**168036** White
**168111** Anthracit.

4000 K
800 Lm

**154008**

# Bubble

Turned die-cast aluminum body with powder coating. Matt white plastic diffuser.




**1,730 Kg / 0,0249 m³**
**E27 max 1 x 60W**

**135250** White

**4000 K**
**600 Lm**

**151960**

P. 728






# Mib new


White powder coated aluminum base. Opal color plastic diffuser. Integrated LED source.

LED LED source 3000/4000 K, 36.000 h life.




**1,620 Kg / 0,0086 m³**
**LED 20W / 1550 Lm**

**269115** White 3000K new
**202945** White 4000K




**1,820 Kg / 0,0086 m³**
**LED 20W / 1550 Lm**

**269122** White 3000K new
**202921** White 4000K



# Fiesta


White or black plastic electric cable, bulb socket and grapping eyelets. Supplied with plug for outdoor.

**159836**



**218724**






IP44 IP44

**1,530 Kg / 0,0068 m³**
**E27 max 10 x 15W**

**246802** White
**246796** Black

**3000 K**
**360 Lm**

**101286**

**0,600 Kg / 0,0049 m³**
**E27 max 5 x 15W**

**218724** White
**159836** Black

**3000 K**
**360 Lm**

**101286**



# Outdoors

## Wall lamps


new
Omega R. 698


Omega S. 699


Minitommy 700


Tommy 701


Terra 702


Gas 702


Xeno 703


new
Flood 704


new
Style 705


Tronco 706


new
Lyra 707


new
Etere 707


Snif R. 708


Snif S. 709


Keope 710


new
Angus 711


Apollo 711


Base 712


Gun 713


Iko 714


new
Hook 715


Up 716


new
Rubik 717


Tetris-1 718


new
Tetris-2 719


new
Argo 719


Twin 720


Andromeda 721


Giove 722


Francy 723


Rex-1 724


Rex-2 725


Rex-3 725


Lucia 726


Maddi 727


Mike 727


Bubble 728


Clio 729


Clio 729


Clio 729


Cima 730


Anna 731


Cometa 732


Down 733


new
Febe 733





# Omega Round new

Powder painted aluminum body. Reclinable diffuser with acrylic screen. Available finishes: anthracite, white, coffee or black.


LED LED source 3000/4000 K, 25.000 h life.


172538


172552


165387


247069




IP54

**0,480 Kg / 0,0012 m³**
**LED 7,3W / 530/573 Lm**

| | | | |
|---|---|---|---|
| 269177 | White | 3000K | new |
| 172538 | White | 4000K | |
| 247076 | Anthracit. | 3000K | |
| 172552 | Anthracit. | 4000K | |
| 165387 | Black | 4000K | |
| 247069 | Coffee | 4000K | |

# Omega Square


Powder painted aluminum body. Reclinable diffuser with acrylic screen. Available finishes: anthracite, white or black.

LED LED source 4000 K, 25.000 h life.


172507


172514


165370




IP54

**0,560 Kg / 0,0012 m³**
**LED 7,3W / 570 Lm**

| | | |
|---|---|---|
| 172507 | White | |
| 172514 | Anthracit. | |
| 165370 | Black | |






# Minitommy

High performance resin body and diffuser: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C. Adjustable diffuser.

LED Bulbs LED GU10 3,5W 3000/4000 K included.



096483 096476




IP66

0,500 Kg / 0,0027 m³
GU10 max 1 x 6W

096483 4000K White
247182 3000K Black
096476 4000K Black

108292 3000K
253497 4000K



P. 780




# Tommy

High performance resin body and diffuser: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C. Adjustable diffuser.

LED Bulbs LED GX53 7W 3000/4000 K included.



145303 145327 145341




IP66

0,690 Kg / 0,0044 m³
GX53 max 1 x 10W

145303 4000K White
145327 4000K Grey
247168 3000K Black
145341 4000K Black

123936 3000K
154008 4000K




P. 781

# Terra

Cast aluminum painted frame. Adjustable body. Transparent Pyrex glass diffuser.







IP65

**1,140 Kg / 0,0091 m³**
**E27 max 1 x 60W**

**046167** Anthracit.
**247014** Coffee

**4000 K**
**600 Lm**

**151960**




IP65

**0,530 Kg / 0,0024 m³**
**GU10 max 1 x 35W**

**046181** Anthracit.
**247021** Coffee

**4000 K**
**420 Lm**

**253497**



P. 782



**046181**




**247021**

# Gas

Powder coated die-cast aluminum body. Tempered and sandblasted clear glass diffuser. Available finishes: anthracite, white, coffee or black.






IP43

**0,320 Kg / 0,0020 m³**
**GU10 max 1 x 28W**

**091518** White
**091525** Anthracit.
**020228** Black
**213095** Coffee

**4000 K**
**420 Lm**

**253497**



P. 752



**091518**



**091525**



**020228**



**213095**





# Xeno

Aluminum base with matt powder coating. Tempered clear glass adjustable diffusers. Available finishes: white, grey or black.



P. 692

**129488**



**129471**



**129464**






IP44

**0,360 Kg / 0,0014 m³**
**GU10 max 1 x 28W**

**129488** White
**129471** Grey
**129464** Black

**4000 K**
**420 Lm**

**253497**






269078 269061

# Flood new

Directable powder coated die-cast aluminum body. Clear knurled tempered glass diffuser. Equipped with motion sensor with lux and ignition time regulation. Available in white or black color.

LED LED source 4000 K, 25.000 h life.


Lamp with presence detector included PIR (Passive InfraRed).




IP65

**0,420 Kg / 0,0029 m³**
**LED 30W / 2700 Lm**


**269078** White
**269061** Black




IP65

**0,320 Kg / 0,0016 m³**
**LED 20W / 1850 Lm**


new **251004** White
new **250991** Black




IP65

**0,440 Kg / 0,0029 m³**
**LED 30W / 2700 Lm**

new **251028** White
new **251011** Black




IP65

**0,360 Kg / 0,0027 m³**
**LED 20W / 1850 Lm**

new **269108** White
new **269092** Black

# Style new

Powder coated aluminum body. Opal color plastic shade. Integrated LED source. AP Sensor model with PIR sensor. Available finishes: anthracite or white.

LED LED source 3000/4000 K, 30.000 h life.


Lamp with presence detector included PIR (Passive InfraRed).



221502




209852




IP54

**0,390 Kg / 0,0018 m³**
**LED 9W / 750 Lm**

**269139** 3000K White new
**221502** 4000K White
**246857** 3000K Anthracit.
**209845** 4000K Anthracit.




IP54

**0,400 Kg / 0,0018 m³**
**LED 9,5W / 750 Lm**

**269146** 3000K White new
**209852** 4000K White
**246864** 3000K Anthracit.
**221519** 4000K Anthracit.



P. 749



# Lyra new

Powder coated die-cast aluminum body with anthracite finish. Clear acrylic diffuser, with satin opal acrylic reflective elements inside.

LED LED source 3000/4000 K, 20.000 h life.







IP65

**0,930 Kg / 0,0032 m³**
**LED 10W / 1050/1200 Lm**

**250779** Anthracit. 3000K new
**268378** Anthracit. 4000K new




IP65

**1,040 Kg / 0,0032 m³**
**LED 10W / 1050/1200 Lm**

**250755** Anthracit. 3000K new
**268385** Anthracit. 4000K new




P. 759

# Tronco

Varnished die-cast aluminum body with different finishes: anthracite, white, grey or black. Pyrex glass diffuser with aluminum elements inside.




IP44

**1,110 Kg / 0,0070 m³**
**E27 max 1 x 60W**

**118659** White
**026978** Grey
**027005** Anthracit.
**004716** Black

4000 K
450 Lm
**153957**




P. 760

# Etere new

Powder painted casted aluminum body. Opal color plastic diffuser. Available finishes: anthracite or coffee.

LED LED source 3000/4000 K, 25.000 h life.




IP44

**0,590 Kg / 0,0027 m³**
**LED 10,2W / 660/700 Lm**

**246925** Anthracit. 3000K
**172408** Anthracit. 4000K
**269153** Coffee 3000K new
**246949** Coffee 4000K



P. 764



# Snif Round

Varnished die-cast aluminum body. Transparent Pyrex glass up-and-down double diffuser. Available finishes: anthracite, white, grey or black.







IP54

0,750 Kg / 0,0032 m³
G9 max 1 x 40W

144283 White
061474 Grey
061467 Anthracit.
061450 Black


4000 K
320 Lm

209036

# Snif Square

Varnished die-cast aluminum body. Transparent Pyrex glass up-and-down double diffuser. Available finishes: anthracite, white, grey or black.




IP44

0,600 Kg / 0,0027 m³
G9 max 1 x 40W

144276 White
118666 Grey
121963 Anthracit.
123080 Black

4000 K
320 Lm


209036



# Angus

High-performance resin body: resistant to corrosion, UV and to temperatures between -60° and +90° C. Available finishes: white, grey and black.

LED Bulbs LED G9 1,7W 3000 K included.
Cod. **270104**




IP67

**0,130 Kg / 0,0009 m³**
**G9 max 1 x 1,7W**

| | | |
|---|---|---|
| 270074 | White | new |
| 270098 | Grey | new |
| 270081 | Black | new |

3000 K
170 Lm

**270104**





**270074** **270098** **270081**

# Keope

High performance resin body and diffuser: resistant to corrosion caused by atmospheric agents; colors stabilized during U.V. treatment; thermal shock resistance from -60°C to + 90°C. Transparent satin acrylic diffusers.

LED Bulbs LED GU10 3,5W 4000 K included.




**147772**



**147796**



**147819**





IP55

**0,450 Kg / 0,0033 m³**
**GU10 max 2 x 6W**

| | | |
|---|---|---|
| 147772 | White | |
| 147796 | Grey | |
| 147819 | Black | |

3000 K
400 Lm

**108292**




IP55

**0,350 Kg / 0,0033 m³**
**GU10 max 1 x 6W**

| | | |
|---|---|---|
| 147765 | White | |


3000 K
400 Lm

**108292**

# Apollo

Die-cast aluminum reflecting body with matt white or black powder coating. Up-and-down light emission.

LED LED source 4000 K, 25.000 h life.




IP44

**0,540 Kg / 0,0008 m³**
**LED 6W / 530 Lm**

| | | |
|---|---|---|
| 137407 | White | |
| 137391 | Black | |





**137407** **137391**




# Base

Die-cast aluminium reflecting body with matt white, grey or black powder coating. Double, top and bottom, clear tempered glass diffuser.



129457 129440 129433




IP44

0,610 Kg / 0,0016 m³
GU10 max 2 x 28W

129457 White
129440 Grey
129433 Black

4000 K
420 Lm

253497

# Gun


Aluminum body with brushed natural finish or with varnish or various finishes. Pyrex glass diffuser available with single or up-and-down double light.



100388 033013 163628
236841 100395 163635



P. 691





IP54

1,350 Kg / 0,0071 m³
E27 max 2 x 60W

092300 White
033020 Aluminum
163604 Grey
236858 Anthracit.
092317 Black
163611 Coffee

4000 K
600 Lm

151960




IP44

0,720 Kg / 0,0024 m³
GU10 max 2 x 35W

100388 White
033013 Aluminum
163628 Grey
236841 Anthracit.
100395 Black
163635 Coffee


4000 K
420 Lm

253497

# Iko

Powder coated die-cast aluminum body. Tempered and frosted clear glass up-and-down double diffuser. Available finishes: anthracite, white or grey.




IP54

0,600 Kg / 0,0040 m³
E27 max 1 x 60W

018522 White
092218 Grey
018515 Anthracit.


4000 K
600 Lm
151960

# Hook new

Powder coated die cast aluminum body with anthracite finish. Clear tempered glass diffusers.

LED LED source 3000 K, 50.000 h life.






IP54

0,350 Kg / 0,0011 m³
LED 8W / 910 Lm

259697 Anthracit. new

IP54

0,350 Kg / 0,0011 m³
LED 4,5W / 460 Lm

259680 Anthracit. new





# Up

Powder coated die-cast aluminum body. Clear Pyrex glass diffusers. Available finishes: anthracite, white, coffee or black.


115290


115306


115313


213347




IP44

0,520 Kg / 0,0019 m³
G9 max 2 x 15W

| | | |
|---|---|---|
| 115320 | White | |
| 115337 | Anthracit. | |
| 115344 | Black | |
| 213354 | Coffee | |


4000 K
320 Lm

209036




IP44

0,320 Kg / 0,0012 m³
G9 max 1 x 15W

| | | |
|---|---|---|
| 115290 | White | |
| 115306 | Anthracit. | |
| 115313 | Black | |
| 213347 | Coffee | |


4000 K
320 Lm


209036

# Rubik new

Cast aluminum body with powder coating. Up-and-down reflecting internal structure. Available finishes: anthracite, white or black.

LED source 3000/4000 K, 25.000 h life.


187358 187341 180045




IP44

2,000 Kg / 0,0091 m³
LED 14W / 1150 Lm

| | | | |
|---|---|---|---|
| 187358 | White | 4000K | |
| 187341 | Anthracit. | 4000K | |
| 180045 | Black | 4000K | |




IP44

0,660 Kg / 0,0022 m³
LED 9W / 630/800 Lm

| | | | |
|---|---|---|---|
| 269313 | White | 3000K | new |
| 149745 | White | 4000K | |
| 247083 | Anthracit. | 3000K | |
| 149738 | Anthracit. | 4000K | |
| 269320 | Black | 3000K | new |
| 142302 | Black | 4000K | |




IP54


0,340 Kg / 0,0008 m³
LED 4W / 260/280 Lm

| | | | |
|---|---|---|---|
| 254326 | White | 3000K | new |
| 269214 | White | 4000K | new |
| 269184 | Anthracit. | 3000K | new |
| 269207 | Anthracit. | 4000K | new |



# Tetris-2 new

Aluminum body with matt anthracite or white powder coating. Clear tempered glass diffuser. Up-and-down light emission.




IP44

**0,520 Kg / 0,0018 m³**
**G9 max 2 x 15W**

| | | |
|---|---|---|
| 269221 | White | new |
| 113791 | Anthracit. | |



**4000 K**
**320 Lm**

**209036**





269221 113791

# Argo new

Powder coated die-cast aluminum body. Clear tempered glass diffuser with white inner reflector. Available in anthracite or white finish.

LED source 3000/4000 K, 20.000 h life.





268309 250946

# Tetris-1

Aluminum body with matt powder coating. Clear tempered glass diffuser. Available finishes: anthracite, white, coffee or grey.



114293




113760



113753



213323




IP44


**0,390 Kg / 0,0017 m³**
**G9 max 1 x 15W**

| | | |
|---|---|---|
| 114293 | White | |
| 113760 | Grey | |
| 113753 | Anthracit. | |
| 213323 | Coffee | |



**4000 K**
**320 Lm**

**209036**




IP65

**0,600 Kg / 0,0013 m³**
**LED 10W / 1200 Lm**

| | | | |
|---|---|---|---|
| 268309 | White | 3000K | new |
| 268316 | White | 4000K | new |
| 250946 | Anthracit. | 3000K | new |
| 268293 | Anthracit. | 4000K | new |

# Twin

Anthracite, white, coffee or black powder coated die-cast aluminum body. Double, top and bottom, clear frosted Pyrex glass diffuser.



115351




115368



115375



213330




IP44

0,510 Kg / 0,0026 m³
G9 max 1 x 28W

| | |
|---|---|
| 115351 | White |
| 115368 | Anthracit. |
| 115375 | Black |
| 213330 | Coffee |

4000 K
320 Lm

209036

# Andromeda

Die-cast aluminum body light with varnish finish. Double frosted Pyrex glass, up-and-down. Available finishes: anthracite, white, coffee, grey or black.

100364



163543




092355



100371



163550




IP54

1,630 Kg / 0,0052 m³
E27 max 2 x 60W

| | |
|---|---|
| 100364 | White |
| 163543 | Grey |
| 092355 | Anthracit. |
| 100371 | Black |
| 163550 | Coffee |

4000 K
600 Lm

151960

IP55

1,000 Kg / 0,0039 m³
E27 max 1 x 60W

| | |
|---|---|
| 066868 | White |
| 158822 | Grey |
| 061580 | Anthracit. |
| 061597 | Black |
| 163536 | Coffee |

4000 K
600 Lm

151960





# Giove

Powder coated die-cast aluminum body. Double, top and bottom, frosted tempered clear glass diffuser. Available finishes: anthracite, white, coffee or black.



092195




092188



092201



163598




IP54

0,900 Kg / 0,0041 m³
E27 max 1 x 60W

092195 White
092188 Anthracit.
092201 Black
163598 Coffee

4000 K
600 Lm

151960

# Francy

High performance resin body: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C.



123776



123769



123783




IP66

0,520 Kg / 0,0050 m³
E27 max 1 x 23W

123745 White

4000 K
600 Lm

151960




IP66

0,610 Kg / 0,0050 m³
E27 max 1 x 23W

123776 White
123769 Grey
123783 Black

4000 K
600 Lm

151960



# Rex-1

Powder coated die-cast aluminum body available in different colors: anthracite, white or coffee. White acrylic diffuser.

092393




092409



213217






IP44

0,600 Kg / 0,0065 m³
E27 max 1 x 60W

092393 White
092409 Anthracit.
213217 Coffee


4000 K
850 Lm

151991



# Rex-2

Powder coated die-cast aluminum body available in different colors: anthracite or white. White acrylic diffuser.




IP44

0,600 Kg / 0,0065 m³
E27 max 1 x 60W


092416 White
092423 Anthracit.

4000 K
850 Lm

151991

# Rex-3

Powder coated die-cast aluminum body available in different colors: anthracite or white. White acrylic diffuser.




IP44

0,600 Kg / 0,0065 m³
E27 max 1 x 60W

092430 White
092447 Anthracit.

4000 K
850 Lm


151991





# Maddi

High performance resin body and diffuser: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C.





IP66

**0,800 Kg / 0,0109 m³**
**E27 max 1 x 23W**

**096711** White
**096704** Black

4000 K
850 Lm

**151991**




IP66

**0,800 Kg / 0,0109 m³**
**E27 max 1 x 23W**

**096735** White
**096728** Black

4000 K
850 Lm

**151991**





# Mike

One block die-cast aluminum body with anthracite or white finish. Pyrex glass diffuser.





# Lucia


High performance resin body and diffuser: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C.



**096681**



**096698**





IP66

**0,800 Kg / 0,0106 m³**
**E27 max 1 x 23W**

**096667** White
**096674** Black

4000 K
850 Lm

**151991**




IP66

**0,800 Kg / 0,0106 m³**
**E27 max 1 x 23W**

**096681** White
**096698** Black

4000 K
850 Lm

**151991**





IP54

**1,300 Kg / 0,0106 m³**
**E27 max 1 x 60W**

**066882** White
**061818** Anthracit.

4000 K
850 Lm

**151991**




IP54

**0,690 Kg / 0,0055 m³**
**E27 max 1 x 25W**

**066899** White
**061788** Anthracit.

4000 K
600 Lm

**151960**









# Bubble

Turned die-cast aluminum body with powder coating. Matt white plastic diffuser.




IP54

**0,480 Kg / 0,0031 m³**
**G9 max 2 x 15W**


**158907** White

4000 K
320 Lm
**209036**

P. 694

# Clio

Modular fitting with turned die-cast aluminum frame, finished with anthracite, white, grey and black powder coating. Plastic diffuser with matt white finish.





IP44

**0,680 Kg / 0,0039 m³**
**E27 max 1 x 60W**


**146775** White
**146782** Grey
**145228** Anthracit.
**146799** Black

4000 K
600 Lm
**151960**





**0,540 Kg / 0,0171 m³**

**145068** White




**0,520 Kg / 0,0144 m³**

**116716** White




**0,610 Kg / 0,0231 m³**

**145020** White


P. 688


P. 688



P. 770


P. 770

# Cima

Totally die-cast aluminum frame. Anthracite, coffee or black and gold finish. Transparent acrylic diffuser.




IP43

1,840 Kg / 0,0504 m³
E27 max 1 x 60W

246819 Anthracit.
024134 Black Gold
246826 Coffee

4000 K
920 Lm

153964



P. 772

# Anna


High performance resin body: resistant to corrosion, colours stabilized during UV rays treatment, thermal shock resistence from -60° to +90°C. Methacrylate non-yellowing diffuser.



120423



101491





IP55

1,000 Kg / 0,0101 m³
E27 max 1 x 23W

120423 White
101491 Black

4000 K
920 Lm

153964




IP55

0,600 Kg / 0,0117 m³
E27 max 1 x 23W

120430 White
101552 Black

4000 K
920 Lm

153964



P. 773



# Cometa


Die-cast aluminum body, anthracite or black powder coated finish. White PVC diffuser. The direct exposure to sun rays is not recommended.



082240



082271




IP54

1,500 Kg / 0,0124 m³
E14 max 3 x 28W

082240 Anthracit.
082271 Black


3000 K
360 Lm

101217



# Down

Die-cast aluminum body light with anthracite or white powder coat finish. Acrylic diffuser.




IP44

0,270 Kg / 0,0010 m³
G9 max 1 x 28W

115382 White
122045 Anthracit.

4000 K
320 Lm

209036






115382 122045

# Febe new

Device for surface installation with die cast powder coated aluminum body. Clear tempered glass diffuser. Available finishes: anthracite or white.


LED LED source 3000 K, 20.000 h life.




IP65

0,760 Kg / 0,0020 m³
LED 6W / 490 Lm

268347 White new
250854 Anthracit. new




IP65

0,760 Kg / 0,0020 m³
LED 6W / 380 Lm

268361 White new
268354 Anthracit. new





268361 268354

# Outdoors

## Bollard and Table lamps



new



Lolita 738



Stardust 739



Live 740



Live 740



Live 740



Jar 741



Doris 742



Sole 743



Luna 744



Sasso 745

# Tifone

Pag 755





# Outdoors

## Bollard and Table lamps






Itaca 746 Hub 747

















Agos 748 Style 749 Sirio 750 Tesla 751 Gas 752 Zenith 753 Acqua 754







Tifone 755 Vega 756

















Titano 757 Amelia 758 Dema 759 Lyra 759 Tronco 760 Pulsar 762 Venus 763







Etere 764 Edo Outdoor 765

















Edo Outdoor 765 Torre 766 Elisa 767 Marte 768 Mercurio 768 Classic Globe 769 Clio 770







Clio 770 Clio 770







Cima 772 Anna 773






# Lolita

Table lamp with rechargeable battery with white or black finish. Metal frame. Plastic diffuser. The table lamp has 7 hours autonomy.

- LED source 3000 K, 25.000 h life.
- Lamp with integrated switch.
- Lamp with dimmer.
- Lamp with touch dimmer.
- Lamp with rechargeable battery included. 7 hours life.




IP54


**0,530 Kg / 0,0078 m³**
**LED 7W / 450 Lm**

**250281** White
**250274** Black

# Stardust new

Portable lantern with battery. Powder coated die-cast aluminum frame with anthracite finish and black glass elements on the upper part. Clear tempered glass diffuser. Downward light emission.

- LED source 3000 K, 20.000 h life.
- Lamp with integrated switch.
- Lamp with dimmer.
- Lamp with rechargeable battery included. 7 hours life.




IP54

**2,780 Kg / 0,0191 m³**
**LED 2W / 270 Lm**

**250885** Anthracit. new




IP54

**2,630 Kg / 0,0130 m³**
**LED 2W / 270 Lm**

**250878** Anthracit. new







# Live

Wireless mobile device with LED sources powered by rechargeable batteries and light colour RGB changing function. Matt white polycarbonate light body-diffuser. 10 hours batteries autonomy.

LED source 4000 K, 15.000 h life.

Lamp with integrated switch.


Lamp with rechargeable battery included. 10 hours life.




IP65

**0,570 Kg / 0,0116 m³**
**LED 2,5W / 70 Lm**


**138886** White




IP65

**0,410 Kg / 0,0090 m³**
**LED 2,5W / 70 Lm**

**138893** White





IP65

**0,300 Kg / 0,0037 m³**
**LED 2,5W / 70 Lm**

**138879** White

# Jar

Matt white plastic body-diffuser.
Supplied with wire and plug.





IP44

**4,650 Kg / 0,2918 m³**
**E27 max 1 x 42W**

**205946** White

**4000 K**
**850 Lm**

**151991**




IP44

**3,070 Kg / 0,1232 m³**
**E27 max 1 x 42W**

**205939** White


**4000 K**
**850 Lm**

**151991**



# Doris

Multi-greys plastic diffuser with granite effect. Supplied with plug and spike for ground installation.





IP44

**7,600 Kg / 0,5581 m³**
**E27 max 1 x 60W**

**195506** White

4000 K
850 Lm

**151991**





IP44

**4,050 Kg / 0,2306 m³**
**E27 max 1 x 60W**

**195490** White

4000 K
850 Lm

**151991**




IP44

**3,000 Kg / 0,1366 m³**
**E27 max 1 x 60W**

**195483** White

4000 K
850 Lm

**151991**




IP44

**1,210 Kg / 0,0318 m³**
**E27 max 1 x 60W**

**214009** White

4000 K
850 Lm

**151991**




# Sole

Opal color plastic diffuser. Supplied with cable, plug and picket for the installation on the ground. Suspension model with aluminum base.



P. 686





IP44

**4,500 Kg / 0,1516 m³**
**E27 max 1 x 60W**

**191614** White

4000 K
850 Lm

**151991**





IP44

**3,900 Kg / 0,0797 m³**
**E27 max 1 x 60W**

**191621** White

4000 K
850 Lm

**151991**




IP44

**2,700 Kg / 0,0378 m³**
**E27 max 1 x 60W**

**191638** White

4000 K
850 Lm


**151991**





# Luna

Opal colour plastic frame-diffuser. Supplied with power cable, plug and picket for installation on the ground.





IP44

**6,700 Kg / 0,1551 m³**
**E27 max 1 x 60W**

**191607** White

**4000 K**
**850 Lm**

**151991**





IP44

**4,700 Kg / 0,0850 m³**
**E27 max 1 x 60W**

**191584** White

**4000 K**
**850 Lm**

**151991**




IP44

**2,700 Kg / 0,0392 m³**
**E27 max 1 x 60W**

**191577** White

**4000 K**
**850 Lm**


**151991**

P. 687



# Sasso

Opal color plastic diffuser. Supplied with power cable, plug and picket for installation on the ground.





IP44

**1,500 Kg / 0,0444 m³**
**E27 max 1 x 40W**

**161778** White

**4000 K**
**850 Lm**

**151991**





IP44

**0,900 Kg / 0,0209 m³**
**E27 max 1 x 40W**

**161761** White

**4000 K**
**850 Lm**

**151991**




IP44

**0,710 Kg / 0,0123 m³**
**G9 max 1 x 15W**

**161754** White

**4000 K**
**320 Lm**


**209036**





# Itaca

White powder painted metal base and bar. Plastic conical diffuser in opal color. Supplied with plug.




IP44

**11,040 Kg / 0,1385 m³**
**E27 max 1 x 60W**

**180953** White

**4000 K**
**850 Lm**
**151991**

# Hub new

Powder coated aluminum base, pole and body. Orientable diffuser with clear tempered glass screen. Supplied with picket for installation on the ground. Available finishes: anthracite or white.


LED source 3000/4000 K, 50.000 h life.



**269245**




**251257**




IP54

**0,850 Kg / 0,0083 m³**
**LED 4,5W / 460 Lm**

| | | | |
|---|---|---|---|
| **269245** | White | 3000K | new |
| **269252** | White | 4000K | new |
| **251257** | Anthracit. | 3000K | new |
| **269238** | Anthracit. | 4000K | new |




IP54

**0,720 Kg / 0,0057 m³**
**LED 4,5W / 460 Lm**

| | | | |
|---|---|---|---|
| **268309** | White | 3000K | new |
| **269276** | White | 4000K | new |
| **251226** | Anthracit. | 3000K | new |
| **271514** | Anthracit. | 4000K | new |




**Base**
**Not included**
**Optional**


| | | |
|---|---|---|
| **270845** | White | new |
| **251295** | Anthracit. | new |



# Agos new

Powder coated die-cast aluminum body. Satin clear acrylic diffuser. Anthracite color.


LED LED source 3000/4000 K, 25.000 h life.




IP54

**1,100 Kg / 0,0127 m³**
**LED 6,5W / 600 Lm**

**254319** Anthracit. 3000K new
**268422** Anthracit. 4000K new




IP54


**0,950 Kg / 0,0096 m³**
**LED 6,5W / 600 Lm**

**254388** Anthracit. 3000K new
**268439** Anthracit. 4000K new

# Style

Powder coated aluminum body. Opal color plastic shade. Integrated LED source.

LED LED source 3000/4000 K, 30.000 h life.




IP54

**1,670 Kg / 0,0239 m³**
**LED 9W / 750 Lm**

**246871** Anthracit. 3000K
**209906** Anthracit. 4000K



P. 705



# Sirio

Powder coated aluminum body.
Clear Pyrex glass diffuser. Available finishes: anthracite, white, coffee, grey or black.



115085 246963 115061 115108 213262





IP44

1,880 Kg / 0,0181 m³
G9 max 2 x 15W

115085 White
246963 Grey
115061 Anthracit.
115108 Black
213262 Coffee

4000 K
320 Lm

209036




IP44

1,550 Kg / 0,0136 m³
G9 max 2 x 15W

115092 White
246970 Grey
115078 Anthracit.
115115 Black
213279 Coffee


4000 K
320 Lm

209036

# Tesla

Powder painted aluminum body.
White plastic screen diffuser.
Downward light emission. Available finishes: anthracite or white.





IP44

3,000 Kg / 0,0379 m³
G9 max 4 x 15W

153179 White
153162 Anthracit.

4000 K
320 Lm

209036




IP44

2,560 Kg / 0,0273 m³
G9 max 4 x 15W

153209 White
153193 Anthracit.

4000 K
320 Lm

209036






# Gas

Powder coated die-cast aluminum body. Tempered and sandblasted clear glass diffuser. Available finishes: anthracite or coffee.




IP43

**1,790 Kg / 0,0216 m³**
**GU10 max 1 x 35W**

**139470** Anthracit.
**213101** Coffee

**4000 K**
**420 Lm**


**253497**

P. 702

# Zenith

Powder coated die-cast aluminum frame with anthracite finish. Adjustable reflecting body. Plastic diffuser.

LED Bulbs LED GU10 5W 4000 K included.
Cod. **253497**




IP65

**1,080 Kg / 0,0137 m³**
**GU10 max 1 x 11W**

**124421** Anthracit.

**4000 K**
**420 Lm**

**253497**

P. 783






# Acqua

Turned aluminum reflecting body with matt paint, available finishes: anthracite or coffee. Tempered glass diffuser.




IP44

**1,500 Kg / 0,0164 m³**
**G9 max 1 x 15W**


**135205** Anthracit.
**246918** Coffee

**4000 K**
**320 Lm**
**209036**

# Tifone new

Powder coated die-cast aluminum base and frame with anthracite finish. Clear tempered glass diffuser. Downward light emission.


LED source 3000 K, 20.000 h life.




IP65

**1,250 Kg / 0,0054 m³**
**LED 8,5W / 720 Lm**

**250953** Anthracit. new




IP65

**1,010 Kg / 0,0029 m³**
**LED 8,5W / 720 Lm**

**250977** Anthracit. new






# Vega

Aluminum body with matt powder coating. Clear tempered glass diffuser. Available finishes: anthracite, white, coffee, grey or black.



136035 136042 136028 136059 213361




IP44

**1,150 Kg / 0,0091 m³**
**G9 max 1 x 15W**

| | |
|---|---|
| 136035 | White |
| 136042 | Grey |
| 136028 | Anthracit. |
| 136059 | Black |
| 213361 | Coffee |

**4000 K**
**320 Lm**

**209036**

# Titano

Porous resin body. Matt black varnished metal base and diffuser's detail. Downward light emission. Integrated LED source.


LED source 3000/4000 K, 50.000 h life.




IP55

**9,220 Kg / 0,0540 m³**
**LED 9W / 430/450 Lm**

| | | |
|---|---|---|
| 246987 | Granite | 3000K |
| 187327 | Granite | 4000K |




IP55

**6,800 Kg / 0,0377 m³**
**LED 9W / 430/450 Lm**

| | | |
|---|---|---|
| 246994 | Granite | 3000K |
| 157856 | Granite | 4000K |



# Dema

Powder coated aluminum body with anthracite or black finish. Clear Plexiglas diffuser with inner aluminum elements.





IP54

**2,200 Kg / 0,0174 m³**
**R7s max 1 x 25W**

**248219** Anthracit.
**248202** Black

**4000 K**
**1300 Lm**

**253480**





IP54

**1,670 Kg / 0,0134 m³**
**R7s max 1 x 25W**

**243481** Anthracit.
**248226** Black

**4000 K**
**1300 Lm**

**253480**




IP54

**1,320 Kg / 0,0090 m³**
**R7s max 1 x 25W**

**248233** Anthracit.
**248240** Black

**4000 K**
**1300 Lm**


**253480**




# Lyra new

Powder coated die-cast aluminum body with anthracite finish. Clear acrylic diffuser, with satin opal acrylic reflective elements inside.


LED source 3000/4000 K, 20.000 h life.




IP65

**1,620 Kg / 0,0059 m³**
**LED 10W / 1050/1200 Lm**

**250762** Anthracit. 3000K new
**268392** Anthracit. 4000K new




IP65

**1,770 Kg / 0,0073 m³**
**LED 10W / 1050/1200 Lm**

**250748** Anthracit. 3000K new
**268408** Anthracit. 4000K new

P. 707





# Amelia

High performance resin body and diffuser: resistant to corrosion, colors stabilized during U.V. rays treatment, resistant to temperatures between -60° C and +90° C.

LED Bulbs LED E27 8W Goccia 4000 K included.




IP55

**1,070 Kg / 0,0220 m³**
**E27 max 1 x 23W**

**198644** White
**198637** Grey
**198620** Black

**4000 K**
**850 Lm**

**151991**



# Tronco

Varnished die-cast aluminum body with different finishes: anthracite, white, coffee, grey or black. Pyrex glass diffuser with aluminum elements inside.




P. 706





IP44

**2,490 Kg / 0,0254 m³**
**E27 max 1 x 60W**

| | |
|---|---|
| 109138 | White |
| 026961 | Grey |
| 026992 | Anthracit. |
| 004723 | Black |
| 163741 | Coffee |

4000 K
450 Lm

**153957**




IP44

**1,970 Kg / 0,0193 m³**
**E27 max 1 x 60W**

| | |
|---|---|
| 109145 | White |
| 026954 | Grey |
| 026985 | Anthracit. |
| 004730 | Black |
| 163758 | Coffee |

4000 K
450 Lm

**153957**




IP44

**0,590 Kg / 0,0135 m³**
**E27 max 1 x 60W**

| | |
|---|---|
| 248264 | White |
| 248288 | Grey |
| 248257 | Anthracit. |
| 248295 | Black |
| 248271 | Coffee |


4000 K
450 Lm

**153957**

# Pulsar

Cast aluminum body with powder coating available in different colors: anthracite, coffee or grey. White polycarbonate diffuser.




IP44

1,900 Kg / 0,0120 m³
E27 max 1 x 42W

135922 Grey
135908 Anthracit.
246888 Coffee


4000 K
600 Lm
151960

# Venus

Steel foil body available with brushed or anthracite finish. Satin acrylic top-diffuser.

LED Bulbs LED GU10 5W 4000 K included.
Cod. **253497**




IP44

1,410 Kg / 0,0136 m³
GU10 max 1 x 15W

089775 Steel
106175 Anthracit.

4000 K
420 Lm
253497




IP44

1,070 Kg / 0,0103 m³
GU10 max 1 x 15W

106182 Anthracit.

4000 K
420 Lm
253497






# Etere new

Powder painted casted aluminum body. Opal color plastic diffuser. Available finishes: anthracite or coffee.

LED source 3000/4000 K, 25.000 h life.




IP44

1,100 Kg / 0,0103 m³
LED 10,5W / 720/780 Lm


| | | |
|---|---|---|
| 246932 | Anthracit. | 3000K |
| 172439 | Anthracit. | 4000K |
| 269160 | Coffee | 3000K new |
| 246956 | Coffee | 4000K |

P. 707

# Edo Outdoor

Die-cast aluminum structure finished with anthracite, white or coffee powder coating. White polycarbonate diffuser.








IP44

1,600 Kg / 0,0239 m³
GX53 max 1 x 15W

| | | |
|---|---|---|
| 135755 | White | |
| 138510 | Anthracit. | |
| 213071 | Coffee | |

4000 K
800 Lm
154008




IP44

2,670 Kg / 0,0268 m³
GX53 max 1 x 15W

| | | |
|---|---|---|
| 142999 | White | |
| 135762 | Anthracit. | |
| 213088 | Coffee | |

4000 K
800 Lm
154008





# Torre


Turned powder painted aluminum body with anthracite or black finish. Plastic diffuser with opal effect.



186979



158891




IP44

2,100 Kg / 0,0224 m³
E27 max 1 x 15W

162492 Anthracit.
186955 Black

4000 K
600 Lm

151960




IP44

0,870 Kg / 0,0054 m³
E27 max 1 x 15W

158891 Anthracit.
186979 Black

4000 K
600 Lm

151960




# Elisa

Resin body resistant to corrosion, UV and temperature between -60° and +90° C. Anti-yellowing transparent diffuser.

LED Bulbs LED GX53 7W 4000 K included.



187877 187884 187891




IP55

2,150 Kg / 0,0220 m³
GX53 max 1 x 10W

187877 White
187884 Grey
187891 Black

4000 K
800 Lm

154008

# Marte

Powder coated aluminum body with anthracite finish. White acrylic diffuser.




IP44

2,500 Kg / 0,0193 m³
E27 max 1 x 25W

092225 Anthracit.

4000 K
850 Lm

151991



# Mercurio

Powder coated aluminum body with anthracite finish. Clear Pyrex glass diffuser.




IP44

1,540 Kg / 0,0057 m³
G9 max 1 x 15W

114347 Anthracit.

4000 K
320 Lm

209036






# Classic Globe

Resin body resistant to corrosion, UV and to temperature between -60° and +90°. Anti-yellowing diffuser. Available finishes: white or clear.





IP55

2,790 Kg / 0,1248 m³
E27 max 1 x 23W

187532 Clear
187525 White

4000 K
850 Lm

151991




IP55

2,050 Kg / 0,1015 m³
E27 max 1 x 23W

187556 Clear
187549 White

4000 K
850 Lm

151991


# Clio

Modular fitting with turned die-cast aluminum frame, finished with anthracite, white, grey and black powder coating. Plastic diffuser with matt white finish.










IP44

1,360 Kg / 0,0087 m³
E27 max 1 x 60W

249469 White
249476 Grey
249452 Anthracit.
249483 Black

4000 K
600 Lm

151960





IP44

7,250 Kg / 0,0384 m³
E27 max 2 x 60W

249506 White
249513 Grey
249490 Anthracit.
249520 Black

4000 K
600 Lm

151960





0,540 Kg / 0,0171 m³

145068 White





0,580 Kg / 0,0019 m³

116716 White




0,680 Kg / 0,0039 m³

145020 White



P. 688 P. 688 P. 729






# Cima

Totally die-cast aluminum frame. Anthracite, coffee or black and gold finish. Transparent acrylic diffuser.



246833 024097 246840




IP43

3,340 Kg / 0,1467 m³
E27 max 2 x 60W

246833 Anthracit.
024097 Black Gold
246840 Coffee

4000 K
920 Lm

153964


P. 730

# Anna

High performance resin body: resistant to corrosion, colours stabilized during UV rays treatment, thermal shock resistence from -60° to +90°C. Methacrylate non-yellowing diffuser.



120454 101514




IP55

2,500 Kg / 0,0446 m³
E27 max 1 x 23W

120454 White
101514 Black


4000 K
920 Lm

153964

P. 731

# Outdoors

## Spotlights



new



Thor 776



Starlight 778



Minitommy 780



Tommy 781



Terra 782



Inside 783



Zenith 783

new



Ulex 784



Krypton 786

new



Alien 787

# Thor new


Adjustable linear projector for surface installation with oblique light effect. Die-cast aluminum body, clear glass diffuser. Integrated LED source, available in two lengths (500 mm and 1000 mm). Adjustability +/- 90 ° from the vertical, IP65 protection index, IK06 impact resistance, 3000K color temperature, 24 Vdc power supply input; LED useful life 50.000 h. Optionally available with anti-glare visor.

| | | | |
|---|---|---|---|
| **Source** | LED COB | **Insulation class** | III |
| **Power** | 8W / 36W | **IP** | 65 |
| **Driver included** | No | **Material** | Aluminum |
| **Drivers available** | On/Off | | |
| **CCT** | 3000 K | | |
| **CRI** | ≥80 | | |
| **LED life** | 50.000 h | | |

**PRO** High-tech product with high quality materials, intended for professional use.

LED SMD OSRAM Driver not included







| Power | Beam | Flux | CCT | Finish | Code | |
|---|---|---|---|---|---|---|
| 18 W | 30° | 1950 Lm | 3000 K | Anthracite | 261331 | new |

1,490 Kg/0,0057 m³
**Cable lenght 50 cm**

LED SMD OSRAM Driver not included






| Power | Beam | Flux | CCT | Finish | Code | |
|---|---|---|---|---|---|---|
| 36 W | 30° | 3900 Lm | 3000 K | Anthracite | 261355 | new |

2,460 Kg/0,0108 m³
**Cable lenght 50 cm**

OPTIONAL Not included



| | | Finish | Code | |
|---|---|---|---|---|
| Visor | 18W | Anthracite | 261362 | new |
| | 36W | Anthracite | 261379 | new |

ON/OFF DRIVER Not included/Required

| Power | Output | Measure | Code | |
|---|---|---|---|---|
| 40 W | 24 Vdc | 171 x 37 x 61 mm | 272108 | new |
| 100 W | 24 Vdc | 220 x 68 x 39 mm | 226200 | |
| 185 W | 24 Vdc | 220 x 68 x 39 mm | 226217 | |




# Starlight

Aluminum adjustable tracklight with ceiling or peg installation; dark gray anodized and powder coated surface; integrated energy-efficient LED source with high color rendering; available with 3000k and 4000k color temperature; LED useful life 50.000 h. Optional anti-glare screen.

| | | | |
|---|---|---|---|
| **Source** | LED COB | **Insulation class** | III |
| **Power** | 5,5W / 10W | **IP** | 68 |
| **Driver included** | No | **Material** | Aluminum |
| **Drivers available** | On/Off | | |
| **CCT** | 3000 K / 4000 K | | |
| **CRI** | ≥80 | | |
| **LED life** | 50.000 h | | |

**PRO** High-tech product with high quality materials, intended for professional use.







0,280 Kg/0,0005 m³

LED COB CITIZEN Driver not included

| Power | Beam | Flux | CCT | Finish | | Code |
|---|---|---|---|---|---|---|
| 5,5 W | 30° | 500 Lm | 3000 K | Dark Gray | | 248394 |
| | | 550 Lm | 4000 K | Dark Gray | | 245041 |






0,950 Kg/0,0014 m³

LED COB CITIZEN Driver not included

| Power | Beam | Flux | CCT | Finish | | Code |
|---|---|---|---|---|---|---|
| 10 W | 33° | 930 Lm | 3000 K | Dark Gray | | 248387 |
| | | 960 Lm | 4000 K | Dark Gray | | 245072 |

OPTIONAL Not included



| | | Finish | | Code |
|---|---|---|---|---|
| Visor | 5,5W | Dark Gray | | 245096 |
| | 10W | Dark Gray | | 245102 |



| | Finish | | Code |
|---|---|---|---|
| IP68 connector | Black | | 248615 |



| | Finish | | Code |
|---|---|---|---|
| Peg | Dark Gray | | 245089 |

ON/OFF DRIVER Not included/Required

| Power | Output | Measure | Code |
|---|---|---|---|
| 20 W | 24 Vdc | 118 x 35 x 26 mm | 226187 |
| 35 W | 24 Vdc | 148 x 40 x 30 mm | 226194 |
| 100 W | 24 Vdc | 220 x 68 x 39 mm | 226200 |
| 185 W | 24 Vdc | 220 x 68 x 39 mm | 226217 |







# Minitommy

High performance resin body and diffuser: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C. Adjustable diffuser.


LED Bulbs LED GU10 3,5W 3000/4000 K included.



120218



120201







**0,360 Kg / 0,0027 m³**
**GU10 max 1 x 6W**

| | | |
|---|---|---|
| 120218 | | 4000K White |
| 247199 | | 3000K Black |
| 120201 | | 4000K Black |



108292 3000K
253497 4000K



P. 700

# Tommy

High performance resin body and diffuser: resistant to corrosion caused by atmospheric agents; colors stabilized during U.V. treatment; thermal shock resistance from -60°C to + 90°C. Adjustable diffuser.

LED Bulbs LED GX53 7W 3000/4000 K included.




145310



145334



145358







**0,730 Kg / 0,0044 m³**
**GX53 max 1 x 10W**

| | | |
|---|---|---|
| 145310 | | 4000K White |
| 145334 | | 4000K Grey |
| 247175 | | 3000K Black |
| 145358 | | 4000K Black |



123936 3000K
154008 4000K




P. 701



# Terra

Cast aluminum painted frame. Adjustable body. Transparent Pyrex glass diffuser.




IP65

1,230 Kg / 0,0086 m³
E27 max 1 x 60W

033044 Anthracit.
247038 Coffee

4000 K
600 Lm

151960




IP65

0,520 Kg / 0,0038 m³
GU10 max 1 x 35W

106205 White
033037 Anthracit.
046211 Black
163727 Coffee

4000 K
420 Lm


253497

P. 702



# Inside

Powder coated cast aluminum frame with anthracite, coffee or grey finish. Adjustable body. Clear Pyrex glass diffuser. Provided with peg to plant in the ground.




IP54

0,370 Kg / 0,0019 m³
G9 max 1 x 15W

115412 Anthracit.
115429 Black
247045 Coffee


4000 K
320 Lm

209036

# Zenith

Powder coated die-cast aluminum frame with anthracite finish. Adjustable reflecting body. Plastic diffuser.

LED Bulbs LED GU10 5W 4000 K included.
Cod. **253497**




IP65

0,650 Kg / 0,0039 m³
GU10 max 1 x 11W

108407 Anthracit.

4000 K
420 Lm

253497



P. 753



115412 115429 247045






# Ulex new

Orientable projector for surface installation, suited for a general or accent outdoor lighting. Die-cast aluminum body, clear glass diffuser. Light source with integrated led available in two different powers. Protection index IP65, resistance to impact IK06, 3000 K color temperature; LED useful life 50.000 h. Optionally available with wiring base, piquet for ground installation and anti-glare installation.

| | | | |
|---|---|---|---|
| **Source** | LED SMD | **Insulation class** | I |
| **Power** | 8,5W / 15W | **IP** | 65 |
| **Driver included** | On/Off | **Material** | Aluminum |
| **Drivers available** | No | | |
| **CCT** | 3000 K | | |
| **CRI** | ≥80 | | |
| **LED life** | 50.000 h | | |

**PRO** High-tech product with high quality materials, intended for professional use.







0,660 Kg/0,0024 m³
**Cable lenght 200 cm**

LED SMD OSRAM **Driver ON/OFF included**

| Power | Beam | Flux | CCT | Finish | | Code | |
|---|---|---|---|---|---|---|---|
| 8,5 W | 30° | 640 Lm | 3000 K | Anthracite | | 261287 | new |






1,190 Kg/0,0042 m³
**Cable lenght 200 cm**

LED SMD OSRAM **Driver ON/OFF included**

| Power | Beam | Flux | CCT | Finish | | Code | |
|---|---|---|---|---|---|---|---|
| 15 W | 30° | 1280 Lm | 3000 K | Anthracite | | 261294 | new |

OPTIONAL Not included



| | Finish | | Code | |
|---|---|---|---|---|
| Box | 8,5 W | Anthracite | 268156 | new |
| | 15 W | Anthracite | 268187 | new |



| | Finish | | Code | |
|---|---|---|---|---|
| Peg | 8,5 W | Anthracite | 268163 | new |
| | 15 W | Anthracite | 268194 | new |



| | Finish | | Code | |
|---|---|---|---|---|
| Visor | 8,5 W | Anthracite | 268170 | new |
| | 15 W | Anthracite | 268200 | new |




# Krypton new

Brushed steel body. Integrated LED sources. Adjustable diffuser allows the regulation of the light spread.

LED LED source 3000/4000 K, 15.000 h life.






IP65


**3,090 Kg / 0,0024 m³**
**LED 6W / 620 Lm**

| | | |
|---|---|---|
| **269290** | **Steel** | **3000K** new |
| **121970** | **Steel** | **4000K** |

# Alien new

Directable powder coated die-cast aluminum body. Clear tempered glass diffuser.


LED LED source 3000 K, 50.000 h life.




IP65

**0,950 Kg / 0,0024 m³**
**LED 9W / 1030 Lm**


**255866** Aluminum new




IP65

**0,700 Kg / 0,0018 m³**
**LED 6W / 690 Lm**

**255859** Aluminum new




**Driver**
**Not included**
**Required**

| | | |
|---|---|---|
| **276212** | **6W** | new |
| **276526** | **9W** | new |



# Outdoors

## Downlights


new

Bit 790

new

Wire 791

new

Indio 792

new

Leo 792


Leti Round 793


Leti Square 793

new

Taurus 794

new

Floor 795


Park Round 796


Park Square 796


Park Led 797


Ceci Round 798


Ceci Square 798


Cecilia 799


Rocket Mini 800


Rocket Mini 800


Rocket Mini 800


Rocket 801


Rocket 801

new

Way 801

new

Way 801

new

Way 801



# Bit new

Recessed body made of powder coated die-cast aluminum. Clear tempered glass diffuser. Available in anthracite or white finish.


LED LED source 3000/4000 K, 35.000 h life.



269023



269009




IP65

0,300 Kg / 0,0006 m³
LED 3W / 215/230 Lm

Driver
Not included
Required

| | | | | | |
|---|---|---|---|---|---|
| 269023 | White | 3000K | new | 276205 | new |
| 269030 | White | 4000K | new | | |
| 269009 | Anthracit. | 3000K | new | | |
| 269016 | Anthracit. | 4000K | new | | |

# Wire new

Recessed body made of powder coated die-cast aluminum. Clear tempered glass diffuser. Available in anthracite or white finish.


LED LED source 3000 K, 20.000 h life.



255521


268989






IP65

0,460 Kg / 0,0018 m³
LED 4W / 200 Lm




IP65


0,220 Kg / 0,0009 m³
LED 1,5W / 60 Lm

| | | | | | |
|---|---|---|---|---|---|
| 268989 | White | | new | 268996 | White | new |
| 255514 | Anthracit. | | new | 255521 | Anthracit. | new |

# Indio new

Recessed body made of powder coated die-cast aluminum. Tempered white screen-printed glass diffuser.

LED LED source 3000 K, 35.000 h life.




IP65

**1,090 Kg / 0,0023 m³**
**LED 8W / 1170 Lm**

**255804** White new

IP65

**0,540 Kg / 0,0011 m³**
**LED 5W / 585 Lm**

**255781** White new






# Leo new

Recessed body made of powder coated die-cast aluminum. Tempered white screen-printed glass diffuser with brushed stainless steel frame.

LED LED source 3000/4000 K, 50.000 h life.




IP65

**0,960 Kg / 0,0044 m³**
**LED 8W / 370/390 Lm**

**261409** Steel 3000K new
**268224** Steel 4000K new




# Leti

High performance resin body and diffuser: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C.

LED Bulbs LED GX53 3W 4000 K included.

**096575**






IP66 INCLUSA

**0,400 Kg / 0,0025 m³**
**GX53 max 1 x 10W**

**096544** White
**096568** Grey
**096551** Black

4000 K
800 Lm

**154008**

**096599**



IP66 INCLUSA

**0,400 Kg / 0,0025 m³**
**GX53 max 1 x 10W**

**096575** White
**096599** Grey
**096582** Black

4000 K
800 Lm

**154008**

**096582**








# Taurus new

Multi-orientable recessed spot for floor, wall or false ceiling installation. Die-cast aluminum body, stainless steel ring 316L, clear glass diffuser. Integrated LED light source, versions available with 1,2 or 3 LED modules singularly orientable of +/- 30° by using an external pivot which allows to expand, tighten or position the overall light beam. Walkable, protection degree IP67, resistance to impact IK09/IK10, 3000K color temperature.


LED LED source 3000 K, 50.000 h life.




IP67

**4,400 Kg / 0,0242 m³**
**LED 20W / 1950 Lm**


**277035** Steel




IP67

**3,250 Kg / 0,0133 m³**
**LED 13,5W / 1300 Lm**


new **277028** Steel




IP67

**1,980 Kg / 0,0071 m³**
**LED 10W / 860 Lm**

new **277011** Steel




IP67


**1,460 Kg / 0,0129 m³**
**LED 5,5W / 430 Lm**

new **277004** Steel

# Floor new

Outdoor unmovable recessed fitting made of die cast aluminum with round ring available in three dimensions. Suitable for ground and floor installation. Anodized aluminum finish with extra-clear tempered glass diffuser. Integrated LED passively cooled with 30° optics; available color temperature of 3000 k and CRI ≥ 80; protection degree IP 67; IK10.


LED LED source 3000 K, 30.000 h life.




IP67

**0,960 Kg / 0,0049 m³**
**LED 12W / 1560 Lm**


**255682** Steel




IP67

**0,640 Kg / 0,0015 m³**
**LED 6W / 780 Lm**

new **255668** Steel




IP67

**0,390 Kg / 0,0010 m³**
**LED 3W / 390 Lm**

new **255651** Steel










# Park

Recessed spotlight for wall or ground installation. PVC external body. Aluminum reflecting parabola. Glazed steel glass-setting frame. Clear glass.





IP54

**1,210 Kg / 0,0066 m³**
**E27 max 1 x 60W**

**032825** Steel

**4000 K**
**920 Lm**

**153964**





IP54

**0,580 Kg / 0,0032 m³**
**GU10 max 1 x 20W**

**032832** Steel

**4000 K**
**420 Lm**

**253497**




IP54

**0,900 Kg / 0,0031 m³**
**G9 max 1 x 15W**

**117881** Steel

**4000 K**
**320 Lm**

**209036**


# Park Led

Transparent tempered glass. Walkable. Integrated LED source. Absence of visible screws. Two versions available with formwork of different heights for higher installation versatility.

**LED** LED source 4000 K, 50.000 h life.

**IP68** Protection degree IP68.


**S316** Item made of stainless steel 316.




IP68

**2,150 Kg / 0,0028 m³**
**LED 11,5W / 1100 Lm**


**222851** Steel **60°**




IP68


**1,270 Kg / 0,0018 m³**
**LED 4,8W / 450 Lm**

**222868** Steel **15°**
**222875** Steel **60°**




**Driver**
**Not included**
**Required**

**226187** **20W**
**226194** **35W**




**Driver**
**Not included**
**Required**


**226200** **100W**
**226217** **185W**



# Ceci

High performance resin body: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C. Resistant to 5000 kg impact.

LED Bulbs LED GU10 3,5W and LED GX53 10W 4000 K included.





IP67

**0,670 Kg / 0,0043 m³**
**GX53 max 1 x 10W**

**120324** Black

**4000 K**
**800 Lm**

**154008**





IP67

**0,270 Kg / 0,0019 m³**
**GU10 max 1 x 6W**

**120249** Black

**4000 K**
**420 Lm**

**253497**





IP67

**0,700 Kg / 0,0044 m³**
**GX53 max 1 x 10W**

**120386** Black

**4000 K**
**800 Lm**

**154008**




IP67

**0,270 Kg / 0,0019 m³**
**GU10 max 1 x 6W**

**120317** Black

**4000 K**
**420 Lm**

**253497**



# Cecilia

High performance resin body: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C. Resistant to 5000 kg impact.


LED Bulbs LED GU10 3,5W and LED GX53 10W 4000 K included.



**120362**



**120287**





IP67

**0,740 Kg / 0,0043 m³**
**GX53 max 1 x 10W**

**120362** Black

**4000 K**
**800 Lm**

**154008**




IP67

**0,260 Kg / 0,0020 m³**
**GU10 max 1 x 6W**

**120287** Black

**4000 K**
**420 Lm**


**253497**



# Rocket

Walkable recessed fitting. Brushed steel body. Tempered glass diffuser.


LED LED source 3000/4000 K, 50.000 h life.




IP65

**0,560 Kg / 0,0034 m³**
**LED 3W / 270/290 Lm**

| | | |
|---|---|---|
| 247144 | Steel | 3000K |
| 122014 | Steel | 4000K |




IP65

**0,560 Kg / 0,0034 m³**
**LED 3W / 270/290 Lm**

| | | |
|---|---|---|
| 247151 | Steel | 3000K |
| 122021 | Steel | 4000K |








# Rocket Mini

Walkable. Integrated LED source. Absence of visible screws. Available versions with 1 or 2 lights close to the ground or with a unique central accent light.

LED LED source 4000 K, 50.000 h life.

IP68 Protection degree IP68.


S316 Item made of stainless steel 316.




IP68

**0,280 Kg / 0,0008 m³**
**LED 2W / 140 Lm**


| | | |
|---|---|---|
| 212623 | Steel | 15° |
| 212647 | Steel | 40° |




IP68


**0,330 Kg / 0,0008 m³**
**LED 2W / 160 Lm**

| | |
|---|---|
| 222820 | Steel |
| 222837 | Steel |




**Driver**
**Not included**
**Required**

| | |
|---|---|
| 226187 | 20W |
| 226194 | 35W |





**Driver**
**Not included**
**Required**

| | |
|---|---|
| 226200 | 100W |
| 226217 | 185W |

# Way new

Walkable recessed lamp. High-performance resin body and diffuser: resistant to corrosion, UV and to temperatures between -60° and +90°. Color: black.

LED Bulbs LED G9 1,7W 3000/4000 K included. Cod. **270104/270111**





IP67

**0,100 Kg / 0,0007 m³**
**G9 max 1 x 1,7W**

| | | | | | |
|---|---|---|---|---|---|
| 269726 | B | 3000K new | 269733 | B | 4000K new |

270104 3000K
270111 4000K





IP67

**0,080 Kg / 0,0009 m³**
**G9 max 1 x 1,7W**

| | | | | | |
|---|---|---|---|---|---|
| 269504 | B | 3000K new | 269696 | B | 4000K new |

270104 3000K
270111 4000K




IP67

**0,080 Kg / 0,0009 m³**
**G9 max 1 x 1,7W**

| | | | | | |
|---|---|---|---|---|---|
| 269702 | B | 3000K new | 269719 | B | 4000K new |

270104 3000K
270111 4000K



# Light bulbs* and accessories



new



**E14** 804

new



**E27** 806

new



**G4** 813

new



**G9** 813

new



**GU10** 814



**GX53** 815

new



**R7s** 815



**Strip** 816



**Kit Emergency** 818



**Ceiling Cups** 819



**Cables** 819




**Cables Holders** 819




**Bulb Holders** 819

* No further promotions can be applied to bulbs and strip led recommended prices.


# Bulbs E14



| Lamp socket | Power | Flux | CCT | CRI | Dimmable | Life | Code | |
|---|---|---|---|---|---|---|---|---|
| E14 | 4 W | 430 Lm | 3000 K | 80 | TRIAC | 15.000 h | 188935 | |
| E14 | 4 W | 430 Lm | 3000 K | 80 | | 15.000 h | 101200 | |
| E14 | 4 W | 430 Lm | 3000 K | 90 | | 15.000 h | 271620 | new |
| E14 | 4 W | 450 Lm | 4000 K | 80 | | 15.000 h | 153926 | |



| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| E14 | 4 W | 300 Lm | 2200 K | 80 | | 15.000 h | 151656 | |



| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| E14 | 4 W | 360 Lm | 3000 K | 80 | | 15.000 h | 101217 | |
| E14 | 4 W | 380 Lm | 4000 K | 80 | | 15.000 h | 253411 | |



| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| E14 | 7 W | 560 Lm | 3000 K | 80 | | 25.000 h | 151731 | |
| E14 | 7 W | 600 Lm | 4000 K | 80 | | 25.000 h | 151946 | |



| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| E14 | 4 W | 250 Lm | 3000 K | 80 | | 15.000 h | 101262 | |



| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| E14 | 4 W | 430 Lm | 3000 K | 80 | | 15.000 h | 101255 | |



| Lamp socket | Power | Flux | CCT | CRI | Dimmable | Life | Code |
|---|---|---|---|---|---|---|---|
| E14 | 4 W | 430 Lm | 3000 K | 80 | TRIAC | 15.000 h | 188911 |
| E14 | 4 W | 430 Lm | 3000 K | 80 | | 15.000 h | 101248 |
| E14 | 4 W | 450 Lm | 4000 K | 80 | | 15.000 h | 153940 |



| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| E14 | 4 W | 300 Lm | 2200 K | 80 | | 15.000 h | 151663 | |



| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| E14 | 4 W | 360 Lm | 3000 K | 80 | | 15.000 h | 151793 | |



| Lamp socket | Power | Flux | CCT | CRI | Dimmable | Life | Code | |
|---|---|---|---|---|---|---|---|---|
| E14 | 4 W | 410 Lm | 2700 K | 80 | | 15.000 h | 270944 | new |
| E14 | 4 W | 430 Lm | 3000 K | 80 | TRIAC | 15.000 h | 188928 | |
| E14 | 4 W | 430 Lm | 3000 K | 80 | | 15.000 h | 101224 | |
| E14 | 4 W | 430 Lm | 3000 K | 90 | | 15.000 h | 271644 | new |
| E14 | 4 W | 450 Lm | 4000 K | 80 | | 15.000 h | 153933 | |


| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| E14 | 4 W | 300 Lm | 2200 K | 80 | | 15.000 h | 151649 | |


| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| E14 | 4 W | 360 Lm | 3000 K | 80 | | 15.000 h | 101231 | |


| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| E14 | 7 W | 560 Lm | 3000 K | 80 | | 25.000 h | 151748 | |
| E14 | 7 W | 600 Lm | 4000 K | 80 | | 25.000 h | 151953 | |



151663 151793











101224 151748 151649






101200 101262

# Bulbs E27



| | Lamp socket | Power | Flux | CCT | CRI | Dimmable | Life | Code | |
|---|---|---|---|---|---|---|---|---|---|
|  | E27 | 4 W | 410 Lm | 2700 K | 80 | | 15.000 h | 271637 | new |
| | E27 | 4 W | 400 Lm | 3000 K | 80 | TRIAC | 15.000 h | 188942 | |
| | E27 | 4 W | 430 Lm | 3000 K | 80 | | 15.000 h | 101279 | |
| | E27 | 4 W | 450 Lm | 4000 K | 80 | | 15.000 h | 153957 | |
|  | E27 | 4 W | 300 Lm | 2200 K | 80 | | 15.000 h | 151861 | |
|  | E27 | 4 W | 360 Lm | 3000 K | 80 | | 15.000 h | 101286 | |
|  | E27 | 7 W | 560 Lm | 3000 K | 80 | | 25.000 h | 151755 | |
| | E27 | 7 W | 600 Lm | 4000 K | 80 | | 25.000 h | 151960 | |
|  | E27 | 4 W | 430 Lm | 3000 K | 80 | | 15.000 h | 101293 | |
| | E27 | 4 W | 450 Lm | 4000 K | 80 | | 15.000 h | 253428 | |
| | E27 | 8 W | 810 Lm | 2700 K | 80 | | 15.000 h | 270951 | new |
| | E27 | 8 W | 810 Lm | 3000 K | 80 | TRIAC | 15.000 h | 188973 | |
| | E27 | 8 W | 860 Lm | 3000 K | 80 | | 15.000 h | 119571 | |
| | E27 | 8 W | 860 Lm | 3000 K | 90 | | 15.000 h | 271613 | new |
| | E27 | 8 W | 920 Lm | 4000 K | 80 | | 15.000 h | 153964 | |
| | E27 | 10 W | 1400 Lm | 3000 K | 80 | | 15.000 h | 256528 | new |
| | E27 | 10 W | 1400 Lm | 4000 K | 80 | | 15.000 h | 270920 | new |
|  | E27 | 4 W | 300 Lm | 2200 K | 80 | | 15.000 h | 151687 | |
|  | E27 | 8 W | 810 Lm | 3000 K | 80 | TRIAC | 15.000 h | 252209 | |
| | E27 | 8 W | 810 Lm | 3000 K | 80 | | 15.000 h | 123899 | |
| | E27 | 8 W | 850 Lm | 4000 K | 80 | | 15.000 h | 253459 | |
|  | E27 | 10 W | 800 Lm | 3000 K | 80 | | 25.000 h | 151762 | |
| | E27 | 10 W | 850 Lm | 4000 K | 80 | | 25.000 h | 151991 | |
|  | E27 | 8 W | 520 Lm | 3000 K | 80 | | 15.000 h | 123882 | |

| | Lamp socket | Power | Flux | CCT | CRI | Dimmable | Life | Code |
|---|---|---|---|---|---|---|---|---|
|  | E27 | 26 W | 1850 Lm | 3000 K | 80 | | 13.000 h | 189147 |
|  | E27 | 35 W | 3100 Lm | 3000 K | 80 | | 13.000 h | 189154 |
|  | E27 | 48 W | 4300 Lm | 3000 K | 80 | | 13.000 h | 189161 |
|  | E27 | 30 W | 2500 Lm | 3000 K | 80 | | 20.000 h | 189178 |







101279 151861


101293 123882


189154 189178

# Bulbs E27



| | | Lamp socket | Power | Flux | CCT | CRI | Dimmable | Life | Code | |
|---|---|---|---|---|---|---|---|---|---|---|
|  |   | E27 | 8W | 860 Lm | 3000 K | 80 | TRIAC | 15.000 h | 188966 | |
| | | E27 | 8 W | 860 Lm | 3000 K | 80 | | 15.000 h | 101323 | |
| | | E27 | 8 W | 860 Lm | 3000 K | 90 | | 15.000 h | 271606 | new |
| | | E27 | 8 W | 920 Lm | 4000 K | 80 | | 15.000 h | 153971 | |
|  |   | E27 | 4 W | 300 Lm | 2200 K | 80 | TRIAC | 15.000 h | 223933 | |
| | | E27 | 4 W | 300 Lm | 2200 K | 80 | | 15.000 h | 151717 | |
|  |   | E27 | 4 W | 200 Lm | 2200 K | 80 | | 15.000 h | 204475 | |
|  |   | E27 | 8 W | 720 Lm | 3000 K | 80 | TRIAC | 15.000 h | 252186 | |
| | | E27 | 8 W | 720 Lm | 3000 K | 80 | | 15.000 h | 101330 | |
| | | E27 | 8 W | 760 Lm | 4000 K | 80 | | 15.000 h | 253442 | |
|  |   | E27 | 12 W | 960 Lm | 3000 K | 80 | | 25.000 h | 151779 | |
| | | E27 | 12 W | 1020 Lm | 4000 K | 80 | | 25.000 h | 151977 | |
|  |   | E27 | 8 W | 780 Lm | 3000 K | 80 | | 20.000 h | 157597 | |
|  |   | E27 | 8 W | 520 Lm | 3000 K | 80 | | 20.000 h | 135526 | |









101330



135526



157597

| | | Lamp socket | Power | Flux | CCT | CRI | Dimmable | Life | Code | |
|---|---|---|---|---|---|---|---|---|---|---|
|  |   | E27 | 8W | 810 Lm | 3000 K | 80 | TRIAC | 15.000 h | 188959 | |
| | | E27 | 8 W | 860 Lm | 3000 K | 80 | | 15.000 h | 101347 | |
| | | E27 | 8 W | 860 Lm | 3000 K | 90 | | 15.000 h | 271590 | new |
| | | E27 | 8 W | 920 Lm | 4000 K | 80 | | 15.000 h | 153988 | |
|  |   | E27 | 4 W | 300 Lm | 2200 K | 80 | TRIAC | 15.000 h | 223926 | |
| | | E27 | 4 W | 300 Lm | 2200 K | 80 | | 15.000 h | 151724 | |
|  |   | E27 | 4 W | 200 Lm | 2200 K | 80 | | 15.000 h | 204468 | |
|  |   | E27 | 8 W | 720 Lm | 3000 K | 80 | | 15.000 h | 101354 | |
| | | E27 | 8 W | 760 Lm | 4000 K | 80 | | 15.000 h | 253435 | |
|  |   | E27 | 15 W | 1200 Lm | 3000 K | 80 | | 25.000 h | 151786 | |
| | | E27 | 15 W | 1300 Lm | 4000 K | 80 | | 25.000 h | 152004 | |
|  |   | E27 | 8 W | 780 Lm | 3000 K | 80 | | 20.000 h | 157580 | |



101347












151724



204468










# Bulbs E27



| | | Lamp socket | Power | Flux | CCT | CRI | Dimmable | Life | Code |
|---|---|---|---|---|---|---|---|---|---|
|  |  | E27 | 4 W | 300 Lm | 2200 K | 80 | | 15.000 h | 151700 |
|  |  | E27 | 4 W | 380 Lm | 2200 K | 80 | | 20.000 h | 201283 |
|  |  | E27 | 4 W | 380 Lm | 2200 K | 80 | | 20.000 h | 201269 |
|  |  | E27 | 4 W | 380 Lm | 2200 K | 80 | | 20.000 h | 201290 |
|  |  | E27 | 4 W | 380 Lm | 2200 K | 80 | | 20.000 h | 201276 |
|  |  | E27 | 6 W | 400 Lm | 2200 K | 80 | | 20.000 h | 237350 |
|  |  | E27 | 6 W | 200 Lm | 2200 K | 80 | | 20.000 h | 237367 |
|  |  | E27 | 4 W | 300 Lm | 2200 K | 80 | TRIAC | 15.000 h | 223919 |
| | | E27 | 4 W | 300 Lm | 2200 K | 80 | | 15.000 h | 151694 |
|  |  | E27 | 4 W | 200 Lm | 2200 K | 80 | | 15.000 h | 204451 |










201283 201269 201290 201276

| | | Lamp socket | Power | Flux | CCT | CRI | Dimmable | Life | Code |
|---|---|---|---|---|---|---|---|---|---|
|  |  | E27 | 6 W | 400 Lm | 2200 K | 80 | | 20.000 h | 237374 |
|  |  | E27 | 6 W | 200 Lm | 2200 K | 80 | | 20.000 h | 237381 |
|  |  | E27 | 6 W | 400 Lm | 2200 K | 80 | | 20.000 h | 237336 |
|  |  | E27 | 6 W | 200 Lm | 2200 K | 80 | | 20.000 h | 237343 |
|  |  | E27 | 4 W | 200 Lm | 2200 K | 80 | | 20.000 h | 237251 |
|  |  | E27 | 4 W | 100 Lm | 2200 K | 80 | | 20.000 h | 237268 |
|  |  | E27 | 12 W | 800 Lm | 2200 K | 80 | | 20.000 h | 237299 |
|  |  | E27 | 12 W | 400 Lm | 2200 K | 80 | | 20.000 h | 237305 |
|  |  | E27 | 6 W | 580 Lm | 2200 K | 80 | | 20.000 h | 201252 |



237381 237343 237268 237305

# Bulbs E27

| | | Lamp socket | Power | Flux | CCT | CRI | Dimmable | Life | Code |
|---|---|---|---|---|---|---|---|---|---|
|  |  | E27 | 8 W | 600 Lm | 2200 K | 80 | TRIAC | 15.000 h | 223964 |
| | | E27 | 8 W | 600 Lm | 2200 K | 80 | | 15.000 h | 130163 |
|  |  | E27 | 8 W | 400 Lm | 2200 K | 80 | | 15.000 h | 204543 |
|  |  | E27 | 4 W | 320 Lm | 2200 K | 80 | TRIAC | 15.000 h | 223940 |
| | | E27 | 4 W | 320 Lm | 2200 K | 80 | | 15.000 h | 129877 |
|  |  | E27 | 4 W | 300 Lm | 2200 K | 80 | | 15.000 h | 204505 |
|  |  | E27 | 4 W | 320 Lm | 2200 K | 80 | TRIAC | 15.000 h | 223834 |
| | | E27 | 4 W | 320 Lm | 2200 K | 80 | | 15.000 h | 130187 |
|  |  | E27 | 4 W | 200 Lm | 2200 K | 80 | | 15.000 h | 204536 |
|  |  | E27 | 4 W | 320 Lm | 2200 K | 80 | | 15.000 h | 130170 |
|  |  | E27 | 4 W | 320 Lm | 2200 K | 80 | | 15.000 h | 129860 |



204505


129877

# Bulbs G4


188980

222257




| | | Lamp socket | Power | Flux | CCT | CRI | Dimmable | Life | Code |
|---|---|---|---|---|---|---|---|---|---|
|  |  | G4 | 1,5 W | 200 Lm | 3000 K | 80 | | 25.000 h | 188980 |
|  |  | G4 | 2 W | 170 Lm | 3000 K | 80 | | 25.000 h | 222257 |

# Bulbs G9


189000

209043

122168

| | | Lamp socket | Power | Flux | CCT | CRI | Dimmable | Life | Code | |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  | G9 | 1,7 W | 170 Lm | 3000 K | 80 | | 25.000 h | 270104 | new |
| | | G9 | 1,7 W | 190 Lm | 4000 K | 80 | | 25.000 h | 270111 | new |
|  |  | G9 | 2,5 W | 200 Lm | 3000 K | 80 | | 25.000 h | 122168 | |
| | | G9 | 2,5 W | 210 Lm | 4000 K | 80 | | 25.000 h | 253381 | |
|  |  | G9 | 2,5 W | 300 Lm | 4000 K | 80 | TRIAC | 25.000 h | 253473 | |
|  |  | G9 | 3,2 W | 280 Lm | 2700 K | 80 | | 25.000 h | 270968 | new |
| | | G9 | 3,2 W | 300 Lm | 3000 K | 80 | | 25.000 h | 209043 | |
| | | G9 | 3,2 W | 320 Lm | 4000 K | 80 | | 25.000 h | 209036 | |


# Bulbs GU10







| Lamp socket | Power | Flux | CCT | Beam | Dimmable | Life | Code | |
|---|---|---|---|---|---|---|---|---|
| GU10 | 5 W | 400 Lm | 3000 K | 32° | | 25.000 h | 108292 | |
| GU10 | 5 W | 420 Lm | 4000 K | 32° | | 25.000 h | 253497 | |
| GU10 | 7 W | 640 Lm | 3000 K | 32° | | 25.000 h | 123943 | |
| GU10 | 7 W | 680 Lm | 4000 K | 32° | | 25.000 h | 224367 | |






| | | | | | | | |
|---|---|---|---|---|---|---|---|
| GU10 | 7 W | 560 Lm | 3000 K | 107° | | 25.000 h | 101378 |
| GU10 | 7 W | 600 Lm | 4000 K | 107° | | 25.000 h | 117652 |







| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| GU10 | 8 W | 750 Lm | 3000 K | 36° | | 25.000 h | 189062 | |
| GU10 | 8 W | 750 Lm | 4000 K | 36° | | 25.000 h | 270975 | new |




108292 101378 189062







| Lamp socket | Power | Flux | CCT | Beam | Dimmable | Life | Code | |
|---|---|---|---|---|---|---|---|---|
| GU10 | 12 W | 960 Lm | 3000 K | 30° | | 15.000 h | 242040 | |






| | | | | | | | |
|---|---|---|---|---|---|---|---|
| GU10 | 12 W | 1050 Lm | 3000 K | 49° | | 20.000 h | 183794 |
| GU10 | 12 W | 1100 Lm | 4000 K | 46° | | 20.000 h | 253466 |






| | | | | | | | |
|---|---|---|---|---|---|---|---|
| GU10 | 13 W | 950 Lm | 3000 K | 23° | | 15.000 h | 189031 |
| GU10 | 13 W | 1000 Lm | 4000 K | 23° | | 15.000 h | 253398 |




242040 183794 189031




# Bulbs GX53






| Lamp socket | Power | Flux | CCT | CRI | Dimmable | Life | Code |
|---|---|---|---|---|---|---|---|
| GX53 | 7 W | 560 Lm | 3000 K | 80 | | 25.000 h | 101385 |
| GX53 | 7 W | 600 Lm | 4000 K | 80 | | 25.000 h | 253404 |







| | | | | | | | |
|---|---|---|---|---|---|---|---|
| GX53 | 9,5 W | 760 Lm | 3000 K | 80 | TRIAC | 25.000 h | 252551 |
| GX53 | 9,5 W | 760 Lm | 3000 K | 80 | | 25.000 h | 123936 |
| GX53 | 9,5 W | 800 Lm | 4000 K | 80 | TRIAC | 25.000 h | 252568 |
| GX53 | 9,5 W | 800 Lm | 4000 K | 80 | | 25.000 h | 154008 |

101385




# Bulbs R7s






| Lamp socket | Power | Flux | CCT | CRI | Dimmable | Life | Code | |
|---|---|---|---|---|---|---|---|---|
| R7s | 6 W | 850 Lm | 3000 K | 80 | TRIAC | 30.000 h | 266770 | new |
| R7s | 6 W | 850 Lm | 3000 K | 80 | | 30.000 h | 189109 | |
| R7s | 6 W | 900 Lm | 4000 K | 80 | TRIAC | 30.000 h | 272382 | new |
| R7s | 6 W | 900 Lm | 4000 K | 80 | | 30.000 h | 272375 | new |







| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| R7s | 10 W | 1200 Lm | 3000 K | 80 | TRIAC | 30.000 h | 266763 | new |
| R7s | 10 W | 1200 Lm | 3000 K | 80 | | 30.000 h | 189093 | |
| R7s | 10 W | 1300 Lm | 4000 K | 80 | TRIAC | 30.000 h | 266756 | new |
| R7s | 10 W | 1300 Lm | 4000 K | 80 | | 30.000 h | 253480 | |

189109




# Strip LED and Driver

| | |
|---|---|
| **Volt** | 24 Vdc |
| **MacAdam** | SDCM 3 |
| **Beam** | 115° |
| **LED life** | 50.000 h |





SMD 3014 **120 LED/m CRI ≥80**

| Power | IP | Flux | CCT | Length | Code |
|---|---|---|---|---|---|
| 12 W/m | IP20 | 1100 Lm/m | 2700 K | 3000 mm | 253787 |
| | | 1200 Lm/m | 3000 K | 3000 mm | 253794 |
| | | 1270 Lm/m | 4000 K | 3000 mm | 253817 |
| | IP65 | 1130 Lm/m | 3000 K | 3000 mm | 253800 |





SMD 2835 **60 LED/m CRI ≥85**

| Power | IP | Flux | CCT | Length | Code |
|---|---|---|---|---|---|
| 13 W/m | IP20 | 1100 Lm/m | 2700 K | 3000 mm | 253824 |
| | | | | 5000 mm | 183336 |
| | | 1200 Lm/m | 3000 K | 3000 mm | 253831 |
| | | | | 5000 mm | 124032 |
| | | 1270 Lm/m | 4000 K | 3000 mm | 253855 |
| | | | | 5000 mm | 124049 |
| | IP65 | 1130 Lm/m | 3000 K | 3000 mm | 253848 |
| | | | | 5000 mm | 124056 |




SMD 2835 **120 LED/m CRI ≥90**

| Power | IP | Flux | CCT | Length | Code |
|---|---|---|---|---|---|
| 26 W/m | IP20 | 1500 Lm/m | 3000 K | 3000 mm | 253862 |
| | | | | 5000 mm | 151847 |
| | | 1600 Lm/m | 4000 K | 3000 mm | 253879 |
| | | | | 5000 mm | 151854 |




SMD 2835 **180 LED/m CRI ≥90**

| Power | IP | Flux | CCT | Length | Code |
|---|---|---|---|---|---|
| 39 W/m | IP20 | 3700 Lm/m | 3000 K | 3000 mm | 253886 |
| | | 3900 Lm/m | 4000 K | 3000 mm | 253893 |





DRIVER For indoor installation only

| Driver | Power | Output | Class | Measure | Code |
|---|---|---|---|---|---|
| On-Off | 30 W | 24 Vdc | ⧈ | 140 x 45 x 28 mm | 124070 |
| | 60 W | 24 Vdc | ⧈ | 166 x 50 x 33 mm | 124087 |
| | 100 W | 24 Vdc | ⏚ | 127 x 97 x 30 mm | 124100 |
| | 150 W | 24 Vdc | ⏚ | 159 x 97 x 30 mm | 124117 |
| | 200 W | 24 Vdc | ⏚ | 215 x 115 x 30 mm | 153001 |
| 1-10V/Push | 36 W | 24 Vdc | ⧈ | 175 x 44 x 30 mm | 244556 |
| | 75 W | 24 Vdc | ⏚ | 295 x 43 x 30 mm | 244570 |
| | 150 W | 24 Vdc | ⏚ | 273 x 57 x 37 mm | 244594 |
| DALI/Push | 36 W | 24 Vdc | ⧈ | 175 x 44 x 30 mm | 244549 |
| | 75 W | 24 Vdc | ⏚ | 295 x 43 x 30 mm | 244563 |
| | 150 W | 24 Vdc | ⏚ | 273 x 57 x 37 mm | 244587 |



# Kit Emergency

Emergency kit for LED modules.
Includes inverter and battery.
From two to three hours autonomy and recharging time respectively of 12 and 24 hours. It operates for emergency only or as continuous light (continuous light combined with electronic power supply and dimmable electronic power supply).
Insulation class II.

**221595** White

| INVERTER | GROUP BATTERY |
|---|---|
| 16,6 × 3,4 | 18,5 × 2,9 |
| 4,6 | 5,9 |
| IP20 | |
| 0,185 Kg / 0,0009 m³ | 0,305 Kg / 0,0010 m³ |
| E27 max 1 x 60W | |
| 52 mm | 65 mm |


For further information please contact the technical office.






# Accessories


## Ceiling cups




Magnetic




| 244235 | 244259 | 249315 | 249308 | 244242 |
|---|---|---|---|---|







| 122823 | 122830 | 249278 | 249261 | 123295 |
|---|---|---|---|---|






| 122854 | 122861 | 249292 | 249285 | 123301 |
|---|---|---|---|---|

## Bulb holders






| 249186 | 249193 | 249223 | 249216 | 249209 |
|---|---|---|---|---|






| 242569 | 249230 | 249254 | 249247 | 242576 |
|---|---|---|---|---|






| 155104 | 155234 |
|---|---|

## Cables

Ø 5 x 1000 mm
2 x 0,75 mm²
FEP T180°
PVC T90°



| 128849 | 038940 | 249179 | 249162 | 128832 |
|---|---|---|---|---|

## Cable holders






| 143200 | 143224 | 249339 | 249322 | 143217 |
|---|---|---|---|---|

# Code index



# Code index


| Sku | Pag |
|---|---|
| 000206 | 467 |
| 000251 | 468 |
| 000268 | 468 |
| 000305 | 396 |
| 000619 | 451 |
| 000657 | 333 |
| 001197 | 507 |
| 001814 | 135 |
| 001821 | 135 |
| 002408 | 231 |
| 002705 | 407 |
| 002767 | 407 |
| 002774 | 407 |
| 002781 | 319 |
| 002880 | 532 |
| 003399 | 219 |
| 003528 | 506 |
| 004099 | 235 |
| 004235 | 397 |
| 004426 | 351 |
| 004716 | 706 |
| 004723 | 760 |
| 004730 | 760 |
| 005041 | 116 |
| 005126 | 512 |
| 005218 | 164 |
| 005294 | 384 |
| 005379 | 390 |
| 005386 | 390 |
| 005454 | 384 |
| 005881 | 246 |
| 005898 | 246 |
| 005911 | 254 |
| 006161 | 396 |
| 006321 | 316 |
| 006338 | 316 |
| 007021 | 390 |
| 007038 | 390 |
| 007045 | 390 |
| 007069 | 390 |
| 007380 | 372 |
| 007397 | 372 |
| 007533 | 190 |
| 007960 | 298 |
| 007977 | 298 |
| 007984 | 298 |
| 007991 | 298 |
| 008325 | 438 |
| 008349 | 202 |
| 008356 | 490 |
| 008363 | 202 |
| 008370 | 348 |
| 008455 | 348 |
| 008608 | 299 |
| 008615 | 299 |
| 008622 | 299 |
| 008851 | 393 |
| 009087 | 152 |
| 009131 | 467 |
| 009148 | 152 |
| 009155 | 467 |
| 009223 | 288 |
| 009360 | 100 |
| 009377 | 408 |
| 009391 | 100 |
| 009407 | 100 |
| 009483 | 408 |
| 009513 | 363 |
| 009537 | 363 |
| 009681 | 194 |
| 009698 | 194 |
| 009704 | 235 |
| 009933 | 364 |
| 009940 | 364 |
| 009957 | 364 |
| 010861 | 286 |
| 012605 | 512 |
| 012865 | 243 |
| 012872 | 243 |
| 012889 | 489 |
| 012902 | 444 |
| 012919 | 128 |
| 013046 | 449 |
| 013060 | 449 |
| 013244 | 128 |
| 013657 | 463 |
| 013800 | 350 |
| 013817 | 350 |
| 014166 | 365 |
| 014371 | 512 |
| 014395 | 231 |
| 014432 | 393 |
| 014609 | 520 |
| 014616 | 478 |
| 014623 | 449 |
| 014630 | 449 |
| 014814 | 380 |
| 014920 | 493 |
| 014975 | 495 |
| 015101 | 450 |
| 015118 | 450 |
| 015125 | 450 |
| 015132 | 450 |
| 015286 | 506 |
| 015965 | 495 |
| 016122 | 336 |
| 016399 | 420 |
| 016863 | 182 |
| 016931 | 134 |
| 017082 | 382 |
| 017297 | 391 |
| 017303 | 391 |
| 017310 | 391 |
| 017327 | 393 |
| 017334 | 393 |
| 017440 | 124 |
| 017518 | 367 |
| 017617 | 376 |
| 018089 | 336 |
| 018508 | 286 |
| 018515 | 714 |
| 018522 | 714 |
| 018775 | 451 |
| 018829 | 408 |
| 018836 | 408 |
| 018850 | 317 |
| 019451 | 332 |
| 019468 | 332 |
| 019499 | 211 |
| 019635 | 299 |
| 019734 | 143 |
| 019741 | 143 |
| 019758 | 291 |
| 019765 | 291 |
| 019772 | 478 |
| 020228 | 702 |
| 020556 | 211 |
| 020716 | 113 |
| 020723 | 113 |
| 020747 | 113 |
| 020822 | 243 |
| 020839 | 243 |
| 020846 | 444 |
| 020853 | 489 |
| 020877 | 532 |
| 020891 | 299 |
| 021416 | 190 |
| 021430 | 190 |
| 022222 | 340 |
| 022239 | 340 |
| 022277 | 416 |
| 022987 | 531 |
| 023021 | 125 |
| 023038 | 125 |
| 024097 | 772 |
| 024134 | 730 |
| 025032 | 219 |
| 025261 | 420 |
| 025278 | 117 |
| 025285 | 117 |
| 025292 | 420 |
| 025308 | 117 |
| 025315 | 117 |
| 025438 | 188 |
| 026473 | 382 |
| 026480 | 382 |
| 026558 | 384 |
| 026565 | 282 |
| 026787 | 126 |
| 026954 | 760 |
| 026961 | 760 |
| 026978 | 706 |
| 026985 | 760 |
| 026992 | 760 |
| 027005 | 706 |
| 027081 | 385 |
| 027098 | 385 |
| 027104 | 385 |
| 027289 | 505 |
| 027357 | 122 |
| 027364 | 122 |
| 027418 | 226 |
| 027821 | 226 |
| 027852 | 420 |
| 027876 | 420 |
| 027906 | 136 |
| 028460 | 441 |
| 028682 | 327 |
| 028699 | 327 |
| 030326 | 126 |
| 030784 | 340 |
| 031071 | 407 |
| 031088 | 407 |
| 031095 | 407 |
| 031361 | 365 |
| 031460 | 396 |
| 031477 | 396 |
| 031484 | 387 |
| 031491 | 387 |
| 031507 | 393 |
| 031651 | 338 |
| 031668 | 338 |
| 031743 | 183 |
| 031750 | 183 |
| 031996 | 142 |
| 032009 | 142 |
| 032016 | 142 |
| 032023 | 288 |
| 032030 | 288 |
| 032047 | 288 |
| 032078 | 464 |
| 032122 | 152 |
| 032139 | 152 |
| 032351 | 186 |
| 032368 | 479 |
| 032375 | 479 |
| 032382 | 521 |
| 032436 | 480 |
| 032467 | 480 |
| 032504 | 226 |
| 032825 | 796 |
| 032832 | 796 |
| 033013 | 713 |
| 033020 | 713 |
| 033037 | 782 |
| 033044 | 782 |
| 033532 | 213 |
| 033662 | 148 |
| 033679 | 148 |
| 033952 | 125 |
| 034546 | 363 |
| 034706 | 227 |
| 034713 | 227 |
| 034720 | 227 |
| 034935 | 482 |
| 034942 | 482 |
| 035185 | 362 |
| 035369 | 529 |
| 035574 | 218 |
| 035581 | 218 |
| 035598 | 440 |
| 035604 | 228 |
| 035611 | 228 |
| 035628 | 228 |
| 035635 | 228 |
| 035642 | 442 |
| 035659 | 442 |
| 035666 | 129 |
| 035680 | 129 |
| 035697 | 129 |
| 035703 | 129 |
| 035710 | 129 |
| 035727 | 141 |
| 035826 | 199 |
| 035840 | 199 |
| 035864 | 435 |
| 035949 | 431 |
| 035956 | 431 |
| 035987 | 481 |
| 036007 | 481 |
| 036014 | 295 |
| 036021 | 295 |
| 036045 | 338 |
| 038025 | 377 |
| 038940 | 819 |
| 041827 | 213 |
| 042794 | 507 |
| 043562 | 152 |
| 044163 | 436 |
| 044187 | 200 |
| 044194 | 200 |
| 044200 | 200 |
| 044248 | 236 |
| 044255 | 236 |
| 044279 | 281 |
| 044286 | 281 |
| 044293 | 281 |
| 044392 | 443 |
| 044422 | 237 |
| 044453 | 237 |
| 044491 | 493 |
| 044590 | 471 |
| 044606 | 471 |
| 044767 | 211 |
| 044774 | 211 |
| 044910 | 443 |
| 044927 | 230 |
| 044934 | 230 |
| 045030 | 463 |
| 045047 | 463 |
| 045115 | 149 |
| 045122 | 149 |
| 045139 | 465 |
| 045191 | 414 |
| 045207 | 414 |
| 045214 | 414 |
| 045627 | 386 |
| 045634 | 386 |
| 045726 | 297 |
| 045733 | 297 |
| 046167 | 702 |
| 046181 | 702 |
| 046211 | 782 |
| 047799 | 148 |
| 049229 | 365 |
| 049236 | 365 |
| 051406 | 493 |
| 051444 | 367 |
| 051741 | 515 |
| 051765 | 515 |
| 051840 | 385 |
| 051857 | 385 |
| 051864 | 385 |
| 051932 | 364 |
| 051949 | 364 |
| 051956 | 364 |
| 051963 | 364 |
| 051970 | 364 |
| 051987 | 364 |
| 052359 | 123 |
| 052366 | 123 |
| 052373 | 123 |
| 052786 | 141 |
| 052793 | 162 |
| 052809 | 162 |
| 052816 | 162 |
| 052991 | 342 |
| 053004 | 342 |
| 053011 | 342 |
| 053448 | 125 |
| 057187 | 246 |
| 057194 | 246 |
| 057200 | 441 |
| 059129 | 336 |
| 059136 | 336 |
| 059143 | 336 |
| 059181 | 200 |
| 059211 | 440 |
| 059228 | 531 |
| 059235 | 216 |
| 059242 | 216 |
| 059259 | 495 |
| 059266 | 495 |
| 059679 | 138 |
| 059808 | 380 |
| 059815 | 380 |
| 059822 | 380 |
| 059839 | 293 |
| 060491 | 443 |
| 060507 | 230 |
| 060514 | 230 |
| 060620 | 376 |
| 061115 | 508 |
| 061122 | 508 |
| 061139 | 508 |
| 061160 | 461 |
| 061191 | 461 |
| 061450 | 708 |
| 061467 | 708 |
| 061474 | 708 |
| 061580 | 721 |
| 061597 | 721 |
| 061788 | 727 |
| 061818 | 727 |
| 062211 | 211 |
| 062273 | 515 |
| 062396 | 672 |
| 062402 | 672 |
| 066387 | 200 |
| 066394 | 200 |
| 066424 | 337 |
| 066431 | 216 |
| 066448 | 216 |
| 066592 | 141 |
| 066608 | 141 |
| 066868 | 721 |
| 066882 | 727 |
| 066899 | 727 |
| 068121 | 377 |
| 068138 | 298 |
| 068145 | 298 |
| 068169 | 140 |
| 068176 | 140 |
| 068183 | 240 |
| 068190 | 240 |
| 068268 | 435 |
| 068275 | 533 |
| 068299 | 198 |
| 068305 | 491 |
| 068459 | 169 |
| 068466 | 169 |
| 071015 | 139 |
| 071022 | 139 |
| 073132 | 245 |
| 073149 | 245 |
| 073187 | 335 |
| 073255 | 335 |
| 073262 | 335 |
| 073392 | 530 |
| 073408 | 494 |
| 073422 | 494 |
| 073439 | 494 |
| 073521 | 404 |
| 073545 | 404 |
| 073569 | 404 |
| 073583 | 312 |
| 073712 | 320 |
| 073729 | 232 |
| 074139 | 168 |
| 074245 | 127 |
| 074313 | 127 |
| 074337 | 127 |
| 074344 | 127 |
| 074702 | 470 |
| 074726 | 470 |
| 074740 | 324 |
| 074900 | 432 |
| 074917 | 432 |
| 074931 | 527 |
| 075150 | 228 |
| 075181 | 228 |
| 075211 | 446 |
| 075280 | 444 |
| 075327 | 242 |
| 075341 | 242 |
| 075389 | 335 |
| 075402 | 335 |
| 075419 | 335 |
| 075471 | 429 |
| 075488 | 527 |
| 075495 | 193 |
| 075501 | 193 |
| 075518 | 193 |
| 075525 | 477 |
| 075532 | 477 |
| 077734 | 494 |
| 077741 | 494 |
| 077758 | 494 |
| 077765 | 530 |
| 077796 | 341 |
| 077802 | 341 |
| 077819 | 341 |
| 077833 | 438 |
| 077888 | 406 |
| 077895 | 406 |
| 077901 | 406 |
| 080277 | 533 |
| 080284 | 436 |
| 080291 | 339 |
| 080338 | 339 |
| 080345 | 339 |
| 080352 | 339 |
| 080932 | 341 |
| 081434 | 283 |
| 081441 | 283 |
| 081496 | 442 |
| 081502 | 220 |
| 081519 | 220 |
| 081526 | 220 |
| 081533 | 442 |
| 081540 | 220 |
| 081557 | 220 |
| 081564 | 220 |
| 081762 | 148 |
| 082059 | 167 |
| 082073 | 167 |
| 082158 | 209 |
| 082172 | 209 |
| 082196 | 209 |
| 082240 | 732 |
| 082257 | 209 |
| 082264 | 437 |
| 082271 | 732 |
| 082288 | 437 |
| 082493 | 429 |
| 082509 | 190 |
| 082783 | 341 |
| 082790 | 341 |
| 082813 | 438 |
| 083070 | 678 |
| 083087 | 678 |
| 083117 | 678 |
| 083124 | 678 |
| 083131 | 678 |
| 083148 | 678 |
| 083179 | 678 |
| 083186 | 678 |
| 083193 | 678 |
| 083223 | 678 |
| 083230 | 678 |
| 083247 | 678 |
| 083254 | 680 |
| 086736 | 145 |
| 086743 | 145 |
| 086781 | 293 |
| 086804 | 464 |
| 087368 | 449 |
| 087375 | 449 |
| 087573 | 282 |
| 087580 | 282 |
| 087665 | 429 |
| 087702 | 192 |
| 087719 | 192 |
| 087757 | 442 |
| 087764 | 222 |
| 087771 | 222 |
| 087818 | 172 |
| 087863 | 333 |
| 087870 | 333 |
| 087924 | 147 |
| 087979 | 201 |
| 088013 | 201 |
| 088020 | 201 |
| 088051 | 219 |
| 088068 | 219 |
| 088266 | 365 |
| 088273 | 365 |
| 088433 | 244 |
| 088921 | 176 |
| 088938 | 176 |
| 089478 | 343 |
| 089485 | 343 |
| 089560 | 408 |
| 089577 | 408 |
| 089584 | 316 |
| 089591 | 316 |
| 089669 | 123 |
| 089775 | 763 |
| 089805 | 518 |
| 090337 | 360 |
| 090481 | 168 |
| 090863 | 294 |
| 090900 | 294 |
| 091006 | 283 |
| 091013 | 283 |
| 091112 | 149 |
| 091129 | 365 |
| 091136 | 365 |
| 091518 | 702 |
| 091525 | 702 |
| 091983 | 512 |
| 092188 | 722 |
| 092195 | 722 |
| 092201 | 722 |
| 092218 | 714 |
| 092225 | 768 |
| 092300 | 713 |
| 092317 | 713 |
| 092324 | 691 |
| 092355 | 721 |
| 092393 | 724 |
| 092409 | 724 |
| 092416 | 725 |
| 092423 | 725 |
| 092430 | 725 |
| 092447 | 725 |
| 092751 | 247 |
| 092782 | 247 |
| 092836 | 415 |
| 092850 | 81 |
| 092881 | 81 |
| 092911 | 210 |
| 092942 | 81 |
| 093000 | 255 |
| 093024 | 147 |
| 093048 | 207 |
| 093062 | 207 |
| 093079 | 255 |
| 093086 | 436 |
| 093093 | 333 |
| 093475 | 345 |
| 093505 | 321 |
| 093512 | 321 |
| 093659 | 115 |
| 093697 | 115 |
| 093703 | 445 |
| 093963 | 293 |
| 093994 | 241 |
| 094007 | 241 |
| 094014 | 293 |
| 094045 | 236 |
| 094120 | 236 |
| 094137 | 162 |
| 094182 | 375 |
| 094229 | 162 |
| 094236 | 162 |
| 094649 | 341 |
| 094663 | 341 |
| 094687 | 340 |
| 094786 | 254 |
| 094793 | 351 |
| 095127 | 512 |
| 095196 | 292 |
| 095226 | 144 |
| 095264 | 372 |
| 095288 | 372 |
| 095615 | 236 |
| 095639 | 236 |
| 095653 | 410 |
| 095707 | 315 |
| 095998 | 375 |
| 096018 | 375 |
| 096100 | 165 |
| 096162 | 165 |
| 096476 | 700 |
| 096483 | 700 |
| 096544 | 793 |
| 096551 | 793 |
| 096568 | 793 |
| 096575 | 793 |
| 096582 | 793 |
| 096599 | 793 |
| 096667 | 726 |
| 096674 | 726 |
| 096681 | 726 |
| 096698 | 726 |
| 096704 | 727 |
| 096711 | 727 |
| 096728 | 727 |
| 096735 | 727 |
| 097183 | 394 |
| 097190 | 394 |
| 097206 | 394 |
| 097664 | 246 |
| 097671 | 246 |
| 098586 | 292 |
| 098616 | 144 |
| 098722 | 203 |
| 098739 | 203 |
| 098784 | 438 |
| 099057 | 408 |
| 099064 | 408 |
| 099101 | 185 |
| 099118 | 349 |
| 100272 | 233 |
| 100289 | 233 |
| 100302 | 233 |
| 100326 | 112 |
| 100333 | 112 |
| 100364 | 721 |
| 100371 | 721 |
| 100388 | 713 |
| 100395 | 713 |
| 100432 | 247 |
| 100746 | 334 |
| 100784 | 334 |
| 100791 | 334 |
| 100807 | 334 |
| 100883 | 146 |
| 100913 | 146 |
| 100937 | 146 |
| 100944 | 146 |
| 100951 | 146 |
| 101095 | 134 |
| 101101 | 134 |
| 101125 | 143 |
| 101132 | 291 |
| 101156 | 349 |
| 101163 | 185 |
| 101170 | 340 |
| 101187 | 340 |
| 101194 | 340 |
| 101200 | 804 |
| 101217 | 804 |
| 101224 | 804 |
| 101231 | 804 |
| 101248 | 804 |
| 101255 | 804 |
| 101262 | 804 |
| 101279 | 806 |
| 101286 | 806 |
| 101293 | 806 |
| 101323 | 806 |
| 101330 | 806 |
| 101347 | 806 |
| 101354 | 806 |
| 101378 | 814 |
| 101385 | 815 |
| 101491 | 731 |
| 101514 | 773 |
| 101552 | 731 |
| 101606 | 87 |

# Code index


| Sku | Pag |
|---|---|
| 101613 | 87 |
| 102047 | 115 |
| 102054 | 115 |
| 103112 | 137 |
| 103136 | 137 |
| 103174 | 181 |
| 103204 | 431 |
| 103242 | 192 |
| 103266 | 294 |
| 103273 | 294 |
| 103723 | 88 |
| 103792 | 345 |
| 103983 | 182 |
| 103990 | 134 |
| 104539 | 280 |
| 104546 | 280 |
| 104775 | 236 |
| 104928 | 60 |
| 104935 | 60 |
| 104942 | 60 |
| 105628 | 192 |
| 105659 | 511 |
| 105710 | 378 |
| 105727 | 378 |
| 105734 | 379 |
| 106175 | 763 |
| 106182 | 763 |
| 106205 | 782 |
| 107691 | 682 |
| 107707 | 682 |
| 108094 | 460 |
| 108117 | 460 |
| 108292 | 814 |
| 108407 | 783 |
| 109138 | 760 |
| 109145 | 760 |
| 110233 | 521 |
| 110240 | 521 |
| 110356 | 514 |
| 110363 | 514 |
| 110417 | 102 |
| 110424 | 102 |
| 110431 | 102 |
| 110448 | 479 |
| 110455 | 479 |
| 110462 | 102 |
| 110530 | 479 |
| 110554 | 479 |
| 110745 | 128 |
| 110752 | 128 |
| 110868 | 195 |
| 110875 | 489 |
| 110882 | 525 |
| 111117 | 324 |
| 111452 | 524 |
| 111841 | 172 |
| 111858 | 172 |
| 111865 | 172 |
| 111872 | 218 |
| 111889 | 440 |
| 111896 | 218 |
| 111902 | 162 |
| 111919 | 162 |
| 111957 | 86 |
| 112084 | 175 |
| 112107 | 175 |
| 112268 | 86 |
| 112305 | 180 |
| 112312 | 180 |
| 112336 | 180 |
| 112343 | 180 |
| 112367 | 124 |
| 112381 | 124 |
| 112459 | 124 |
| 112626 | 420 |
| 112671 | 100 |
| 112695 | 420 |
| 112701 | 118 |
| 112718 | 100 |
| 112732 | 118 |
| 113302 | 98 |
| 113319 | 98 |
| 113654 | 443 |
| 113678 | 237 |
| 113753 | 718 |
| 113760 | 718 |
| 113791 | 719 |
| 113975 | 250 |
| 113982 | 680 |
| 113999 | 680 |
| 114019 | 680 |
| 114170 | 220 |
| 114187 | 220 |
| 114194 | 220 |
| 114200 | 442 |
| 114262 | 88 |
| 114279 | 213 |
| 114293 | 718 |
| 114347 | 768 |
| 114361 | 87 |
| 114620 | 490 |
| 114675 | 345 |
| 114682 | 345 |
| 114729 | 213 |
| 114736 | 213 |
| 114743 | 213 |
| 114750 | 266 |
| 114767 | 266 |
| 114811 | 87 |
| 115061 | 750 |
| 115078 | 750 |
| 115085 | 750 |
| 115092 | 750 |
| 115108 | 750 |
| 115115 | 750 |
| 115153 | 362 |
| 115290 | 716 |
| 115306 | 716 |
| 115313 | 716 |
| 115320 | 716 |
| 115337 | 716 |
| 115344 | 716 |
| 115351 | 720 |
| 115368 | 720 |
| 115375 | 720 |
| 115382 | 733 |
| 115412 | 783 |
| 115429 | 783 |
| 115481 | 404 |
| 115498 | 250 |
| 115504 | 250 |
| 115511 | 447 |
| 115580 | 682 |
| 115597 | 682 |
| 115610 | 682 |
| 115801 | 86 |
| 115962 | 448 |
| 115979 | 248 |
| 115986 | 248 |
| 116006 | 248 |
| 116099 | 280 |
| 116112 | 286 |
| 116228 | 210 |
| 116235 | 210 |
| 116457 | 101 |
| 116464 | 101 |
| 116570 | 468 |
| 116587 | 468 |
| 116716 | 770 |
| 117652 | 814 |
| 117737 | 206 |
| 117867 | 361 |
| 117881 | 796 |
| 118659 | 706 |
| 118666 | 709 |
| 119410 | 504 |
| 119427 | 412 |
| 119458 | 504 |
| 119465 | 412 |
| 119502 | 412 |
| 119571 | 806 |
| 119786 | 408 |
| 119830 | 316 |
| 120201 | 780 |
| 120218 | 780 |
| 120249 | 798 |
| 120287 | 799 |
| 120317 | 798 |
| 120324 | 798 |
| 120362 | 799 |
| 120386 | 798 |
| 120423 | 731 |
| 120430 | 731 |
| 120454 | 773 |
| 120898 | 180 |
| 120904 | 180 |
| 121130 | 390 |
| 121147 | 390 |
| 121154 | 390 |
| 121161 | 390 |
| 121178 | 390 |
| 121338 | 390 |
| 121352 | 396 |
| 121406 | 518 |
| 121437 | 518 |
| 121963 | 709 |
| 121970 | 786 |
| 122014 | 801 |
| 122021 | 801 |
| 122045 | 733 |
| 122052 | 116 |
| 122083 | 96 |
| 122106 | 96 |
| 122168 | 813 |
| 122205 | 294 |
| 122212 | 294 |
| 122236 | 192 |
| 122243 | 192 |
| 122557 | 181 |
| 122564 | 181 |
| 122663 | 691 |
| 122687 | 691 |
| 122717 | 408 |
| 122731 | 316 |
| 122748 | 316 |
| 122823 | 819 |
| 122830 | 819 |
| 122854 | 819 |
| 122861 | 819 |
| 122878 | 492 |
| 122885 | 492 |
| 122984 | 408 |
| 123066 | 361 |
| 123080 | 709 |
| 123295 | 819 |
| 123301 | 819 |
| 123745 | 723 |
| 123769 | 723 |
| 123776 | 723 |
| 123783 | 723 |
| 123882 | 806 |
| 123899 | 806 |
| 123936 | 815 |
| 123943 | 814 |
| 123974 | 670 |
| 123981 | 670 |
| 123998 | 670 |
| 124001 | 670 |
| 124018 | 670 |
| 124025 | 670 |
| 124032 | 816 |
| 124049 | 816 |
| 124056 | 816 |
| 124070 | 816 |
| 124087 | 816 |
| 124100 | 816 |
| 124117 | 816 |
| 124124 | 586 |
| 124131 | 586 |
| 124155 | 586 |
| 124162 | 434 |
| 124179 | 434 |
| 124421 | 753 |
| 125503 | 331 |
| 125510 | 331 |
| 125565 | 331 |
| 125824 | 121 |
| 125831 | 121 |
| 125886 | 360 |
| 125923 | 360 |
| 126531 | 586 |
| 126548 | 586 |
| 126784 | 428 |
| 126807 | 532 |
| 126883 | 374 |
| 126890 | 374 |
| 126906 | 64 |
| 126913 | 64 |
| 128207 | 488 |
| 128832 | 819 |
| 128849 | 819 |
| 129082 | 102 |
| 129099 | 102 |
| 129433 | 712 |
| 129440 | 712 |
| 129457 | 712 |
| 129464 | 703 |
| 129471 | 703 |
| 129488 | 703 |
| 129495 | 692 |
| 129501 | 692 |
| 129518 | 692 |
| 129570 | 486 |
| 129600 | 251 |
| 129709 | 214 |
| 129860 | 806 |
| 129877 | 806 |
| 129921 | 214 |
| 130163 | 806 |
| 130170 | 806 |
| 130187 | 806 |
| 130903 | 253 |
| 130910 | 253 |
| 131788 | 256 |
| 131795 | 256 |
| 131924 | 154 |
| 131962 | 367 |
| 132365 | 136 |
| 132389 | 136 |
| 132778 | 510 |
| 132976 | 434 |
| 133270 | 423 |
| 133300 | 423 |
| 133393 | 321 |
| 133874 | 182 |
| 133881 | 182 |
| 133898 | 337 |
| 133904 | 337 |
| 133911 | 437 |
| 134789 | 367 |
| 134796 | 367 |
| 134826 | 252 |
| 134833 | 252 |
| 134840 | 252 |
| 134871 | 121 |
| 134888 | 281 |
| 134895 | 281 |
| 134901 | 281 |
| 134987 | 363 |
| 135205 | 754 |
| 135250 | 694 |
| 135526 | 806 |
| 135755 | 765 |
| 135762 | 765 |
| 135816 | 249 |
| 135823 | 249 |
| 135908 | 762 |
| 135922 | 762 |
| 135991 | 686 |
| 136004 | 686 |
| 136011 | 686 |
| 136028 | 756 |
| 136035 | 756 |
| 136042 | 756 |
| 136059 | 756 |
| 136073 | 688 |
| 136318 | 171 |
| 136325 | 171 |
| 136332 | 120 |
| 136349 | 120 |
| 136691 | 418 |
| 136707 | 323 |
| 136714 | 323 |
| 136882 | 374 |
| 136899 | 374 |
| 136905 | 374 |
| 136936 | 64 |
| 137032 | 59 |
| 137056 | 59 |
| 137292 | 174 |
| 137308 | 174 |
| 137315 | 174 |
| 137391 | 711 |
| 137407 | 711 |
| 137681 | 111 |
| 137827 | 519 |
| 138237 | 70 |
| 138251 | 369 |
| 138275 | 88 |
| 138305 | 161 |
| 138343 | 249 |
| 138374 | 413 |
| 138510 | 765 |
| 138596 | 276 |
| 138602 | 276 |
| 138619 | 276 |
| 138633 | 278 |
| 138640 | 278 |
| 138657 | 278 |
| 138879 | 740 |
| 138886 | 740 |
| 138893 | 740 |
| 138978 | 678 |
| 138985 | 678 |
| 138992 | 678 |
| 139012 | 676 |
| 139029 | 676 |
| 139098 | 110 |
| 139425 | 96 |
| 139432 | 96 |
| 139470 | 752 |
| 139586 | 249 |
| 139593 | 448 |
| 139685 | 99 |
| 139746 | 370 |
| 140179 | 299 |
| 140186 | 299 |
| 140193 | 299 |
| 140230 | 154 |
| 140247 | 428 |
| 140315 | 532 |
| 140339 | 241 |
| 140599 | 443 |
| 140605 | 234 |
| 140612 | 234 |
| 140629 | 234 |
| 140711 | 150 |
| 140728 | 150 |
| 140759 | 150 |
| 140827 | 249 |
| 140841 | 305 |
| 140872 | 305 |
| 140902 | 305 |
| 140933 | 305 |
| 141046 | 442 |
| 141053 | 222 |
| 141060 | 222 |
| 141268 | 371 |
| 141275 | 371 |
| 141794 | 60 |
| 141800 | 60 |
| 141817 | 60 |
| 141855 | 60 |
| 141893 | 171 |
| 141909 | 171 |
| 141923 | 249 |
| 142050 | 408 |
| 142067 | 317 |
| 142081 | 408 |
| 142098 | 317 |
| 142197 | 280 |
| 142203 | 280 |
| 142241 | 401 |
| 142258 | 401 |
| 142265 | 387 |
| 142272 | 387 |
| 142289 | 387 |
| 142296 | 387 |
| 142302 | 717 |
| 142340 | 362 |
| 142517 | 418 |
| 142579 | 401 |
| 142586 | 401 |
| 142616 | 528 |
| 142692 | 395 |
| 142708 | 395 |
| 142906 | 65 |
| 142913 | 65 |
| 142999 | 765 |
| 143156 | 429 |
| 143163 | 526 |
| 143200 | 819 |
| 143217 | 819 |
| 143224 | 819 |
| 143859 | 391 |
| 144238 | 688 |
| 144245 | 688 |
| 144252 | 688 |
| 144276 | 709 |
| 144283 | 708 |
| 144917 | 392 |
| 145020 | 770 |
| 145068 | 770 |
| 145198 | 462 |
| 145204 | 462 |
| 145211 | 462 |
| 145228 | 729 |
| 145303 | 701 |
| 145310 | 781 |
| 145327 | 701 |
| 145334 | 781 |
| 145341 | 701 |
| 145358 | 781 |
| 146775 | 729 |
| 146782 | 729 |
| 146799 | 729 |
| 147642 | 456 |
| 147659 | 456 |
| 147666 | 670 |
| 147673 | 670 |
| 147680 | 670 |
| 147765 | 710 |
| 147772 | 710 |
| 147796 | 710 |
| 147819 | 710 |
| 148151 | 92 |
| 148175 | 92 |
| 148502 | 92 |
| 148847 | 688 |
| 148854 | 688 |
| 148861 | 688 |
| 148878 | 688 |
| 148908 | 413 |
| 148939 | 517 |
| 149561 | 161 |
| 149585 | 162 |
| 149592 | 162 |
| 149608 | 321 |
| 149615 | 321 |
| 149622 | 321 |
| 149684 | 415 |
| 149738 | 717 |
| 149745 | 717 |
| 150116 | 676 |
| 150130 | 676 |
| 150284 | 675 |
| 150291 | 676 |
| 150307 | 676 |
| 150420 | 306 |
| 150437 | 306 |
| 150468 | 306 |
| 150475 | 306 |
| 150581 | 361 |
| 150628 | 63 |
| 150635 | 63 |
| 150666 | 63 |
| 150673 | 63 |
| 151649 | 804 |
| 151656 | 804 |
| 151663 | 804 |
| 151687 | 806 |
| 151694 | 806 |
| 151700 | 806 |
| 151717 | 806 |
| 151724 | 806 |
| 151731 | 804 |
| 151748 | 804 |
| 151755 | 806 |
| 151762 | 806 |
| 151779 | 806 |
| 151786 | 806 |
| 151793 | 804 |
| 151847 | 816 |
| 151854 | 816 |
| 151861 | 806 |
| 151946 | 804 |
| 151953 | 804 |
| 151960 | 806 |
| 151977 | 806 |
| 151991 | 806 |
| 152004 | 806 |
| 152776 | 257 |
| 152851 | 431 |
| 152875 | 295 |
| 152899 | 295 |
| 152912 | 295 |
| 153001 | 816 |
| 153162 | 751 |
| 153179 | 751 |
| 153193 | 751 |
| 153209 | 751 |
| 153438 | 119 |
| 153445 | 119 |
| 153926 | 804 |
| 153933 | 804 |
| 153940 | 804 |
| 153957 | 806 |
| 153964 | 806 |
| 153971 | 806 |
| 153988 | 806 |
| 154008 | 815 |
| 155104 | 819 |
| 155142 | 311 |
| 155227 | 311 |
| 155234 | 819 |
| 155722 | 675 |
| 155791 | 307 |
| 155869 | 307 |
| 155968 | 89 |
| 156026 | 89 |
| 156033 | 89 |
| 156316 | 89 |
| 156323 | 89 |
| 156330 | 89 |
| 156347 | 89 |
| 156392 | 410 |
| 156408 | 410 |
| 156682 | 65 |
| 156699 | 65 |
| 156705 | 404 |
| 156712 | 312 |
| 156729 | 404 |
| 156736 | 404 |
| 156743 | 404 |
| 156774 | 312 |
| 156781 | 312 |
| 157580 | 806 |
| 157597 | 806 |
| 157856 | 757 |
| 158242 | 430 |
| 158655 | 60 |
| 158723 | 60 |
| 158815 | 75 |
| 158822 | 721 |
| 158860 | 75 |
| 158891 | 766 |
| 158907 | 728 |
| 159010 | 326 |
| 159256 | 191 |
| 159423 | 386 |
| 159508 | 386 |
| 159522 | 386 |
| 159638 | 330 |
| 159645 | 330 |
| 159812 | 191 |
| 159836 | 695 |
| 159843 | 94 |
| 159850 | 94 |
| 159867 | 94 |
| 159942 | 238 |
| 159959 | 238 |
| 159973 | 238 |
| 159980 | 238 |
| 159997 | 409 |
| 160016 | 409 |
| 160085 | 257 |
| 160214 | 418 |
| 160245 | 418 |
| 160269 | 78 |
| 160313 | 322 |
| 160856 | 156 |
| 160863 | 156 |
| 161327 | 150 |
| 161334 | 150 |
| 161365 | 155 |
| 161372 | 155 |
| 161389 | 155 |
| 161433 | 466 |
| 161648 | 187 |
| 161662 | 187 |
| 161686 | 473 |
| 161716 | 524 |
| 161754 | 745 |
| 161761 | 745 |
| 161778 | 745 |
| 161785 | 366 |
| 161792 | 366 |
| 161846 | 692 |
| 161853 | 692 |
| 162201 | 84 |
| 162478 | 84 |
| 162492 | 766 |
| 162737 | 215 |
| 162751 | 215 |
| 163109 | 97 |
| 163123 | 97 |
| 163154 | 97 |
| 163161 | 97 |
| 163321 | 415 |
| 163338 | 415 |
| 163369 | 502 |
| 163536 | 721 |
| 163543 | 721 |
| 163550 | 721 |
| 163598 | 722 |
| 163604 | 713 |
| 163611 | 713 |
| 163628 | 713 |
| 163635 | 713 |
| 163642 | 691 |
| 163666 | 691 |
| 163727 | 782 |
| 163741 | 760 |
| 163758 | 760 |
| 163789 | 180 |
| 164823 | 375 |
| 164847 | 375 |
| 164878 | 65 |
| 164953 | 230 |
| 164960 | 230 |
| 164977 | 209 |
| 164984 | 209 |
| 164991 | 334 |
| 165004 | 334 |
| 165011 | 198 |
| 165370 | 699 |
| 165387 | 698 |
| 166209 | 92 |
| 166247 | 206 |
| 166285 | 346 |
| 166322 | 205 |
| 166360 | 205 |
| 166544 | 232 |
| 166551 | 232 |
| 166742 | 475 |
| 166766 | 475 |
| 166889 | 221 |
| 166988 | 177 |
| 167015 | 177 |
| 167022 | 177 |
| 167107 | 177 |
| 167121 | 405 |
| 167152 | 405 |
| 167244 | 229 |
| 167251 | 229 |
| 167268 | 229 |
| 167282 | 92 |
| 167367 | 92 |
| 167398 | 229 |
| 167404 | 229 |
| 167411 | 229 |
| 167497 | 92 |

# Code index


| Sku | Pag |
|---|---|
| 167503 | 92 |
| 168036 | 693 |
| 168050 | 693 |
| 168111 | 693 |
| 168135 | 693 |
| 168326 | 173 |
| 168357 | 173 |
| 168364 | 173 |
| 168753 | 225 |
| 168777 | 225 |
| 168852 | 255 |
| 168869 | 255 |
| 168906 | 237 |
| 168913 | 439 |
| 168920 | 347 |
| 168937 | 347 |
| 168951 | 257 |
| 168968 | 257 |
| 169118 | 372 |
| 169576 | 620 |
| 169583 | 620 |
| 169590 | 620 |
| 169606 | 620 |
| 169613 | 620 |
| 169620 | 620 |
| 169637 | 620 |
| 169644 | 620 |
| 169705 | 620 |
| 169712 | 620 |
| 169729 | 620 |
| 169736 | 620 |
| 169972 | 620 |
| 169989 | 620 |
| 170145 | 620 |
| 170152 | 620 |
| 170589 | 60 |
| 170596 | 64 |
| 170602 | 374 |
| 170923 | 365 |
| 172408 | 707 |
| 172439 | 764 |
| 172507 | 699 |
| 172514 | 699 |
| 172538 | 698 |
| 172552 | 698 |
| 172804 | 331 |
| 172828 | 331 |
| 173245 | 70 |
| 173252 | 369 |
| 174204 | 137 |
| 174211 | 137 |
| 174228 | 137 |
| 174235 | 137 |
| 174396 | 184 |
| 174402 | 184 |
| 174792 | 403 |
| 174808 | 403 |
| 174822 | 403 |
| 174846 | 403 |
| 174921 | 327 |
| 174976 | 327 |
| 175768 | 285 |
| 175799 | 285 |
| 175973 | 149 |
| 176000 | 149 |
| 176031 | 149 |
| 176062 | 149 |
| 176291 | 224 |
| 176352 | 253 |
| 176369 | 253 |
| 176536 | 402 |
| 176550 | 402 |
| 176734 | 159 |
| 177199 | 526 |
| 177205 | 526 |
| 178776 | 381 |
| 178783 | 381 |
| 179292 | 369 |
| 179308 | 369 |
| 179315 | 369 |
| 179322 | 369 |
| 179643 | 421 |
| 179681 | 386 |
| 179858 | 170 |
| 180045 | 717 |
| 180298 | 411 |
| 180304 | 411 |
| 180922 | 251 |
| 180946 | 517 |
| 180953 | 746 |
| 182179 | 198 |
| 183336 | 816 |
| 183794 | 814 |
| 186795 | 75 |
| 186801 | 75 |
| 186863 | 465 |
| 186955 | 766 |
| 186979 | 766 |
| 186986 | 673 |
| 186993 | 673 |
| 187006 | 417 |
| 187327 | 757 |
| 187341 | 717 |
| 187358 | 717 |
| 187365 | 365 |
| 187525 | 769 |
| 187532 | 769 |
| 187549 | 769 |
| 187556 | 769 |
| 187570 | 386 |
| 187662 | 65 |
| 187686 | 60 |
| 187877 | 767 |
| 187884 | 767 |
| 187891 | 767 |
| 187976 | 620 |
| 187983 | 620 |
| 187990 | 620 |
| 188003 | 620 |
| 188010 | 620 |
| 188027 | 620 |
| 188058 | 620 |
| 188065 | 620 |
| 188072 | 620 |
| 188089 | 620 |
| 188096 | 620 |
| 188102 | 620 |
| 188119 | 620 |
| 188126 | 620 |
| 188195 | 620 |
| 188911 | 804 |
| 188928 | 804 |
| 188935 | 804 |
| 188942 | 806 |
| 188959 | 806 |
| 188966 | 806 |
| 188973 | 806 |
| 188980 | 813 |
| 189031 | 814 |
| 189062 | 814 |
| 189093 | 815 |
| 189109 | 815 |
| 189147 | 806 |
| 189154 | 806 |
| 189161 | 806 |
| 189178 | 806 |
| 189505 | 604 |
| 189529 | 604 |
| 189536 | 604 |
| 189543 | 604 |
| 189574 | 604 |
| 189581 | 604 |
| 189598 | 604 |
| 189604 | 604 |
| 189611 | 604 |
| 189628 | 604 |
| 189635 | 604 |
| 189642 | 604 |
| 189659 | 604 |
| 189666 | 604 |
| 189673 | 604 |
| 189680 | 604 |
| 189697 | 604 |
| 189703 | 604 |
| 189710 | 604 |
| 189727 | 604 |
| 189734 | 604 |
| 189741 | 604 |
| 189758 | 604 |
| 189765 | 604 |
| 189772 | 604 |
| 189789 | 604 |
| 189796 | 604 |
| 189802 | 604 |
| 189819 | 604 |
| 189826 | 604 |
| 189833 | 604 |
| 189840 | 604 |
| 189857 | 604 |
| 189864 | 604 |
| 189871 | 604 |
| 189888 | 604 |
| 189895 | 604 |
| 189901 | 604 |
| 189918 | 604 |
| 189925 | 604 |
| 189932 | 604 |
| 189949 | 604 |
| 189956 | 604 |
| 189963 | 604 |
| 189970 | 604 |
| 189987 | 604 |
| 189994 | 604 |
| 190006 | 604 |
| 190013 | 604 |
| 190020 | 604 |
| 190037 | 604 |
| 190044 | 604 |
| 190051 | 604 |
| 190068 | 604 |
| 190075 | 604 |
| 190082 | 604 |
| 190099 | 604 |
| 190105 | 604 |
| 190181 | 604 |
| 190259 | 604 |
| 191171 | 568 |
| 191188 | 568 |
| 191416 | 568 |
| 191423 | 568 |
| 191430 | 568 |
| 191447 | 568 |
| 191454 | 568 |
| 191461 | 568 |
| 191478 | 568 |
| 191485 | 568 |
| 191492 | 568 |
| 191508 | 568 |
| 191577 | 744 |
| 191584 | 744 |
| 191607 | 744 |
| 191614 | 743 |
| 191621 | 743 |
| 191638 | 743 |
| 191980 | 568 |
| 191997 | 568 |
| 192277 | 648 |
| 192284 | 648 |
| 192291 | 648 |
| 192307 | 648 |
| 192314 | 648 |
| 192321 | 648 |
| 192338 | 648 |
| 192345 | 648 |
| 192352 | 648 |
| 192376 | 648 |
| 192383 | 648 |
| 192406 | 648 |
| 192413 | 648 |
| 192420 | 568 |
| 192437 | 568 |
| 192444 | 568 |
| 192451 | 568 |
| 192468 | 568 |
| 192475 | 568 |
| 192482 | 568 |
| 192499 | 568 |
| 192505 | 568 |
| 192512 | 568 |
| 192529 | 568 |
| 192536 | 568 |
| 192543 | 568 |
| 192550 | 568 |
| 192567 | 568 |
| 192574 | 568 |
| 192581 | 568 |
| 192598 | 568 |
| 192604 | 568 |
| 192611 | 568 |
| 192628 | 568 |
| 192635 | 568 |
| 192642 | 568 |
| 192659 | 568 |
| 192666 | 568 |
| 192673 | 568 |
| 192680 | 568 |
| 192697 | 568 |
| 192703 | 568 |
| 192710 | 568 |
| 192727 | 568 |
| 192734 | 568 |
| 192741 | 568 |
| 192758 | 568 |
| 193359 | 664 |
| 193366 | 664 |
| 193373 | 664 |
| 193380 | 664 |
| 193403 | 664 |
| 193410 | 664 |
| 193427 | 664 |
| 193434 | 664 |
| 193458 | 664 |
| 193465 | 664 |
| 193472 | 664 |
| 193489 | 664 |
| 193519 | 664 |
| 193526 | 664 |
| 193533 | 664 |
| 193540 | 664 |
| 194110 | 664 |
| 194127 | 664 |
| 194134 | 664 |
| 194141 | 664 |
| 194172 | 65 |
| 194189 | 65 |
| 194196 | 65 |
| 194202 | 65 |
| 194257 | 620 |
| 194295 | 92 |
| 194301 | 620 |
| 194417 | 470 |
| 194448 | 470 |
| 194677 | 109 |
| 194684 | 109 |
| 194806 | 60 |
| 195483 | 742 |
| 195490 | 742 |
| 195506 | 742 |
| 195704 | 358 |
| 195711 | 358 |
| 195728 | 358 |
| 195735 | 358 |
| 195742 | 358 |
| 195759 | 358 |
| 195766 | 358 |
| 195773 | 358 |
| 196190 | 287 |
| 196206 | 287 |
| 196220 | 287 |
| 196640 | 267 |
| 196657 | 267 |
| 196688 | 406 |
| 196695 | 406 |
| 196701 | 313 |
| 196718 | 313 |
| 196770 | 104 |
| 196787 | 104 |
| 196794 | 104 |
| 196800 | 104 |
| 196961 | 74 |
| 196978 | 74 |
| 196985 | 74 |
| 196992 | 74 |
| 197302 | 82 |
| 197319 | 82 |
| 197326 | 82 |
| 197333 | 82 |
| 197500 | 244 |
| 197524 | 244 |
| 197654 | 183 |
| 197661 | 183 |
| 197708 | 440 |
| 197715 | 216 |
| 197722 | 216 |
| 197739 | 216 |
| 197746 | 216 |
| 197753 | 495 |
| 197920 | 158 |
| 198095 | 130 |
| 198125 | 80 |
| 198132 | 328 |
| 198149 | 328 |
| 198156 | 328 |
| 198620 | 758 |
| 198637 | 758 |
| 198644 | 758 |
| 199375 | 239 |
| 199382 | 239 |
| 199405 | 239 |
| 199412 | 239 |
| 199528 | 505 |
| 199870 | 389 |
| 199894 | 389 |
| 199917 | 389 |
| 199931 | 389 |
| 199993 | 204 |
| 200002 | 204 |
| 200026 | 346 |
| 200064 | 204 |
| 200071 | 204 |
| 200095 | 346 |
| 200118 | 83 |
| 200125 | 83 |
| 200132 | 419 |
| 200149 | 419 |
| 200194 | 314 |
| 200200 | 314 |
| 200217 | 314 |
| 200231 | 314 |
| 200248 | 314 |
| 200255 | 314 |
| 200330 | 419 |
| 200347 | 419 |
| 200354 | 318 |
| 200361 | 318 |
| 200477 | 416 |
| 200484 | 320 |
| 200491 | 167 |
| 200880 | 92 |
| 200897 | 92 |
| 200903 | 92 |
| 200996 | 345 |
| 201016 | 345 |
| 201023 | 439 |
| 201054 | 430 |
| 201078 | 473 |
| 201085 | 525 |
| 201092 | 430 |
| 201115 | 473 |
| 201122 | 525 |
| 201252 | 806 |
| 201269 | 806 |
| 201276 | 806 |
| 201283 | 806 |
| 201290 | 806 |
| 201382 | 487 |
| 201399 | 487 |
| 202396 | 648 |
| 202921 | 694 |
| 202945 | 694 |
| 203072 | 586 |
| 203089 | 586 |
| 203102 | 586 |
| 203119 | 586 |
| 203126 | 586 |
| 203133 | 629 |
| 203140 | 629 |
| 203171 | 394 |
| 203188 | 394 |
| 203195 | 394 |
| 204451 | 806 |
| 204468 | 806 |
| 204475 | 806 |
| 204505 | 806 |
| 204536 | 806 |
| 204543 | 806 |
| 204581 | 586 |
| 204598 | 586 |
| 204611 | 586 |
| 204628 | 586 |
| 204635 | 586 |
| 204888 | 458 |
| 204895 | 458 |
| 204949 | 509 |
| 204956 | 509 |
| 205281 | 91 |
| 205298 | 91 |
| 205304 | 91 |
| 205311 | 91 |
| 205939 | 741 |
| 205946 | 741 |
| 205977 | 304 |
| 205984 | 304 |
| 205991 | 304 |
| 206004 | 304 |
| 206011 | 304 |
| 206028 | 304 |
| 206035 | 304 |
| 206042 | 304 |
| 206196 | 634 |
| 206202 | 634 |
| 206219 | 634 |
| 206226 | 634 |
| 206233 | 634 |
| 206240 | 634 |
| 206387 | 72 |
| 206394 | 72 |
| 206622 | 245 |
| 206639 | 245 |
| 206806 | 95 |
| 206820 | 95 |
| 206844 | 95 |
| 206875 | 95 |
| 207155 | 439 |
| 207162 | 345 |
| 207186 | 345 |
| 207216 | 212 |
| 207483 | 223 |
| 207568 | 476 |
| 207582 | 516 |
| 207599 | 516 |
| 207834 | 79 |
| 207841 | 79 |
| 207858 | 79 |
| 207988 | 132 |
| 207995 | 132 |
| 208152 | 199 |
| 208398 | 166 |
| 208497 | 199 |
| 208541 | 640 |
| 208558 | 640 |
| 208565 | 640 |
| 208572 | 640 |
| 208589 | 640 |
| 208596 | 640 |
| 208640 | 640 |
| 208657 | 640 |
| 208664 | 640 |
| 208671 | 640 |
| 208688 | 640 |
| 208695 | 640 |
| 208701 | 640 |
| 208718 | 640 |
| 208725 | 640 |
| 208732 | 640 |
| 208749 | 640 |
| 208794 | 422 |
| 208817 | 77 |
| 209036 | 813 |
| 209043 | 813 |
| 209845 | 705 |
| 209852 | 705 |
| 209906 | 749 |
| 211381 | 53 |
| 211398 | 53 |
| 211404 | 53 |
| 211459 | 62 |
| 211466 | 62 |
| 211701 | 62 |
| 211718 | 62 |
| 211749 | 62 |
| 211756 | 62 |
| 211763 | 640 |
| 211770 | 640 |
| 211787 | 640 |
| 211794 | 640 |
| 211800 | 640 |
| 211817 | 640 |
| 211824 | 640 |
| 211831 | 640 |
| 211848 | 640 |
| 211855 | 640 |
| 211862 | 640 |
| 211879 | 640 |
| 211886 | 640 |
| 211893 | 640 |
| 212623 | 800 |
| 212647 | 800 |
| 213071 | 765 |
| 213088 | 765 |
| 213095 | 702 |
| 213101 | 752 |
| 213194 | 687 |
| 213200 | 687 |
| 213217 | 724 |
| 213262 | 750 |
| 213279 | 750 |
| 213323 | 718 |
| 213330 | 720 |
| 213347 | 716 |
| 213354 | 716 |
| 213361 | 756 |
| 213484 | 238 |
| 213491 | 439 |
| 213507 | 347 |
| 213521 | 206 |
| 213569 | 346 |
| 213583 | 205 |
| 214009 | 742 |
| 214474 | 144 |
| 214481 | 144 |
| 214498 | 292 |
| 214504 | 292 |
| 214511 | 292 |
| 214672 | 373 |
| 214689 | 373 |
| 214696 | 373 |
| 215693 | 431 |
| 215709 | 431 |
| 215747 | 285 |
| 215761 | 285 |
| 215778 | 285 |
| 215785 | 285 |
| 215969 | 212 |
| 216027 | 640 |
| 216263 | 640 |
| 216270 | 568 |
| 216287 | 568 |
| 216294 | 568 |
| 216300 | 568 |
| 216317 | 640 |
| 216324 | 640 |
| 216416 | 568 |
| 216423 | 568 |
| 216430 | 568 |
| 216447 | 568 |
| 217253 | 648 |
| 218724 | 695 |
| 218823 | 664 |
| 218830 | 664 |
| 218847 | 664 |
| 218854 | 664 |
| 219875 | 184 |
| 220604 | 90 |
| 220611 | 90 |
| 220772 | 664 |
| 220789 | 664 |
| 220796 | 664 |
| 220802 | 664 |
| 220826 | 568 |
| 221373 | 238 |
| 221489 | 109 |
| 221496 | 109 |
| 221502 | 705 |
| 221519 | 705 |
| 221595 | 818 |
| 221649 | 640 |
| 221656 | 640 |
| 221663 | 640 |
| 221670 | 640 |
| 221687 | 640 |
| 221694 | 640 |
| 222097 | 53 |
| 222103 | 53 |
| 222110 | 53 |
| 222257 | 813 |
| 222509 | 596 |
| 222523 | 596 |
| 222530 | 596 |
| 222547 | 596 |
| 222554 | 596 |
| 222561 | 596 |
| 222578 | 596 |
| 222585 | 596 |
| 222592 | 596 |
| 222608 | 596 |
| 222615 | 596 |
| 222622 | 596 |
| 222639 | 596 |
| 222646 | 596 |
| 222653 | 596 |
| 222660 | 596 |
| 222677 | 596 |
| 222684 | 596 |
| 222691 | 596 |
| 222707 | 596 |
| 222714 | 596 |
| 222745 | 536 |
| 222752 | 536 |
| 222769 | 536 |
| 222820 | 800 |
| 222837 | 800 |
| 222851 | 797 |
| 222868 | 797 |
| 222875 | 797 |
| 222882 | 536 |
| 222899 | 536 |
| 222912 | 536 |
| 222929 | 536 |
| 222936 | 536 |
| 222943 | 536 |
| 222950 | 536 |
| 222967 | 536 |
| 222974 | 536 |
| 222981 | 536 |
| 222998 | 536 |
| 223001 | 536 |
| 223018 | 536 |
| 223025 | 536 |
| 223032 | 536 |
| 223049 | 536 |
| 223056 | 536 |
| 223063 | 536 |
| 223070 | 536 |
| 223087 | 536 |
| 223094 | 536 |
| 223124 | 536 |
| 223131 | 536 |
| 223148 | 536 |
| 223155 | 536 |
| 223162 | 536 |
| 223179 | 536 |
| 223186 | 274 |
| 223193 | 274 |
| 223209 | 274 |
| 223216 | 274 |
| 223223 | 274 |
| 223230 | 274 |
| 223254 | 274 |
| 223285 | 536 |
| 223292 | 536 |
| 223704 | 586 |
| 223711 | 586 |
| 223728 | 586 |
| 223735 | 586 |
| 223742 | 586 |
| 223759 | 586 |
| 223766 | 586 |
| 223834 | 806 |
| 223919 | 806 |
| 223926 | 806 |
| 223933 | 806 |

# Code index


| Sku | Pag |
|---|---|
| 223940 | 806 |
| 223964 | 806 |
| 224275 | 536 |
| 224367 | 814 |
| 224541 | 131 |
| 224633 | 455 |
| 224640 | 455 |
| 224930 | 388 |
| 224954 | 388 |
| 224985 | 388 |
| 224992 | 388 |
| 225005 | 388 |
| 225029 | 388 |
| 225364 | 596 |
| 226026 | 157 |
| 226033 | 157 |
| 226040 | 157 |
| 226057 | 466 |
| 226187 | 797 |
| 226194 | 797 |
| 226200 | 797 |
| 226217 | 797 |
| 226712 | 274 |
| 226729 | 274 |
| 226736 | 274 |
| 226743 | 274 |
| 226750 | 274 |
| 227580 | 620 |
| 227597 | 620 |
| 227672 | 620 |
| 227689 | 620 |
| 227825 | 264 |
| 227832 | 264 |
| 229010 | 405 |
| 229027 | 405 |
| 229034 | 405 |
| 229041 | 405 |
| 229058 | 313 |
| 229065 | 313 |
| 229072 | 313 |
| 229089 | 313 |
| 229461 | 50 |
| 229478 | 50 |
| 229485 | 50 |
| 229492 | 50 |
| 229508 | 50 |
| 229515 | 50 |
| 229638 | 314 |
| 229645 | 314 |
| 229652 | 618 |
| 229669 | 618 |
| 229676 | 618 |
| 229683 | 618 |
| 229706 | 617 |
| 229720 | 617 |
| 229737 | 616 |
| 229751 | 616 |
| 229768 | 616 |
| 229782 | 616 |
| 229874 | 307 |
| 229997 | 676 |
| 230580 | 676 |
| 230702 | 262 |
| 230726 | 262 |
| 231105 | 376 |
| 231129 | 376 |
| 231143 | 376 |
| 231228 | 101 |
| 231259 | 101 |
| 231273 | 101 |
| 231297 | 101 |
| 231341 | 76 |
| 231372 | 76 |
| 231396 | 76 |
| 231433 | 76 |
| 231471 | 308 |
| 231495 | 308 |
| 231556 | 108 |
| 231563 | 108 |
| 231570 | 108 |
| 231587 | 108 |
| 231594 | 108 |
| 231600 | 108 |
| 231631 | 619 |
| 231662 | 619 |
| 231686 | 619 |
| 231723 | 619 |
| 232041 | 111 |
| 232331 | 503 |
| 232362 | 503 |
| 232409 | 503 |
| 232485 | 472 |
| 232508 | 472 |
| 232546 | 472 |
| 232690 | 105 |
| 232713 | 105 |
| 232720 | 105 |
| 232744 | 105 |
| 232966 | 310 |
| 232980 | 310 |
| 233017 | 310 |
| 233031 | 310 |
| 233062 | 302 |
| 233079 | 302 |
| 233192 | 302 |
| 233215 | 302 |
| 233321 | 302 |
| 233352 | 302 |
| 233444 | 66 |
| 233468 | 66 |
| 233475 | 66 |
| 233499 | 66 |
| 233512 | 66 |
| 233536 | 66 |
| 233659 | 401 |
| 233666 | 368 |
| 233673 | 401 |
| 233680 | 401 |
| 233703 | 401 |
| 233765 | 303 |
| 233772 | 303 |
| 233826 | 303 |
| 233833 | 303 |
| 233840 | 368 |
| 233857 | 401 |
| 233864 | 401 |
| 233970 | 303 |
| 234007 | 303 |
| 235455 | 58 |
| 235486 | 58 |
| 235516 | 58 |
| 235547 | 58 |
| 236841 | 713 |
| 236858 | 713 |
| 236865 | 691 |
| 236957 | 73 |
| 236964 | 73 |
| 237022 | 315 |
| 237039 | 315 |
| 237046 | 315 |
| 237251 | 806 |
| 237268 | 806 |
| 237299 | 806 |
| 237305 | 806 |
| 237336 | 806 |
| 237343 | 806 |
| 237350 | 806 |
| 237367 | 806 |
| 237374 | 806 |
| 237381 | 806 |
| 237398 | 178 |
| 237428 | 178 |
| 237442 | 178 |
| 237497 | 178 |
| 237510 | 178 |
| 237664 | 93 |
| 237671 | 93 |
| 237794 | 208 |
| 237800 | 208 |
| 237930 | 402 |
| 238104 | 114 |
| 238128 | 482 |
| 238135 | 114 |
| 238173 | 114 |
| 238210 | 114 |
| 238241 | 85 |
| 238333 | 325 |
| 238388 | 476 |
| 238746 | 179 |
| 238838 | 179 |
| 238920 | 179 |
| 238944 | 424 |
| 238951 | 424 |
| 238975 | 424 |
| 239521 | 433 |
| 239545 | 433 |
| 239576 | 433 |
| 239590 | 433 |
| 239606 | 433 |
| 239613 | 433 |
| 240367 | 276 |
| 240374 | 278 |
| 241012 | 167 |
| 241036 | 167 |
| 241050 | 320 |
| 241173 | 160 |
| 241197 | 160 |
| 241203 | 160 |
| 241227 | 160 |
| 241241 | 160 |
| 241258 | 160 |
| 241296 | 344 |
| 241340 | 158 |
| 241357 | 158 |
| 241364 | 158 |
| 241517 | 132 |
| 241524 | 132 |
| 241968 | 71 |
| 241975 | 71 |
| 241982 | 71 |
| 241999 | 71 |
| 242002 | 71 |
| 242019 | 368 |
| 242040 | 814 |
| 242347 | 78 |
| 242378 | 322 |
| 242385 | 418 |
| 242392 | 418 |
| 242569 | 819 |
| 242576 | 819 |
| 242651 | 674 |
| 242705 | 620 |
| 243160 | 402 |
| 243238 | 620 |
| 243245 | 620 |
| 243252 | 620 |
| 243269 | 620 |
| 243283 | 620 |
| 243450 | 305 |
| 243481 | 759 |
| 243498 | 345 |
| 243528 | 212 |
| 243566 | 345 |
| 243597 | 212 |
| 243641 | 536 |
| 243658 | 536 |
| 243665 | 568 |
| 243818 | 678 |
| 243825 | 678 |
| 243849 | 678 |
| 243900 | 536 |
| 243917 | 536 |
| 243924 | 305 |
| 243931 | 305 |
| 243948 | 305 |
| 243986 | 630 |
| 243993 | 630 |
| 244013 | 630 |
| 244181 | 632 |
| 244198 | 632 |
| 244204 | 632 |
| 244235 | 819 |
| 244242 | 819 |
| 244259 | 819 |
| 244549 | 816 |
| 244556 | 816 |
| 244563 | 816 |
| 244570 | 816 |
| 244587 | 816 |
| 244594 | 816 |
| 244600 | 678 |
| 244624 | 76 |
| 244648 | 76 |
| 244662 | 308 |
| 244808 | 656 |
| 244822 | 656 |
| 244846 | 656 |
| 244853 | 656 |
| 244884 | 301 |
| 245041 | 778 |
| 245072 | 778 |
| 245089 | 778 |
| 245096 | 778 |
| 245102 | 778 |
| 245331 | 483 |
| 245348 | 483 |
| 245393 | 483 |
| 245669 | 53 |
| 245676 | 53 |
| 245683 | 53 |
| 245690 | 53 |
| 245706 | 53 |
| 245713 | 53 |
| 246390 | 632 |
| 246413 | 596 |
| 246437 | 596 |
| 246444 | 596 |
| 246451 | 620 |
| 246468 | 620 |
| 246499 | 620 |
| 246505 | 620 |
| 246512 | 620 |
| 246529 | 620 |
| 246536 | 620 |
| 246543 | 620 |
| 246550 | 620 |
| 246567 | 620 |
| 246574 | 620 |
| 246581 | 620 |
| 246598 | 620 |
| 246604 | 620 |
| 246611 | 620 |
| 246628 | 620 |
| 246796 | 695 |
| 246802 | 695 |
| 246819 | 730 |
| 246826 | 730 |
| 246833 | 772 |
| 246840 | 772 |
| 246857 | 705 |
| 246864 | 705 |
| 246871 | 749 |
| 246888 | 762 |
| 246895 | 620 |
| 246901 | 620 |
| 246918 | 754 |
| 246925 | 707 |
| 246932 | 764 |
| 246949 | 707 |
| 246956 | 764 |
| 246963 | 750 |
| 246970 | 750 |
| 246987 | 757 |
| 246994 | 757 |
| 247007 | 620 |
| 247014 | 702 |
| 247021 | 702 |
| 247038 | 782 |
| 247045 | 783 |
| 247069 | 698 |
| 247076 | 698 |
| 247083 | 717 |
| 247144 | 801 |
| 247151 | 801 |
| 247168 | 701 |
| 247175 | 781 |
| 247182 | 700 |
| 247199 | 780 |
| 247229 | 46 |
| 247236 | 46 |
| 247243 | 46 |
| 247250 | 46 |
| 247267 | 46 |
| 247274 | 46 |
| 247281 | 46 |
| 247298 | 189 |
| 247304 | 189 |
| 247618 | 620 |
| 247625 | 620 |
| 247632 | 620 |
| 247649 | 620 |
| 247779 | 330 |
| 247823 | 672 |
| 247830 | 672 |
| 247847 | 632 |
| 247854 | 632 |
| 247861 | 596 |
| 247878 | 596 |
| 247885 | 596 |
| 247939 | 596 |
| 247946 | 596 |
| 247953 | 596 |
| 247960 | 596 |
| 247977 | 596 |
| 247984 | 596 |
| 247991 | 596 |
| 248165 | 630 |
| 248172 | 630 |
| 248189 | 630 |
| 248196 | 630 |
| 248202 | 759 |
| 248219 | 759 |
| 248226 | 759 |
| 248233 | 759 |
| 248240 | 759 |
| 248257 | 760 |
| 248264 | 760 |
| 248271 | 760 |
| 248288 | 760 |
| 248295 | 760 |
| 248370 | 630 |
| 248387 | 778 |
| 248394 | 778 |
| 248417 | 466 |
| 248479 | 470 |
| 248486 | 470 |
| 248530 | 301 |
| 248554 | 178 |
| 248592 | 630 |
| 248608 | 630 |
| 248615 | 778 |
| 248783 | 662 |
| 248790 | 662 |
| 248950 | 662 |
| 248967 | 662 |
| 248974 | 662 |
| 248981 | 662 |
| 248998 | 662 |
| 249001 | 662 |
| 249018 | 662 |
| 249025 | 662 |
| 249032 | 662 |
| 249049 | 662 |
| 249056 | 114 |
| 249063 | 114 |
| 249070 | 114 |
| 249087 | 114 |
| 249162 | 819 |
| 249179 | 819 |
| 249186 | 819 |
| 249193 | 819 |
| 249209 | 819 |
| 249216 | 819 |
| 249223 | 819 |
| 249230 | 819 |
| 249247 | 819 |
| 249254 | 819 |
| 249261 | 819 |
| 249278 | 819 |
| 249285 | 819 |
| 249292 | 819 |
| 249308 | 819 |
| 249315 | 819 |
| 249322 | 819 |
| 249339 | 819 |
| 249452 | 770 |
| 249469 | 770 |
| 249476 | 770 |
| 249483 | 770 |
| 249490 | 770 |
| 249506 | 770 |
| 249513 | 770 |
| 249520 | 770 |
| 249629 | 620 |
| 249643 | 596 |
| 249650 | 596 |
| 249674 | 596 |
| 249681 | 596 |
| 249698 | 596 |
| 249704 | 596 |
| 249711 | 632 |
| 249728 | 632 |
| 249810 | 683 |
| 249827 | 683 |
| 249834 | 683 |
| 250106 | 400 |
| 250113 | 400 |
| 250120 | 400 |
| 250137 | 400 |
| 250274 | 738 |
| 250281 | 738 |
| 250304 | 162 |
| 250311 | 162 |
| 250328 | 162 |
| 250335 | 162 |
| 250342 | 162 |
| 250359 | 162 |
| 250403 | 612 |
| 250410 | 612 |
| 250427 | 612 |
| 250434 | 612 |
| 250441 | 612 |
| 250458 | 612 |
| 250748 | 759 |
| 250755 | 707 |
| 250762 | 759 |
| 250779 | 707 |
| 250854 | 733 |
| 250878 | 739 |
| 250885 | 739 |
| 250946 | 719 |
| 250953 | 755 |
| 250977 | 755 |
| 250991 | 704 |
| 251004 | 704 |
| 251011 | 704 |
| 251028 | 704 |
| 251103 | 80 |
| 251110 | 80 |
| 251127 | 474 |
| 251226 | 747 |
| 251257 | 747 |
| 251295 | 747 |
| 251516 | 690 |
| 251523 | 690 |
| 251530 | 690 |
| 251547 | 690 |
| 251554 | 690 |
| 251561 | 690 |
| 251578 | 690 |
| 251592 | 690 |
| 251943 | 654 |
| 251950 | 654 |
| 251967 | 654 |
| 251981 | 654 |
| 251998 | 654 |
| 252018 | 654 |
| 252025 | 679 |
| 252032 | 679 |
| 252049 | 679 |
| 252056 | 679 |
| 252186 | 806 |
| 252209 | 806 |
| 252551 | 815 |
| 252568 | 815 |
| 252599 | 296 |
| 252605 | 296 |
| 252612 | 296 |
| 252629 | 296 |
| 252971 | 640 |
| 252988 | 640 |
| 252995 | 640 |
| 253008 | 640 |
| 253015 | 640 |
| 253381 | 813 |
| 253398 | 814 |
| 253404 | 815 |
| 253411 | 804 |
| 253428 | 806 |
| 253435 | 806 |
| 253442 | 806 |
| 253459 | 806 |
| 253466 | 814 |
| 253473 | 813 |
| 253480 | 815 |
| 253497 | 814 |
| 253558 | 596 |
| 253589 | 54 |
| 253596 | 54 |
| 253664 | 48 |
| 253671 | 48 |
| 253688 | 265 |
| 253695 | 356 |
| 253787 | 816 |
| 253794 | 816 |
| 253800 | 816 |
| 253817 | 816 |
| 253824 | 816 |
| 253831 | 816 |
| 253848 | 816 |
| 253855 | 816 |
| 253862 | 816 |
| 253879 | 816 |
| 253886 | 816 |
| 253893 | 816 |
| 254272 | 268 |
| 254319 | 748 |
| 254326 | 717 |
| 254388 | 748 |
| 254944 | 536 |
| 255019 | 262 |
| 255279 | 681 |
| 255286 | 681 |
| 255514 | 791 |
| 255521 | 791 |
| 255651 | 795 |
| 255668 | 795 |
| 255682 | 795 |
| 255781 | 792 |
| 255804 | 792 |
| 255859 | 787 |
| 255866 | 787 |
| 255934 | 284 |
| 255941 | 284 |
| 255989 | 366 |
| 255996 | 620 |
| 256030 | 620 |
| 256047 | 620 |
| 256061 | 620 |
| 256078 | 620 |
| 256085 | 620 |
| 256092 | 620 |
| 256115 | 620 |
| 256122 | 620 |
| 256146 | 620 |
| 256429 | 126 |
| 256436 | 126 |
| 256443 | 126 |
| 256528 | 806 |
| 257235 | 359 |
| 257242 | 359 |
| 257617 | 550 |
| 257624 | 550 |
| 257631 | 550 |
| 257648 | 550 |
| 257655 | 550 |
| 257662 | 550 |
| 257686 | 550 |
| 257709 | 550 |
| 257716 | 550 |
| 257730 | 550 |
| 257747 | 550 |
| 257792 | 550 |
| 257815 | 550 |
| 257822 | 550 |
| 257839 | 550 |
| 257846 | 550 |
| 257877 | 550 |
| 257921 | 550 |
| 257990 | 550 |
| 258003 | 550 |
| 258027 | 550 |
| 258140 | 550 |
| 258157 | 550 |
| 258171 | 550 |
| 258201 | 550 |
| 258232 | 550 |
| 258249 | 550 |
| 258256 | 550 |
| 258270 | 628 |
| 258287 | 309 |
| 258300 | 578 |
| 258461 | 657 |
| 258478 | 657 |
| 258751 | 52 |
| 258768 | 52 |
| 258775 | 52 |
| 258874 | 500 |
| 258881 | 457 |
| 258898 | 67 |
| 258904 | 500 |
| 258911 | 457 |
| 258928 | 67 |
| 259017 | 64 |
| 259048 | 425 |
| 259062 | 425 |
| 259130 | 107 |
| 259154 | 50 |
| 259161 | 50 |
| 259178 | 50 |
| 259185 | 50 |
| 259192 | 50 |
| 259208 | 50 |
| 259222 | 474 |
| 259239 | 60 |
| 259345 | 359 |
| 259352 | 359 |
| 259376 | 550 |
| 259413 | 550 |
| 259598 | 188 |
| 259604 | 188 |
| 259611 | 383 |
| 259628 | 383 |
| 259680 | 715 |
| 259697 | 715 |
| 259727 | 106 |
| 259734 | 106 |
| 259741 | 106 |
| 259765 | 426 |
| 259772 | 426 |
| 259796 | 426 |
| 259802 | 426 |
| 259819 | 426 |
| 259826 | 426 |
| 259833 | 426 |
| 259857 | 426 |
| 259864 | 484 |
| 259871 | 484 |
| 259895 | 484 |
| 259901 | 484 |
| 259918 | 484 |
| 259925 | 484 |
| 259949 | 484 |
| 259956 | 484 |
| 259963 | 522 |
| 259970 | 522 |
| 259994 | 522 |
| 260006 | 522 |
| 260013 | 196 |
| 260020 | 196 |
| 260044 | 196 |
| 260051 | 196 |
| 260068 | 484 |
| 260075 | 484 |
| 260082 | 484 |
| 260136 | 522 |
| 260235 | 522 |
| 260242 | 522 |
| 260327 | 426 |
| 260334 | 426 |
| 260341 | 426 |
| 260358 | 426 |
| 260433 | 484 |
| 260440 | 484 |
| 260457 | 522 |
| 260464 | 522 |
| 260471 | 196 |
| 260488 | 196 |
| 260600 | 398 |
| 260617 | 398 |
| 260624 | 398 |
| 260631 | 398 |

# Code index


| Sku | Pag |
|---|---|
| 260648 | 398 |
| 260655 | 398 |
| 260662 | 398 |
| 260679 | 398 |
| 260853 | 550 |
| 260860 | 550 |
| 261003 | 290 |
| 261010 | 290 |
| 261034 | 469 |
| 261164 | 289 |
| 261188 | 289 |
| 261195 | 170 |
| 261287 | 784 |
| 261294 | 784 |
| 261331 | 776 |
| 261355 | 776 |
| 261362 | 776 |
| 261379 | 776 |
| 261409 | 792 |
| 261508 | 691 |
| 261522 | 691 |
| 262369 | 568 |
| 262376 | 568 |
| 263632 | 133 |
| 263649 | 133 |
| 263656 | 133 |
| 265896 | 550 |
| 265902 | 550 |
| 266121 | 550 |
| 266145 | 550 |
| 266183 | 550 |
| 266497 | 658 |
| 266503 | 658 |
| 266510 | 658 |
| 266527 | 658 |
| 266534 | 658 |
| 266541 | 658 |
| 266558 | 658 |
| 266565 | 658 |
| 266572 | 658 |
| 266589 | 658 |
| 266596 | 658 |
| 266602 | 658 |
| 266619 | 658 |
| 266626 | 658 |
| 266633 | 658 |
| 266657 | 658 |
| 266671 | 658 |
| 266688 | 658 |
| 266701 | 658 |
| 266725 | 658 |
| 266732 | 658 |
| 266756 | 815 |
| 266763 | 815 |
| 266770 | 815 |
| 267203 | 550 |
| 267210 | 550 |
| 267227 | 550 |
| 267234 | 550 |
| 267241 | 550 |
| 267258 | 550 |
| 267265 | 586 |
| 267272 | 586 |
| 267289 | 586 |
| 267296 | 586 |
| 267302 | 586 |
| 267319 | 586 |
| 267326 | 586 |
| 267333 | 586 |
| 267340 | 586 |
| 267357 | 586 |
| 267364 | 586 |
| 267371 | 586 |
| 267388 | 586 |
| 267395 | 586 |
| 267401 | 586 |
| 267418 | 586 |
| 267425 | 586 |
| 267432 | 586 |
| 267449 | 586 |
| 267456 | 586 |
| 267463 | 586 |
| 267470 | 586 |
| 267487 | 586 |
| 267494 | 586 |
| 267500 | 586 |
| 267692 | 632 |
| 267715 | 586 |
| 267722 | 586 |
| 267739 | 586 |
| 267746 | 586 |
| 267760 | 366 |
| 267777 | 612 |
| 267784 | 612 |
| 267791 | 612 |
| 267807 | 612 |
| 267821 | 301 |
| 267838 | 301 |
| 267869 | 634 |
| 267876 | 634 |
| 267883 | 634 |
| 267890 | 634 |
| 267906 | 634 |
| 267913 | 634 |
| 267920 | 630 |
| 267937 | 630 |
| 267944 | 630 |
| 267951 | 630 |
| 267968 | 648 |
| 267975 | 648 |
| 267982 | 634 |
| 267999 | 634 |
| 268002 | 634 |
| 268071 | 368 |
| 268088 | 628 |
| 268095 | 368 |
| 268101 | 309 |
| 268118 | 71 |
| 268149 | 71 |
| 268156 | 784 |
| 268163 | 784 |
| 268170 | 784 |
| 268187 | 784 |
| 268194 | 784 |
| 268200 | 784 |
| 268217 | 71 |
| 268224 | 792 |
| 268231 | 71 |
| 268293 | 719 |
| 268309 | 719 |
| 268316 | 719 |
| 268347 | 733 |
| 268354 | 733 |
| 268361 | 733 |
| 268378 | 707 |
| 268385 | 707 |
| 268392 | 759 |
| 268408 | 759 |
| 268422 | 748 |
| 268439 | 748 |
| 268989 | 791 |
| 268996 | 791 |
| 269009 | 790 |
| 269016 | 790 |
| 269023 | 790 |
| 269030 | 790 |
| 269061 | 704 |
| 269078 | 704 |
| 269092 | 704 |
| 269108 | 704 |
| 269115 | 694 |
| 269122 | 694 |
| 269139 | 705 |
| 269146 | 705 |
| 269153 | 707 |
| 269160 | 764 |
| 269177 | 698 |
| 269184 | 717 |
| 269207 | 717 |
| 269214 | 717 |
| 269221 | 719 |
| 269238 | 747 |
| 269245 | 747 |
| 269252 | 747 |
| 269269 | 747 |
| 269276 | 747 |
| 269290 | 786 |
| 269313 | 717 |
| 269320 | 717 |
| 269337 | 54 |
| 269351 | 54 |
| 269375 | 54 |
| 269382 | 54 |
| 269399 | 356 |
| 269405 | 356 |
| 269412 | 265 |
| 269429 | 265 |
| 269436 | 48 |
| 269443 | 48 |
| 269450 | 48 |
| 269467 | 48 |
| 269474 | 454 |
| 269481 | 454 |
| 269498 | 454 |
| 269504 | 801 |
| 269696 | 801 |
| 269702 | 801 |
| 269719 | 801 |
| 269726 | 801 |
| 269733 | 801 |
| 269740 | 691 |
| 269757 | 691 |
| 269764 | 691 |
| 269771 | 691 |
| 269795 | 189 |
| 269818 | 469 |
| 269825 | 262 |
| 269832 | 46 |
| 269849 | 46 |
| 269856 | 50 |
| 269863 | 50 |
| 269870 | 50 |
| 269955 | 106 |
| 269962 | 106 |
| 269979 | 106 |
| 269986 | 426 |
| 270005 | 484 |
| 270012 | 522 |
| 270029 | 196 |
| 270036 | 426 |
| 270043 | 196 |
| 270050 | 196 |
| 270074 | 711 |
| 270081 | 711 |
| 270098 | 711 |
| 270104 | 813 |
| 270111 | 813 |
| 270241 | 268 |
| 270258 | 268 |
| 270265 | 268 |
| 270272 | 268 |
| 270289 | 268 |
| 270296 | 268 |
| 270302 | 268 |
| 270319 | 268 |
| 270326 | 268 |
| 270333 | 268 |
| 270340 | 268 |
| 270357 | 268 |
| 270364 | 268 |
| 270371 | 268 |
| 270388 | 268 |
| 270395 | 268 |
| 270401 | 268 |
| 270449 | 580 |
| 270456 | 580 |
| 270463 | 580 |
| 270470 | 580 |
| 270487 | 580 |
| 270494 | 580 |
| 270500 | 580 |
| 270517 | 580 |
| 270524 | 580 |
| 270531 | 580 |
| 270548 | 580 |
| 270586 | 268 |
| 270593 | 268 |
| 270661 | 262 |
| 270678 | 262 |
| 270692 | 568 |
| 270715 | 268 |
| 270845 | 747 |
| 270876 | 568 |
| 270883 | 568 |
| 270920 | 806 |
| 270937 | 568 |
| 270944 | 804 |
| 270951 | 806 |
| 270968 | 813 |
| 270975 | 814 |
| 271002 | 268 |
| 271125 | 580 |
| 271187 | 70 |
| 271194 | 70 |
| 271200 | 70 |
| 271217 | 70 |
| 271446 | 612 |
| 271453 | 612 |
| 271507 | 107 |
| 271514 | 747 |
| 271590 | 806 |
| 271606 | 806 |
| 271613 | 806 |
| 271620 | 804 |
| 271637 | 806 |
| 271644 | 804 |
| 271712 | 68 |
| 271750 | 68 |
| 272108 | 776 |
| 272375 | 815 |
| 272382 | 815 |
| 276205 | 790 |
| 276212 | 787 |
| 276328 | 550 |
| 276335 | 568 |
| 276342 | 568 |
| 276366 | 536 |
| 276526 | 787 |
| 276564 | 56 |
| 276571 | 56 |
| 276588 | 56 |
| 276595 | 56 |
| 276601 | 56 |
| 276618 | 56 |
| 276625 | 56 |
| 276632 | 56 |
| 276649 | 68 |
| 276656 | 68 |
| 276663 | 68 |
| 276670 | 68 |
| 276687 | 68 |
| 276694 | 68 |
| 276700 | 68 |
| 276717 | 68 |
| 276724 | 68 |
| 276731 | 68 |
| 276748 | 68 |
| 276755 | 68 |
| 276762 | 68 |
| 276779 | 68 |
| 276786 | 68 |
| 276793 | 68 |
| 277004 | 794 |
| 277011 | 794 |
| 277028 | 794 |
| 277035 | 794 |
| 277912 | 568 |
| 277929 | 568 |




# Technical icons

Class I Elctrical safety guaranteed by main insulation and additional protective conductor (earthing) connected with metal lamp frame. Earthing is obligatory.

Class II Elctrical safety guaranteed by main insulation and double or reinforced insulation. Earthing not necessary.

Class III Electrical safety guaranted by very low power supply (less than 50 Volt). Earthing excluded.

Item not appropriate for direct or recessed installation on normally flammable surfaces.

Mark of conformity to European Community Safety regulations.

# Symbols

Bulb included.

Items with LED lights: very low consumption, highly bright and focused light, strength and durability.

Integrated switch button.

Lamp with touch switch: switching on and dimmering by touching the base with a finger.

Luminaire with dimmer.

Lamp with integrated USB socket.

Up-light included.

High-tech product with high quality materials, intended for professional use.

Product with UGR.

Item suitable for painting and varnishing.

Protection degree.

Item made of stainless steel 316.

Lamp with presence detector included PIR (Passive InfraRed).

Lamp with rechargeable battery included

## Notes

**-The indicated prices are public prices VAT excluded.**

-Ideal Lux s.r.l. reserves the right to make, at any time and without notice, all necessary changes to improve the quality of the items of this catalogue.
-Our products with Class I and II work with nominal Voltage of 220-240 Vac 50/60 Hz. All our products comply with EU legislation.
-Whenever purchased separately as "optional", the DIMMABLE DRIVER will be already included in the product as replacement for the default on-off driver: only one driver will be supplied.
-The measurements indicated in the decorative section (blue) and outdoor (green) are expressed in centimeters, while the measurements indicated in the technical section (yellow) are expressed in millimeters.
-The Watt indicated in the catalogue express the NOMINAL power of the lighting fitting including source and driver, when present. The Lumen measures referred to the lighting fittings with integrated LED source are nominal, namely referred to the source. We kindly invite you to check photometry files for the actual Lumen of the single lighting fittings. For further information and updates.
-The UGR rate is not a characteristic of the fitting itself, but of the installation. The UGR values reported in this catalogue are calculated taking into consideration an ideal installation and are regrouped into blocks <10 <13 <16 <19 <22. It is recommended to calculate the specific UGR according to your installation.
-The useful life of the LED sources of all the products in the catalogue refers, when it is not differently declared, to the L70B50 value.

## Contacts

**IDEAL LUX s.r.l.**
Via Taglio Destro, 32
30035 Mirano — Venezia
P.I. / C.F. 02420040277
8.00 - 12.00 / 13.30 - 17.30

**IDEAL LUX Warehouse**
Via delle Industrie, 8/D
30036 Santa Maria di Sala — Venezia
8.00 - 12.00 / 13.30 - 17.00

E info@ideal-lux.com
T +39 041 5790500
F +39 041 8872349

ideal.lux
Ideal Lux

**www.ideal-lux.com**

Community Design Pending Nr. 001996372 002022038 002194993 002621862 002943449 003734342 004558609 006083655

Copyright 2021 © IDEAL LUX S.r.l. – All rights reserved – Tutti i diritti sono riservati

ideal lux

www.ideal-lux.com

**IDEAL LUX s.r.l.**
Via Taglio Destro, 32
30035 Mirano — Venezia

**IDEAL LUX Warehouse**
Via delle Industrie, 8/D
30036 Santa Maria di Sala — Venezia

ideal.lux
Ideal Lux